AUTHOR INDEX

VOLUME 62, 1989

British Journal of Anaesthesia

ARS = Anaesthetic Research Society papers
C = Correspondence
E = Editorial
R = Book review

ACKERS, J. W. L. *see* EVANS, R. D. 243–247
ADNET, P. *see* KRIVOSIC-HORBER, R. 691–693
AGOSTON, S. *see* KHUENL-BRADY, K. S., (*ARS*) 225–226P; WIERDA, J. M. K. H. 194–198
AGUILAR SANCHEZ, J. L. *see* MONTERO MATAMALA, A. 637–640
AINSWORTH, Q. P. and HOWELLS, T. H. Transilluminated tracheal intubation 494–497
AITKENHEAD, A. R. *see* WORSLEY, M. H., (*C*) 114
ALI, H. H. *see* DRESNER, D. L. 331–334
ALIFIMOFF, J. K. *see* GOUDSOUZIAN, N. G. 263–268
ANDERSEN, P. E. *see* CHRISTENSEN, P. A. 258–262
ANDERSON, S. J. *see* LOUGHNAN, B. A., (*ARS*) 223P
ANDERTON, J. M., KEEN, R. I. and NEAVE, R. *Positioning the Surgical Patient*, (*R*) 238
ANDREASEN, F. *see* SCHURIZEK, B. A. 129–137; 674–682
ANDREWS, E. B. *see* JICK, H. 590–595; LAWSON, D. H. 596–600
AYRES, S. M., SCHLICHTIG, R. and STERLING, M. J., (editors) *Care of the Critically Ill*, 3rd Edn, (*R*) 117

BAGSHAW, R. J. Hypotensive agents: an animal model, (*C*) 112
BAKER, D. J. *see* TURNER, G. A. 279–286
BAKER, R. D. *see* MEAKIN, G. 655–658
BANSSILLON, V. *see* CHASSARD, D. 522–526
BARAKA, A., LOUIS, F., NOUEIHID, R., DIAB, M., DABBOUS, A. and SIBAI, A. Awareness following different techniques of general anaesthesia for Caesarean section 645–648
BARKER, M. *see* COOK, P. R. 402–408
BARNES, P. K. *see* MILLAR, S. W. 153–158; TYLER, C. K. G. 462–466
BASKETT, P. and WELLER, R., (editors) *Medicine for Disasters*, 1st Edn, (*R*) 117–118
BECKETT, G. J. *see* RAY, D. C. 553–559
BECQ, M. C. *see* KRIVOSIC-HORBER, R. 691–693
BEDFORD, R. F. *see* SHAH, N. K. 150–152
VAN BEEM, H., VAN PEER, A., GASPARINI, R., WOESTENBORGHS, R., HEYKANTS, J., NOORDUIN, H., VAN EGMOND, J. and CRUL, J. Pharmacokinetics of alfentanil during and after a fixed rate infusion 610–615
BELL, P. F. and MIRAKHUR, R. K. Comparison of mechanomyography and integrated electromyography for monitoring suxamethonium block, (*ARS*) 225P
BELLHOUSE, C. P. and DORÉ, C. Predicting difficult intubation, (*C*) 469
BENCINI, A. F. *see* WIERDA, J. M. K. H. 194–198
BENDIXEN, D. *see* HANSEN, M., (*C*) 237
BEST, C. J., EWART, M. and SUMNER, E. Perioperative complications following the use of vancomycin in children: a report of two cases 576–577
BIGLER, D. *see* SCOTT, N. B. 253–257
BISWAS, C., JANA, N. and MAITRA, S. Bilateral pneumothorax following tracheal intubation 338–339
BLACK, A. M. S. Effect of suxamethonium given during recovery from atracurium, (*C*) 348–349
BLACK, G. W. *see* DWYER, R., (*ARS*) 219–220P; SAMPAIO, M. M. 199–201
BOADEN, R. W. *see* TACKLEY, R. M. 46–53
BOOIJ, L. H. D. J. *see* SCHEEPSTRA, G. L. 54–60; 92–94
BOSTON, V. *see* MCCAFFERTY, D. F. 17–21
BOTTIGLIERI, T. *see* ROYSTON, B. D. 419–424
BOULTBEE, J. *see* KOX, W., (*R*) 701
BOWLER, G. M. R. *see* MITCHELL, R. W. D., (*C*) 113
BOYD, S. G. *see* LOUGHNAN, B. A., (*ARS*) 223P
BOYER, A. *see* WIERDA, J. M. K. H. 194–198
BRANCHE, C. *see* JICK, H. 590–595; LAWSON, D. H. 596–600
BRANDOM, B. W., WOELFEL, S. K., RYAN COOK, D., WEBER, S., POWERS, D. M. and WEAKLY, J. N. Comparison of mivacurium and suxamethonium administered by bolus and infusion 488–493
BRAUDE, N. and LUDGROVE, T. Neurogenic pulmonary oedema precipitated by induction of anaesthesia 101–103
BROCK-UTNE, J. G., ROUT, C., MOODLEY, J. and MAYAT, N. Influence of preoperative gastric aspiration on the volume and pH of gastric contents in obstetric patients undergoing Caesarean section 397–401
BROCKWAY, M. S., MURRAY, A. and KENNY, G. N. C. Cardiovascular and respiratory effects of ketorolac and alfentanil during anaesthesia, (*ARS*) 224–225P
BRODSKY, J. B. *see* SAMUELS, S. I. 216–218
BROWN, D. T. *see* PUGH, G. C. 601–609
BRUCE, W. C. and SONI, N. C. Preliminary evaluation of the Enclosed Magill Breathing System 144–149
BRUGMAN, E. *see* VANGERVEN, M. 98–100
BRUNNER, J. X. and WOLFF, G. *Pulmonary Function Indices in Critical Care Patients*, 1st Edn, (*R*) 351
BUNEMANN, L. *see* JENSEN, K. 321–323

CAMPBELL, I. T., WILLATT, D. J., CHILDS, D. and STELL, P. M. Arterial oxygenation after different types of major head and neck surgery, (*ARS*) 231–232P
CAMPBELL, W. I. and WATTERS, C. H. Venous sequelae following i.v. administration of diclofenac 545–547
CANFELL, P. C. *see* KHUENL-BRADY, K. S., (*ARS*) 225–226P; TATEISHI, A. 548–552
CANNING, J., ELWELL, A. and WARD, S. Comparison of the Elwell Neuromuscular Indicator and the Datex Relaxograph, (*ARS*) 226P
CAPOGNA, G. *see* CELLENO, D. 649–654
CARLI, F., RAMACHANDRA, V., GANDY, J., FORD, G. C., MERRITT, H., READ, M. and HALLIDAY, D. Whole body protein turnover during anaesthesia and surgery, (*ARS*) 220P

CARLI, F. *see* RAMACHANDRA, V. 409–414
CARLISLE, K. M. *see* WOLF, A. R., (*ARS*) 221–222P
CARRIE, L. E. S. and SIMPSON, P. J. *Understanding Anaesthesia*, 2nd Edn, (*R*) 472
CASEY, P. B. *see* PATTERSON, K. W., (*ARS*) 222–223P
CASTAGNOLI, K. P. *see* KHUNL-BRADY, K. S., (*ARS*) 225–226P
CELLENO, D., CAPOGNA, G., TOMASSETTI, M., COSTANTINO, P., DI FEO, G. and NISINI, R. Neurobehavioural effects of propofol on the neonate following elective Caesarean section 649–654
CERRA, F. B., (editor) *Perspectives in Critical Care Medicine*, (*R*) 583–584
CHARTERS, P. *see* FAHY, L., (*ARS*) 234P; HORTON, W. A. 6–12
CHASSARD, D., JOUBAUD, A., COLSON, A., GUIRAUD, M., DUBREUIL, C. and BANSSILLON, V. Auditory evoked potentials during propofol anaesthesia in man 522–526
CHILDS, D. *see* CAMPBELL, I. T., (*ARS*) 231–232P
CHRISTENSEN, N. J. *see* TØNNESEN, E. 327–330
CHRISTENSEN, P. A., NORENG, M., ANDERSEN, P. E. and NIELSEN, J. W. Electroacupuncture and postoperative pain 258–262
CHRISTIAN, A. S., ELLIS, F. R. and HALSALL, P. J. Is there a relationship between masseteric muscle spasm and malignant hyperpyrexia? 540–544
CHRISTYS, A. R., MOSS, E. and POWELL, D. Retrospective study of early postoperative convulsions after intracranial surgery with isoflurane or enflurane anaesthesia 624–627
CLAFFEY, L. P., O'TOOLE, D. P., SCHELL, J., TORMEY, W. and CUNNINGHAM, A. J. Blood:CSF glycine concentration gradient following a controlled i.v. infusion in dogs, (*ARS*) 234–235P
CLARKE, R. S. J. *see* DWYER, R., (*ARS*) 219–220P
COE, P. *see* FAIRBRASS, M. J. 66–69
COENEN, L. G. J. *see* SCHEEPSTRA, G. L. 54–60
COETZEE, A. and VAN DER MERWE, W., (editors) *An Introduction to Anaesthesiology*, (*R*) 471
COLE, P. V. *see* SURY, M. R. J., (*C*) 112
COLEY, S. Anaesthesia of the skin, (*E*) 4–5
COLLIER, P. S. *see* FLYNN, R. J. 87–91
COLQUHOUN, A. D. *see* REED, P. N. 316–318
COLSON, A. *see* CHASSARD, D. 522–526
COLVIN, J. R. *see* HODSMAN, N. B. A. 527–531
CONSEILLER, C. *see* LIRZIN, J. D. 641–644
COOK, D. R. and MARCY, J. H., (editors) *Neonatal Anaesthesia*, 1st Edn, (*R*) 472–473
COOK, P. R., MYERS, D., BARKER, M. and JONES, J. G. Blood–brain barrier to pertechnetate following drug-induced hypotension 402–408
COSAERT, P. *see* VANGERVEN, M. 98–100
COSTANTINO, P. *see* CELLENO, D. 649–654
COURI, D. *see* HANNA, A. N. 429–433
COVENTRY, D. M. and TODD, J. G. Alkalinization of bupivacaine for sciatic nerve blockade, (*ARS*) 227P
CREAGH-BARRY, P. *see* NEWTON, D. E. F. 61–65
CREAN, P. M. *see* SAMPAIO, M. M. 199–201
CRUL, J. *see* VAN BEEM, H. 610–615
CRUL, J. F. *see* SMITH, D. C. 206–209
CUNNINGHAM, A. J. *see* CLAFFEY, L. P., (*ARS*) 234–235P; PATTERSON, K. W., (*ARS*) 222–223P

DABBOUS, A. *see* BARAKA, A. 645–648
DAILLAND, P. *see* LIRZIN, J. D. 641–644
DAVIDSON, J. T. *see* DRENGER, B. 82–86
DAVIES, C. A. *see* HUTCHISON, G. L. 518–521
DAVIES, C. J. *see* STACK, C. G., (*ARS*) 232P
DAY, S. J. *see* DODD, P. 77–81
DEAM, R. K. and SONI, N. Effects of pipecuronium and pancuronium on the isolated rabbit heart 287–289
DE ANDRES, J. A. The blood lancet in regional anaesthesia, (*C*) 348
DEBAENE, B. *see* MEISTELMAN, C., (*ARS*) 228–229P
DELOOF, T. *see* NAEIJE, R. 532–539
DELRUE, G. *see* VANGERVEN, M. 98–100
DENBOROUGH, M. A. *see* FOSTER, P. S. 560–565; 566–572
DERRINGTON, M. C. Measurement of transdiaphragmatic pressure, (*C*) 238; Neuromuscular block in diaphragm and hand, (*C*) 236
DESCHNER, L. S. *see* WILTON, N. C. T. 434–438
DEWAN, D. M. *see* JAMES, F. M. III, (*R*) 582
DIAB, M. *see* BARAKA, A. 645–648
DIEDERICKS, J., LEONE, B. J., SEAR, J. W., FOËX, P. and RYDER, W. A. Effect of nitrous oxide during basal propofol anaesthesia on myocardium with normal and critically restricted blood supply, (*ARS*) 224P
DIERDORF, S. F. *see* STOELTING, R. K., (*R*) 471–472
DI FEO, G. *see* CELLENO, D. 649–654
DI RIENZO, V. *see* PATRIARCA, G. 210–212
DIXON, J. *see* TACKLEY, R. M. 46–53
DODD, P., DAY, S. J., GOLDHILL, D. R., MACLEOD, D. M., WITHINGTON, P. S. and YATE, P. M. Glycopyrronium requirements for antagonism of the muscarinic side effects of edrophonium 77–81
DONALD, J. R. Spinal anaesthesia and surgical blood loss, (*C*) 114
DONALDSON, R. *see* KOX, W., (*R*) 701
DONEGAN, J. H., (editor) *A Manual of Anaesthesia for Emergency Surgery*, 1st Edn, (*R*) 350
DONOSO BACH, L. *see* MONTERO MATAMALA, A. 637–640
DORAN, B. R. H. *see* POLLARD, B. J. 95–97
DORÉ, C. *see* BELLHOUSE, C. P., (*C*) 469
DORÉ, C. J. *see* NEWTON, D. E. F. 61–65
DORRINGTON, K. L. and MCRAE, K. M. Hyperventilation haemolysis: are humans at risk? (*ARS*) 235P
DOUGLAS, R. H. B. *see* WHITFIELD, A. 694–696
DOWD, T. *see* SWEENEY, J., (*ARS*) 222P
DRENGER, B. Extradural bupivacaine and methadone for extracorporeal shock-wave lithotripsy, (*C*) 580
DRENGER, B., SHIR, Y., PODE, D., SHAPIRO, A., MAGORA, F. and DAVIDSON, J. T. Extradural bupivacaine and methadone for extracorporeal shock-wave lithotripsy 82–86
DRESNER, D. L. and ALI, H. H. Anaesthetic management of a patient with facioscapulohumeral muscular dystrophy 331–334
DRIPPS, R. D., ECKENHOFF, J. E. and VANDAM, L. D. *Introduction to Anaesthesia: The Principles of Safe Practice*, 7th Edn, (*R*) 116–117
DRUMMOND, G. B. Comparison of the effects of sedation with midazolam or ketamine on the airway muscles, (*ARS*) 230P
DRUMMOND, G. B. *see* PUGH, G. C. 601–609; RAY, D. C. 553–559
DUBREUIL, C. *see* CHASSARD, D. 522–526
DUNDEE, J. W. and MILLIGAN, K. R. Influence of alcohol consumption on the induction dose of thiopentone, (*ARS*) 229–230P
DUNDEE, J. W. and WYANT, G. M. *Intravenous Anaesthesia*, 2nd Edn. (*R*) 238
DUNNILL, M. S. *see* NIBLETT, D. J. 628–636
DWYER, R., FEE, J. P. H., BLACK, G. W. and CLARKE, R. S. J. Comparison of increase in end-tidal concentrations of halothane and isoflurane in elderly patients, (*ARS*) 219–220P
DYKES, M. H. M. *see* OVASSAPIAN, A. 13–16
DZWONCZYK, R. *see* MCDONALD, J. S., (*C*) 700

ECKENHOFF, J. E. *see* DRIPPS, R. D., (*R*) 116–117
EDWARDS, M., SERRAO, J. M., GENT, J. P. and GOODCHILD, C. S. GABA involvement in spinal analgesia with midazolam, (*ARS*) 233P

VAN EGMOND, J. *see* VAN BEEM, H. 610–615
ELIAS, E. *see* MILLS, C. O. 311–315
ELLIS, F. R. *see* CHRISTIAN, A. S. 540–544; FAIRBRASS, M. J. 66–69; KEELER, J. F., (*ARS*) 223–224P; MADEJ, T. H. 515–517
ELLIS, H. and FIELDMAN, S., (editors) *Anatomy for Anaesthetists*, (*R*) 473
ELWELL, A. *see* CANNING, J., (*ARS*) 226P
ENGBÆK, J., ØSTERGAARD, D. and VIBY-MOGENSEN, J. Double burst stimulation (DBS): a new pattern of nerve stimulation to identify residual neuromuscular block 274–278
EVANS, R. D., PALAZZO, M. G. A. and ACKERS, J. W. L. Air embolism during total hip replacement: comparison of two surgical techniques 243–247
EWART, M. *see* BEST, C. J. 576–577

FAHY, L., HORTON, W. A., SPRIGGE, J. S. and CHARTERS, P. X-ray laryngoscopy in patients with a history of difficult laryngoscopy during pregnancy, (*ARS*) 234P
FAHY, L. *see* HORTON, W. A. 6–12
FAIRBRASS, M. J., COE, P. and ELLIS, F. R. Adrenal cortical reserve in patients undergoing muscle biopsy for malignant hyperthermia screening 66–69
FAIRLEY, H. B. *see* MARSHALL, B. E., (*R*) 473
FAIS, G. *see* PATRIARCA, G. 210–212
FAITHFULL, N. S. Factors affecting headache following anaesthesia for urological daycase surgery, (*ARS*) 220–221P
FASSOULAKI, A. Nasotracheal intubation, paranasal sinusitis and head injuries, (*C*) 236
FASSOULAKI, A. and VASSILIOU, M. Effect of oral midazolam and diazepam on some pulmonary function tests, (*ARS*) 232P
FAZACKERLEY, E. J. *see* RANDALL, N. P. C. 159–163
FEE, J. P. H. *see* DWYER, R., (*ARS*) 219–220P
FELL, D., WATSON, A. P. and HINDOCHA, N. Plasma concentrations of catecholamines following intraocular irrigation with adrenaline 573–575
FIELDMAN, S. *see* ELLIS, H., (*R*) 473
FINUCANE, B. T. and SANTORA, A. H., (authors) *Principles of Airway Management*, 1st Edn, (*R*) 116
FLETCHER, J. E., LIZZO, F. H. and ROSENBERG, H. Suxamethonium and malignant hyperthermia, (*C*) 468
FLETCHER, M. E. *see* STACK, C. G., (*ARS*) 232P
FLETCHER, R. Estimation of Pa_{CO_2} from end-tidal P_{CO_2} and Hb saturation in cyanotic children, (*ARS*) 231P; Relationship between alveolar deadspace and arterial oxygenation in children with congenital cardiac disease 168–176
FLYNN, R. J., MOORE, J., COLLIER, P. S. and MCCLEAN, E. Does pretreatment with cimetidine and ranitidine affect the disposition of bupivacaine? 87–91
FOËX, P. *see* DIEDERICKS, J., (*ARS*) 224P
FORBES, R. and MURRAY, D. J. Teaching fibreoptic intubation, (*C*) 113–114
FORD, D. *see* WEEKS, D. B., (*C*) 237
FORD, G. C. *see* CARLI, F., (*ARS*) 220P
FOSTER, P. S. and DENBOROUGH, M. A. Effect of diltiazem and dantrolene on the contractility of isolated malignant hyperpyrexia-susceptible porcine skeletal muscle 566–572
FOSTER, P. S., HOPKINSON, K. C. and DENBOROUGH, M. A. Effect of diltiazem on porcine malignant hyperpyrexia induced by suxamethonium and halothane 560–565
FOSTER, V. *see* GOUDSOUZIAN, N. G. 263–268
FRANKS, P. J., HOOPER, R. H. and JONES, P. R. M. Solubility of Freon-22 in blood and lung tissue 425–428
FREEMAN, J. F. *see* MILLS, C. O. 311–315

GAMIL, M. Serial peak expiratory flow rates in mothers during Caesarean section under extradural anaesthesia 415–418
GANDY, J. *see* CARLI, F., (*ARS*) 220P
GASPARINI, R. *see* VAN BEEM, H. 610–615
GENT, J. P. *see* EDWARDS, M., (*ARS*) 233P; SERRAO, J. M., (*ARS*) 233–234P
GLAVIN, R. J. *see* LAWSON, D. H. 596–600
GOLD, M. I. Preoxygenation, (*E*) 241
GOLDHILL, D. R. *see* DODD, P. 77–81
GOODCHILD, C. S. *see* EDWARDS, M., (*ARS*) 233P; SERRAO, J. M., (*ARS*) 233–234P
GOODMAN, N. W. The anaesthetist's activities in the operating theatre, (*C*) 700
GORDON, K. L. and REILLY, C. S. Recovery of neuromuscular function after infusion or intermittent bolus doses of atracurium or vecuronium 269–273
GOTTARDIS, M., KHÜNL-BRADY, K. S., KOLLER, W., SIGL, G. and HACKL, J. M. Effect of prolonged sedation with propofol on serum triglyceride and cholesterol concentrations 393–396
GOUDSOUZIAN, N. G., ALIFIMOFF, J. K., LIU, L. M. P., FOSTER, V., MCNULTY, B. and SAVARESE, J. J. Neuromuscular and cardiovascular effects of doxacurium in children anaesthetized with halothane 263–268
GOVENDEN, V. *see* MATTHEWS, P. J. 204–205
GRANT, I. S. *see* REAY, B. A. 248–252
GRAY, I. G. *see* HUTCHISON, G. L. 518–521
GRUNDY, E. M. *see* LOUGHNAN, B. A. 297–300
GUIRAUD, M. *see* CHASSARD, D. 522–526

HACKL, J. M. *see* GOTTARDIS, M. 393–396
HAHN, C. E. W. *see* SYKES, M. K. 445–455
HALL, G. M. *see* LOUGHNAN, B. A. 297–300
HALLIDAY, D. *see* CARLI, F., (*ARS*) 220P
HALSALL, P. J. *see* CHRISTIAN, A. S. 540–544; MADEJ, T. H. 515–517
HAND, C. W. *see* SEAR, J. W. 22–27; 28–32
HANNA, A. N., MCDONALD, J. S., MILLER, C. H. jr and COURI, D. Pretreatment with paracetamol inhibits metabolism of enflurane in rats 429–433
HANNING, C. D. *see* REED, P. N. 316–318; WILKINS, C. J. 439–444
HANSEN, M., BENDIXEN, D., POULSON, M. and HARTMANN, F. Nasotracheal intubation, paranasal sinusitis and head injuries, (*C*) 237
HARPER, N. J. N. *see* JOHNSON, R. A. 483–487; POLLARD, B. J. 95–97
HARRIS, S. *see* JANI, K., (*ARS*) 226–227P
HARTMANN, F. *see* HANSEN, M., (*C*) 237
HARVEY, J. T. *see* TACKLEY, R. M. 46–53
HATCH, D. J. *see* STACK, C. G., (*ARS*) 232P
HAYES, J. D. *see* RAY, D. C. 553–559
HEALY, T. E. J. *see* MIDDLETON, C. M. 659–663; RANDALL, N. P. C. 159–163
HELBO-HANSEN, S. *see* TOFT, P. 319–320
HETREED, M. J. *see* LOUGHNAN, B. A., (*ARS*) 223P
HEYKANTS, J. *see* VAN BEEM, H. 610–615
HIGGS, B. Measurement of transdiaphragmatic pressure, (*C*) 237–238
HINDOCHA, N. *see* FELL, D. 573–575; JONES, M. J. 124–128
HO, A. M.-H. Parkinsonism and the anaesthetist, (*C*) 580
HODSMAN, N. B. A., COLVIN, J. R. and KENNY, G. N. C. Effect of ketanserin on sodium nitroprusside requirements, arterial pressure control and heart rate following coronary artery bypass surgery 527–531
HOOPER, R. H. *see* FRANKS, P. J. 425–428
HOPKINS, C. S. and LEITH, S. Acute gastric dilatation in an incarcerated hiatus hernia 108–111
HOPKINSON, K. C. *see* FOSTER, P. S. 560–565
HORTON, J. M. *see* OH, T. E., (*C*) 467–468

HORTON, W. A., FAHY, L. and CHARTERS, P. Defining a standard intubating position using "Angle Finder" 6–12
HORTON, W. A. *see* FAHY, L., (*ARS*) 234P
HOWELLS, T. H. *see* AINSWORTH, Q. P. 494–497
HULL, C. J. The safety of new drugs, (*E*) 587–589
HUNTER, J. M. *see* PARKER, C. J. R. 177–183
HUSEGAARD, H. C. *see* NIELSEN, T. H. 164–167
HUTCHISON, G. L., DAVIES, C. A., MAIN, G. and GRAY, I. G. Incidence of arrhythmias in dental anaesthesia: a cross-over comparison of halothane and isoflurane 518–521
HUTTON, P. *see* STOKES, D. N. 202–203

JACKSON, R. K. *see* SYKES, M. K. 445–455
JACQUINOT, P. *see* LIRZIN, J. D. 641–644
JAFFE, J. *see* STORELLA, R. J. 478–482
JAMES, F. M. III, WHEELER, A. S. and DEWAN, D. M., (editors) *Obstetric Anesthesia: The Complicated Patient*, 2nd Edn, (*R*) 582
JAMES, M. F. M. Use of magnesium sulphate in the anaesthetic management of phaeochromocytoma: a review of 17 anaesthetics 616–623
JAMES, M. F. M., REYNEKE, C. J. and WHIFFLER, K. Heart block following propofol: a case report 213–215
JANA, N. *see* BISWAS, C. 338–339
JANI, K., MCEVEDY, B., HARRIS, S. and SAMAAN, A. Maternal and neonatal bupivacaine concentrations after spinal and extradural anaesthesia for Caesarean section, (*ARS*) 226–227P
JASSON, J. *see* LIRZIN, J. D. 641–644
JENSEN, K., BUNEMANN, L., RIISAGER, S. and THOMSEN, L. J. Cerebral blood flow during anaesthesia: influence of pretreatment with metoprolol or captopril 321–323
JEPHCOTT, A. *A History of Longworth Scientific Instrument Co. Ltd*, 1st Edn, (*R*) 583
JICK, H., ANDREWS, E. B., TILSON, H. H., PFANSCHMIDT, M., BRANCHE, C., WALKER, A. M. and LAWSON, D. H. Atracurium—a post-marketing surveillance study: methods and U.S. experience 590–595
JICK, H. *see* LAWSON, D. H. 596–600
JOHNSON, R. A. and HARPER, N. J. N. Antagonism of moderate degrees of vecuronium-induced neuromuscular block by small doses of neostigmine 483–487
JONES, J. G. *see* COOK, P. R. 402–408
JONES, M. J. and MITCHELL, R. W. D. Prostaglandins and the lower oesophageal sphincter, (*C*) 581
JONES, M. J., MITCHELL, R. W. D. and HINDOCHA, N. Effects on the lower oesophageal sphincter of cisapride given before the combined administration of atropine and neostigmine 124–128
JONES, P. R. M. *see* FRANKS, P. J. 425–428
JONMARKER, C. *see* LARSSON, A. 378–384
JORROT, J. C. *see* LIRZIN, J. D. 641–644
JOUBAUD, A. *see* CHASSARD, D. 522–526
JUHL, B. *see* SCHURIZEK, B. A. 129–137; 674–682

KALLI, I. Effect of surface electrode positioning on the compound action potential evoked by ulnar nerve stimulation in anaesthetized infants and children 188–193
KARLICZEK, R. *see* WIERDA, J. M. K. H. 194–198
KATSUOKA, M. and OHNISHI, S. T. Inhalation anaesthetics decrease calcium content of cardiac sarcoplasmic reticulum 669–673
KATZ, J. *see* SNELL, R. S., (*R*) 702
KAUFMAN, L., (editor) *Anaesthesia Review 5*, (*R*) 118
KAUR, N. *see* RAMACHANDRA, V. 409–414
KAY, B. *see* MIDDLETON, C. M. 659–663
KEELER, J. F. and ELLIS, F. R. Estimation of core temperature by use of an insulated arm, (*ARS*) 223–224P
KEEN, R. I. *see* ANDERTON, J. M., (*R*) 238
KEHLET, H. *see* SCOTT, N. B. 253–257
KEILTY, S. R. *see* SAMPAIO, M. M. 199–201
KENDIG, J. J. *see* MACIVER, M. B. 301–310
KENNY, G. N. C. *see* BROCKWAY, M. S., (*ARS*) 224–225P; HODSMAN, N. B. A. 527–531
KET, J. M. *see* WIERDA, J. M. K. H. 194–198
KHUENL-BRADY, K. S., CANFELL, P. C., MILLER, R. D., CASTAGNOLI, K. P. and AGOSTON, S. Pharmacokinetics and disposition of Org 9616 and Org 9426 in the cat, (*ARS*) 225–226P
KHÜNL-BRADY, K. S. *see* GOTTARDIS, M. 393–396
KIDD, J. F. and VICKERS, M. D. Pulse oximeters: essential monitors with limitations, (*E*) 355–357
KING, M. J. *see* LOUGHNAN, B. A. 297–300
KINJO, M., NAGASHIMA, H. and VIZI, E. S. Effect of atracurium and laudanosine on the release of ^{3}H-noradrenaline 683–690
KNUDSEN, F. *see* TØNNESEN, E. 327–330
KOCHI, T., SAKO, S., NISHINO, T. and MIZUGUCHI, T. Effect of high thoracic extradural anaesthesia on ventilatory response to hypercapnia in normal volunteers 362–367
KOLLER, W. *see* GOTTARDIS, M. 393–396
KONG, K. L. *see* MARTIN, D. G. 456–461
KOSAKA, F. *see* ONO, K. 324–326
KOTTLER, B. *see* LENZ, G., (*R*) 701–702
KOX, W., BOULTBEE, J. and DONALDSON, R., (editors) *Imaging and Labelling Techniques in the Critically Ill*, (*R*) 701
KRAGLUND, K. *see* SCHURIZEK, B. A. 129–137; 674–682
KREJCIE, T. C. *see* OVASSAPIAN, A. 13–16
KRISTOFFERSEN, E. *see* NIELSEN, T. H. 164–167
KRIVOSIC-HORBER, R., REYFORT, H., BECQ, M. C. and ADNET, P. Effect of propofol on the malignant hyperthermia susceptible pig model 691–693

LAISHLEY, R. *see* REYNOLDS, F. 509–514
LAMB, K. S. R. *see* STONE, P. A. 335–337
DE LANGE, J. J. *see* SCHEEPSTRA, G. L. 92–94
LARSEN, H. V. *see* NIELSEN, T. H. 164–167
LARSSON, A., JONMARKER, C., LINDAHL, S. G. E. and WERNER, O. Lung function in the supine and lateral decubitus positions in anaesthetized infants and children 378–384
LAWSON, D. H., PAICE, G. M., GLAVIN, R. J., ANDREWS, E. B., BRANCHE, C., TILSON, H. and JICK, H. Atracurium—a post-marketing surveillance study: U.K. study and discussion 596–600
LAWSON, D. H. *see* JICK, H. 590–595
LEDINGHAM, I. MCA., (EDITOR) *Recent Advances in Critical Care Medicine*, Volume 3. (*R*) 118–119
LEE, A. *see* REYNOLDS, F. 509–514
LEEMAN, M. *see* NAEIJE, R. 532–539
LEITH, S. *see* HOPKINS, C. S. 108–111
LEJEUNE, P. *see* NAEIJE, R. 532–539
LENZ, G., KOTTLER, B., SCHORER, R. and SPOEREL, W. E., (editors) *Pocket Manual of Anesthesia*, 1st Edn, (*R*) 701–702
LEONE, B. J. *see* DIEDERICKS, J., (*ARS*) 224P
LEUWER, M. Significance of preload on mechanomyographic relaxometry in infants, children and adults, (*ARS*) 228P
LEWIS, G. T. R. *see* MARTIN, D. G. 456–461; TACKLEY, R. M. 46–53
LIM, M. Extradural bupivacaine and methadone for extracorporeal shock-wave lithotripsy, (*C*) 579
LINDAHL, S. G. E. Oxygen consumption and carbon dioxide

elimination in infants and children during anaesthesia and surgery 70–76
LINDAHL, S. G. E. *see* LARSSON, A. 378–384
LINDGREN, L. *see* SCHEININ, B. 385–392
LIP, H. *see* WIERDA, J. M. K. H. 194–198
LIRZIN, J. D., JACQUINOT, P., DAILLAND, P., JORROT, J. C., JASSON, J., TALAFRE, M. L. and CONSEILLER, C. Controlled trial of extradural bupivacaine with fentanyl, morphine or placebo for pain relief in labour 641–644
LIU, L. M. P. *see* GOUDSOUZIAN, N. G. 263–268
LIU, N. *see* MEISTELMAN, C., (*ARS*) 228–229P
LIZZO, F. H. *see* FLETCHER, J. E., (*C*) 468
LONGNECKER, D. E. *see* MARSHALL, B. E., (*R*) 473
LOUGHLIN, C. J. *see* SHAH, N. K. 150–152
LOUGHNAN, B. A., ANDERSON, S. J., HETREED, M. J., WESTON, P. and BOYD, S. G. Effects of halothane on electrically stimulated motor evoked potential in the extradural space, (*ARS*) 223P
LOUGHNAN, B. A., KING, M. J., GRUNDY, E. M., YOUNG, D. L. and HALL, G. M. Effects of halothane on somatosensory evoked potentials recorded in the extradural space 297–300
LOUIS, F. *see* BARAKA, A. 645–648
LUDGROVE, T. *see* BRAUDE, N. 101–103
LUND, C. *see* SCOTT, N. B. 253–257

MCCAFFERTY, D. F., WOOLFSON, A. D. and BOSTON, V. *In vivo* assessment of percutaneous local anaesthetic preparations 17–21
MCCAMMON, R. L. *see* STOELTING, R. K., (*R*) 471–472
MCCLEAN, E. *see* FLYNN, R. J. 87–91
MCDONALD, J. S. and DZWONCZYK, R. The anaesthetist's activities in the operating theatre, (*C*) 700
MCDONALD, J. S. *see* HANNA, A. N. 429–433
MCELLISTREM, R. F. *see* PATTERSON, K. W., (*ARS*) 222–223P
MCEVEDY, B. *see* JANI, K., (*ARS*) 226–227P
MACIVER, M. B., TAUCK, D. L. and KENDIG, J. J. General anaesthetic modification of synaptic facilitation and long-term potentiation in hippocampus 301–310
MACKENZIE, N. *see* REAY, B. A. 248–252
MCKIERNAN, E. P. *see* MEAKIN, G. 655–658
MACLEOD, D. M. *see* DODD, P. 77–81
MCLOUGHLIN, C. Use of propofol in a patient with porphyria, (*C*) 114
MCNULTY, B. *see* GOUDSOUZIAN, N. G. 263–268
MCQUAY, H. J. *see* SEAR, J. W. 22–27; 28–32
MCRAE, K. M. *see* DORRINGTON, K. L., (*ARS*) 235P
MACRAE, W. A. *see* REAY, B. A. 248–252
MADEJ, T. H., ELLIS, F. R. and HALSALL, P. J. Evaluation of "3 in 1" lumbar plexus block in patients having muscle biopsy 515–517
MAESTRONE, E. *see* WIERDA, J. M. K. H. 194–198
MAGORA, F. *see* DRENGER, B. 82–86
MAHONEY, A. Prostaglandins and the lower oesophageal sphincter, (*C*) 581
MAIN, G. *see* HUTCHISON, G. L. 518–521
MAITRA, S. *see* BISWAS, C. 338–339
MANABE, N. *see* ONO, K. 324–326
MANARA, A. R., SHELLY, M. P., QUINN, K. G. and PARK, G. R. Pharmacokinetics of morphine following administration by the buccal route 498–502
MANARA, A. R. *see* PARK, G. R., (*R*) 116
MARCY, J. H. *see* COOK, D. R., (*R*) 472–473
MARSHALL, B. E., LONGNECKER, D. E. and FAIRLEY, H. B., (editors) *Anaesthesia for Thoracic Procedures*, (*R*) 473
MARTIN, D. G., KONG, K. L. and LEWIS, G. T. R. Resistance to airflow in anaesthetic breathing systems 456–461
MATTHAY, M. A. *see* MATTHAY, R. A., (*R*) 116
MATTHAY, R. A., MATTHAY, M. A. and WEIDEMANN, H. P., (editors) *Annual Review of Pulmonary and Critical Care Medicine 88/89*, (*R*) 116
MATTHEWS, P. J. and GOVENDEN, V. Comparison of continuous paravertebral and extradural infusions of bupivacaine for pain relief after thoracotomy 204–205
MAYAT, N. *see* BROCK-UTNE, J. G. 397–401
MEAKIN, G., MCKIERNAN, E. P., MORRIS, P. and BAKER, R. D. Dose–response curves for suxamethonium in neonates, infants and children 655–658
MEHR, E. *see* STORELLA, R. J. 478–482
MEIJLER, A. P. *Automation in Anesthesia—A Relief?* (*R*) 350
MEISTELMAN, C., SFEZ, M., LIU, N., DEBAENE, B. and SAINT-MAURICE, C. Antagonism of vecuronium with neostigmine in children: influence of the associated halogenated agent, (*ARS*) 228–229P
MELOT, C. *see* NAEIJE, R. 532–539
MERETOJA, O. A. Is vecuronium a long-acting neuromuscular blocking agent in neonates and infants? 184–187
MERRITT, H. *see* CARLI, F., (*ARS*) 220P
VAN DER MERWE, W. *see* COETZEE, A., (*R*) 471
MIDDLETON, C. M., POLLARD, B. J., HEALY, T. E. J. and KAY, B. Use of atracurium or vecuronium to prolong the action of tubocurarine 659–663
MILES, M. *see* PRINCE, G. D. 503–508
MILLAR, S. W., BARNES, P. K., SONI, N. and TENNANT, R. Comparison of the Magill and Lack anaesthetic breathing systems in anaesthetized patients 153–158
MILLER, C. H. jr *see* HANNA, A. N. 429–433
MILLER, R. D. *see* KHUENL-BRADY, K. S., (*ARS*) 225–226P
MILLIGAN, K. R. *see* DUNDEE, J. W., (*ARS*) 229–230P
MILLS, C. O., FREEMAN, J. F., SALT, P. J. and ELIAS, E. Effect of anaesthetic agents on bile flow and biliary excretion of ^{131}I-cholylglycyltyrosine in the rat 311–315
MIRAKHUR, R. K. *see* BELL, P. F., (*ARS*) 225P
MITCHELL, R. W. D., BOWLER, G. M. R. and SCOTT, D. B. Spinal anaesthesia with bupivacaine, (*C*) 113
MITCHELL, R. W. D. *see* JONES, M. J. 124–128; (*C*) 581
MIZUGUCHI, T. *see* KOCHI, T. 362–367
MODLA, C. Y. *see* RANDALL, N. P. C. 159–163
MOGENSEN, T. *see* SCOTT, N. B. 253–257
MONTERO MATAMALA, A., VIDAL LOPEZ, F., AGUILAR SANCHEZ, J. L. and DONOSO BACH, L. Percutaneous anterior approach to the coeliac plexus using ultrasound 637–640
MOODLEY, J. *see* BROCK-UTNE, J. G. 397–401
MOORE, C. *see* RAMACHANDRA, V. 409–414
MOORE, J. *see* FLYNN, R. J. 87–91
MOORE, R. A. *see* SEAR, J. W. 22–27; 28–32
MOORES, M. *see* WILKINS, C. J. 439–444
MORGAN, B. *see* REYNOLDS, F. 509–514
MORITA, K. *see* ONO, K. 324–326
MORRIS, P. *see* MEAKIN, G. 655–658
MOSS, E. *see* CHRISTYS, A. R. 624–627
MOSTAFA, S. M. *see* SWEENEY, J., (*ARS*) 222P
MURRAY, A. *see* BROCKWAY, M. S., (*ARS*) 224–225P
MURRAY, D. J. *see* FORBES, R., (*C*) 113–114
MURRAY, J. P. *see* PATTERSON, K. W., (*ARS*) 222–223P
MYERS, D. *see* COOK, P. R. 402–408

NAEIJE, R., LEJEUNE, P., LEEMAN, M., MELOT, C. and DELOOF, T. Effects of propofol on pulmonary and systemic arterial pressure–flow relationships in hyperoxic and hypoxic dogs 532–539
NAGASHIMA, H. *see* KINJO, M. 683–690
NEAVE, R. *see* ANDERTON, J. M., (*R*) 238
NELSON, T. E. Suxamethonium and malignant hyperthermia, (*C*) 468–469
NEWTON, D. E. F., THORNTON, C., CREAGH-BARRY, P. and

DORÉ, C. J. Early cortical auditory evoked response in anaesthesia: comparison of the effects of nitrous oxide and isoflurane 61–65
NIBLETT, D. J., SANDHAR, B. K., DUNNILL, M. S. and SYKES, M. K. Comparison of the effects of high frequency oscillation and controlled mechanical ventilation on hyaline membrane formation in a rabbit model of the neonatal respiratory distress syndrome 628–636
NIELSEN, H. K. *see* TØNNESEN, E. 327–330
NIELSEN, J. W. *see* CHRISTENSEN, P. A. 258–262
NIELSEN, T. H., KRISTOFFERSEN, E., OLSEN, K. H., LARSEN, H. V., HUSEGAARD, H. C. and WERNBERG, M. Plain bupivacaine: 0.5% or 0.25% for spinal analgesia? 164–167
NISHINO, T. *see* KOCHI, T. 362–367
NISINI, R. *see* CELLENO, D. 649–654
NOBLE, H. A. *see* WOLF, A. R., (*ARS*) 221–222P
NOORDUIN, H. *see* VAN BEEM, H. 610–615
NORENG, M. *see* CHRISTENSEN, P. A. 258–262
NORMAN, J. *see* SCOTT, R. P. F., (*C*) 349; 373–377
NOUEIHID, R. *see* BARAKA, A. 645–648
NUCERA, E. *see* PATRIARCA, G. 210–212
NUNN, J. F. *see* ROYSTON, B. D. 419–424

OH, T. E. and HORTON, J. M. Adverse reactions to atracurium, (*C*) 467–468
OHNISHI, S. T. *see* KATSUOKA, M. 669–673
OHTA, Y. *see* ONO, K. 324–326
OLSEN, K. H. *see* NIELSEN, T. H. 164–167
ONO, K., MANABE, N., OHTA, Y., MORITA, K. and KOSAKA, F. Influence of suxamethonium on the action of subsequently administered vecuronium or pancuronium 324–326
ORDMAN, A. J. and PAYNE, J. P. Decay in blood chloroform concentrations after anaesthesia, (*ARS*) 229P
ØSTERGAARD, D. *see* ENGBÆK, J. 274–278
O'TOOLE, D. P. *see* CLAFFEY, L. P., (*ARS*) 234–235P
OVASSAPIAN, A., KREJCIE, T. C., YELICH, S. J. and DYKES, M. H. M. Awake fibreoptic intubation of the patient at high risk of aspiration 13–16

PAICE, G. M. *see* LAWSON, D. H. 596–600
PALAYIWA, E. *see* SYKES, M. K. 445–455
PALAZZO, M. G. A. *see* EVANS, R. D. 243–247
PARK, G. R. and MANARA, A. R., (editors) *Intensive Care—Pocket Reference*, (*R*) 116
PARK, G. R. *see* MANARA, A. R. 498–502
PARKER, C. J. R. and HUNTER, J. M. Pharmacokinetics of atracurium and laudanosine in patients with hepatic cirrhosis 177–183
PARSONS, M. A. *see* WRIGHT, P. J. 104–107
PATRIARCA, G., NUCERA, E., SCHIAVINO, D., ROMANO, A., DI RIENZO, V., PELLEGRINO, S. and FAIS, G. Pancuronium allergy: a case report 210–212
PATTERSON, K. W., CASEY, P. B., MCELLISTREM, R. F., MURRAY, J. P. and CUNNINGHAM, A. J. Haemodynamic and oxgen saturation changes during upper gastrointestinal endoscopy: evaluation of propofol and midazolam sedation, (*ARS*) 222–223P
PAUL, D. L. and WILDSMITH, J. A. W. Extradural pressure following the injection of two volumes of bupivacaine 368–372
PAYNE, J. P. *see* ORDMAN, A. J., (*ARS*) 229P
PELLEGRINO, S. *see* PATRIARCA, G. 210–212
PFANSCHMIDT, M. *see* JICK, H. 590–595
PLEUVRY, B. J. *see* POLLARD, B. J. 664–668; RANDALL, N. P. C. 159–163
PODE, D. *see* DRENGER, B. 82–86
POLLARD, B. J., HARPER, N. J. N. and DORAN, B. R. H. Use of continuous prolonged administration of atracurium in the ITU to a patient with myasthenia gravis 95–97
POLLARD, B. J., RANDALL, N. P. C. and PLEUVRY, B. J. Doxapram and the neuromuscular junction 664–668
POLLARD, B. J. *see* MIDDLETON, C. M. 659–663
PONTE, J. and SADLER, C. L. Effect of halothane, enflurane and isoflurane on carotid body chemoreceptor activity in the rabbit and the cat 33–40; Effect of thiopentone, etomidate and propofol on carotid body chemoreceptor activity in the rabbit and the cat 41–45
VAN POORTEN, J. F. *see* STIENSTRA, R., (*C*) 112–113
POULSON, M. *see* HANSEN, M., (*C*) 237
POWELL, D. *see* CHRISTYS, A. R. 624–627
POWERS, D. M. *see* BRANDOM, B. W. 488–493
PRESCOTT, L. F. *see* RANDALL, N. P. C. 159–163
PRINCE, G. D., SHETTY, G. R. and MILES, M. Safety and efficacy of a low volume extradural test dose of bupivacaine in labour 503–508
PRYS-ROBERTS, C. *see* TACKLEY, R. M. 46–53; WOLF, A. R., (*ARS*) 221–222P
PUGH, G. C., BROWN, D. T. and DRUMMOND, G. B. Effect of nalbuphine hydrochloride on the ventilatory and occlusion pressure responses to carbon dioxide in volunteers 601–609

QUINN, K. G. *see* MANARA, A. R. 498–502

RAFFERTY, M. P. *see* TYLER, C. K. G. 462–466
RAMACHANDRA, V., MOORE, C., KAUR, N. and CARLI, F. Effect of halothane, enflurane and isoflurane on body temperature during and after surgery 409–414
RAMACHANDRA, V. *see* CARLI, F., (*ARS*) 220P
RANDALL, N. P. C., PLEUVRY, B. J., FAZACKERLEY, E. J., MODLA, C. Y., PRESCOTT, L. F. and HEALY, T. E. J. Effect of oral doxapram on morphine-induced changes in the ventilatory response to carbon dioxide 159–163
RANDALL, N. P. C. *see* POLLARD, B. J. 664–668
RASHKOVSKY, O. M. *see* WIERDA, J. M. K. H. 194–198
RAY, D. C., BECKETT, G. J., HAYES, J. D. and DRUMMOND, G. B. Effect of nicardipine infusion on the release of glutathione S-transferase following halothane anaesthesia 553–559
READ, M. *see* CARLI, F., (*ARS*) 220P
REAY, B. A., SEMPLE, A. J., MACRAE, W. A., MACKENZIE, N. and GRANT, I. S. Low-dose intrathecal diamorphine analgesia following major orthopaedic surgery 248–252
REED, P. N., COLQUHOUN, A. D. and HANNING, C. D. Maternal oxygenation during normal labour 316–318
REILLY, C. S. *see* GORDON, K. L. 269–273
REYFORT, H. *see* KRIVOSIC-HORBER, R. 691–693
REYNEKE, C. J. *see* JAMES, M. F. M. 213–215
REYNOLDS, F., LAISHLEY, R., MORGAN, B. and LEE, A. Effect of time and adrenaline on the feto–maternal distribution of bupivacaine 509–514
RIDLEY, S. *see* STACK, C. G., (*ARS*) 232P
RIISAGER, S. *see* JENSEN, K. 321–323
ROBSON, N. *see* STOKES, D. N. 202–203
ROGERS, M., (editor) *Current Practice in Anesthesiology*, 1st Edn, (*R*) 584
ROGERS, M. C., (editor) *Yearbook of Critical Care Medicine, 1988*, 6th Edn, (*R*) 582
ROMANO, A. *see* PATRIARCA, G. 210–212
ROS, H. H. *see* SCHEEPSTRA, G. L. 92–94
ROSEN, M. and SANDERS, L. The Recovery Interest Group, (*C*) 470
ROSENBERG, H. *see* FLETCHER, J. E., (*C*) 468; STORELLA, R. J. 478–482
ROSENBERG, P. H. *see* TUOMINEN, M. 358–361
ROUT, C. *see* BROCK-UTNE, J. G. 397–401
ROWBOTHAM, D. J. Cisapride and anaesthesia, (*E*) 121–123

ROYSTON, B. D., BOTTIGLIERI, T. and NUNN, J. F. Short term effect of nitrous oxide on methionine and S-adenosyl methionine concentrations 419–424
RUTTEN, C. L. G. *see* SCHEEPSTRA, G. L. 54–60
RYAN COOK, D. *see* BRANDOM, B. W. 488–493
RYDER, W. A. *see* DIEDERICKS, J., (*ARS*) 224P

SADLER, C. L. *see* PONTE, J. 33–40; 41–45
SAINT-MAURICE, C. *see* MEISTELMAN, C., (*ARS*) 228–229P
SAKO, S. *see* KOCHI, T. 362–367
SALIM, M., (editor) *Acupuncture Treatment and Anaesthesia*, 4th Edn, (*R*) 702
SALT, P. J. *see* MILLS, C. O. 311–315
SAMAAN, A. *see* JANI, K., (*ARS*) 226–227P
SAMPAIO, M. M., CREAN, P. M., KEILTY, S. R. and BLACK, G. W. Changes in oxygen saturation during inhalation induction of anaesthesia in children 199–201
SAMUELS, S. I. and BRODSKY, J. B. Profound intraoperative atelectasis 216–218
SANDERS, L. *see* ROSEN, M., (*C*) 470
SANDHAR, B. K. *see* NIBLETT, D. J. 628–636
SANTORA, A. H. *see* FINUCANE, B. T., (*R*) 116
SAVARESE, J. J. *see* GOUDSOUZIAN, N. G. 263–268
SCHEEPSTRA, G. L., BOOIJ, L. H. D. J., RUTTEN, C. L. G. and COENEN, L. G. J. Propofol for induction and maintenance of anaesthesia: comparison between younger and older patients 54–60
SCHEEPSTRA, G. L., DE LANGE, J. J., BOOIJ, L. H. D. J. and ROS, H. H. Median nerve evoked potentials during propofol anaesthesia 92–94
SCHEININ, B., SCHEININ, M., VUORINEN, J. and LINDGREN, L. Alfentanil obtunds the cardiovascular and sympathoadrenal responses to suxamethonium-facilitated laryngoscopy and intubation 385–392
SCHEININ, M. *see* SCHEININ, B. 385–392
SCHELL, J. *see* CLAFFEY, L. P., (*ARS*) 234–235P
SCHELLER, M. S. *see* TATEISHI, A. 548–552
SCHIAVINO, D. *see* PATRIARCA, G. 210–212
SCHLICHTIG, R. *see* AYRES, S. M., (*R*) 117
SCHORER, R. *see* LENZ, G., (*R*) 701–702
SCHURIZEK, B. A., WILLACY, L. H. O., KRAGLUND, K., ANDREASEN, F. and JUHL, B. Antroduodenal motility, pH and gastric emptying during balanced anaesthesia: comparison of pethidine and fentanyl 674–682; Effects of general anaesthesia with halothane on antroduodenal motility, pH and gastric emptying rate in man 129–137
SCHÜTTLER, J. *see* SCHWILDEN, H. 290–296
SCHWILDEN, H., STOECKEL, H. and SCHÜTTLER, J. Closed-loop feedback control of propofol anaesthesia by quantitative EEG analysis in humans 290–296
SCOTT, D. B., (editor) *Diamorphine: Its Chemistry, Pharmacology and Clinical Use*, (*R*) 117; Limitations of adrenaline test doses in obstetric patients undergoing extradural anaesthesia, (*C*) 578; Limitations of adrenaline test doses in obstetric patients undergoing extradural anaesthesia, (*C*) 579
SCOTT, D. B. *see* MITCHELL, R. W. D., (*C*) 113
SCOTT, N. B., MOGENSEN, T., BIGLER, D., LUND, C. and KEHLET, H. Continuous thoracic extradural 0.5% bupivacaine with or without morphine: effect on quality of blockade, lung function and the surgical stress response 253–257
SCOTT, R. P. F. and NORMAN, J. Doxacurium chloride: a preliminary clinical trial 373–377; Effect of suxamethonium given during recovery from atracurium, (*C*) 349
SEAR, J. W., HAND, C. W., MOORE, R. A. and MCQUAY, H. J. Studies on morphine disposition: influence of general anaesthesia on plasma concentrations of morphine and its metabolites 22–27; Studies on morphine disposition: influence of renal failure on the kinetics of morphine and its metabolites 28–32
SEAR, J. W. *see* DIEDERICKS, J., (*ARS*) 224P
SEMPLE, A. J. *see* REAY, B. A. 248–252
SERRAO, J. M., GENT, J. P. and GOODCHILD, C. S. Naloxone antagonizes the spinal analgesic effects of midazolam, (*ARS*) 233–234P
SERRAO, J. M. *see* EDWARDS, M., (*ARS*) 233P
SEVERN, A. M. Parkinsonism and the anaesthetist, (*C*) 580–581
SFEZ, M. *see* MEISTELMAN, C., (*ARS*) 228–229P
SHAH, N. K., LOUGHLIN, C. J. and BEDFORD, R. F. Comparison of the Bain and the ADE systems during controlled ventilation in adults 150–152
SHAPIRO, A. *see* DRENGER, B. 82–86
SHEIKH, A. *see* TUNSTALL, M. E. 138–143
SHELLY, M. P. *see* MANARA, A. R. 498–502
SHETTY, G. R. *see* PRINCE, G. D. 503–508
SHIR, Y. *see* DRENGER, B. 82–86
SHORTLAND, J. R. *see* WRIGHT, P. J. 104–107
SIBAI, A. *see* BARAKA, A. 645–648
SIGL, G. *see* GOTTARDIS, M. 393–396
SIMPSON, P. J. *see* CARRIE, L. E. S., (*R*) 472
SMITH, D. C. and CRUL, J. F. Oxygen desaturation following sedation for regional analgesia 206–209
SMITH, G. Spinal anaesthesia and surgical blood loss, (*C*) 115
SNELL, R. S. and KATZ, J., (editors) *Clinical Anatomy for Anesthesiologists*, (*R*) 702
SONI, N. *see* DEAM, R. K. 287–289; MILLAR, S. W. 153–158
SONI, N. C. *see* BRUCE, W. C. 144–149
SOSIS, A. Limitations of adrenaline test doses in obstetric patients undergoing extradural anaesthesia, (*C*) 578
SPIEGELHALTER, D. J. *see* WILSON, M. E., (*C*) 469
SPOEREL, W. E. *see* LENZ, G., (*R*) 701–702
SPRIGGE, J. S. *see* FAHY, L., (*ARS*) 234P
STACK, C. G., FLETCHER, M. E., STOCKS, J., DAVIES, C. J., RIDLEY, S. and HATCH, D. J. Comparison of total ventilatory compliance in sedated and anaesthetized infants and young children, (*ARS*) 232P
STELL, P. M. *see* CAMPBELL, I. T., (*ARS*) 231–232P
STERLING, M. J. *see* AYRES, S. M., (*R*) 117
STEVENS, J. D. *see* WRIGHT, P. J. 104–107
STIENSTRA, R. and VAN POORTEN, J. F. Spinal anaesthesia with bupivacaine, (*C*) 112–113
STIRT, J. A. Accelerated recovery from combined atracurium–vecuronium neuromuscular block 697–699
STOCKS, J. *see* STACK, C. G., (*ARS*) 232P
STOECKEL, H. *see* SCHWILDEN, H. 290–296
STOELTING, R. K., DIERDORF, S. F. and MCCAMMON, R. L., (editors) *Anesthesia and Co-Existing Disease*, 2nd Edn, (*R*) 471–472
STOKES, D. N., ROBSON, N. and HUTTON, P. Effect of diluting propofol on the incidence of pain on injection and venous sequelae 202–203
STONE, P. A., THORBURN, J. and LAMB, K. S. R. Complications of spinal anaesthesia following extradural block for Caesarean section 335–337
STORELLA, R. J., JAFFE, J., MEHR, E. and ROSENBERG, H. *In vitro* investigation of the priming principle for rapid neuromuscular block 478–482
SUGG, B. R. *see* SYKES, M. K. 445–455
SUMNER, E. *see* BEST, C. J. 576–577
SURY, M. R. J. and COLE, P. V. Hypotensive agents: an animal model, (*C*) 112
SWEENEY, J., UNDERHILL, S., DOWD, T. and MOSTAFA, S. M. Effects of fentanyl and alfentanil on the change in intraocular pressure produced by suxamethonium and tracheal intubation, (*ARS*) 222P
SYKES, M. K. High frequency ventilation, (*E*) 475–477
SYKES, M. K., SUGG, B. R., HAHN, C. E. W., JACKSON, R. K. and PALAYIWA, E. A new microprocessor-controlled anaesthetic machine 445–455
SYKES, M. K. *see* NIBLETT, D. J. 628–636

TACKLEY, R. M., LEWIS, G. T. R., PRYS-ROBERTS, C., BOADEN, R. W., DIXON, J. and HARVEY, J. T. Computer controlled infusion of propofol 46–53
TAIVAINEN, T. *see* TUOMINEN, M. 358–361
TALAFRE, M. L. *see* LIRZIN, J. D. 641–644
TATEISHI, A., ZORNOW, M. H., SCHELLER, M. S. and CANFELL, P. C. Electroencephalographic effects of laudanosine in an animal model of epilepsy 548–552
TAUCK, D. L. *see* MACIVER, M. B. 301–310
TAYLOR, P. M. Effect of dobutamine infusion on the adrenocortical response to halothane anaesthesia in ponies, (*ARS*) 219P
TENNANT, R. *see* MILLAR, S. W. 153–158
TERRAR, D. A. *see* VICTORY, J. G. G., (*ARS*) 227–228P
THOMSEN, L. J. *see* JENSEN, K. 321–323
THORBURN, J. Limitations of adrenaline test doses in obstetric patients undergoing extradural anaesthesia, (*C*) 578–579
THORBURN, J. *see* STONE, P. A. 335–337
THORNTON, C. *see* NEWTON, D. E. F. 61–65
TILSON, H. *see* LAWSON, D. H. 596–600
TILSON, H. H. *see* JICK, H. 590–595
TODD, J. G. *see* COVENTRY, D. M., (*ARS*) 227P
TOFT, P. and HELBO-HANSEN, S. Interaction of ketamine with atracurium 319–320
TOMASSETTI, M. *see* CELLENO, D. 649–654
TØNNESEN, E., KNUDSEN, F., NIELSEN, H. K. and CHRISTENSEN, N. J. Natural killer cell activity in a patient undergoing resection of phaeochromocytoma 327–330
TORMEY, W. *see* CLAFFEY, L. P., (*ARS*) 234–235P
TRABER, K. B. *see* WILTON, N. C. T. 434–438
TUNSTALL, M. E. and SHEIKH, A. Comparison of 1.5% enflurane with 1.25% isoflurane in oxygen for Caesarean section: avoidance of awareness without nitrous oxide 138–143
TUOMINEN, M., TAIVAINEN, T. and ROSENBERG, P. H. Spread of spinal anaesthesia with plain 0.5% bupivacaine: influence of the vertebral interspace used for injection 358–361
TURNER, G. A., WILLIAMS, J. D. and BAKER, D. J. Train-of-four fade during onset and recovery of neuromuscular block: a study in non-anaesthetized subjects 279–286
TYLER, C. K. G., BARNES, P. K. and RAFFERTY, M. P. Controlled ventilation with a Mapleson A (Magill) breathing system: reassessment using a lung model 462–466

UNDERHILL, S. *see* SWEENEY, J., (*ARS*) 222P

VANDAM, L. D. *see* DRIPPS, R. D., (*R*) 116–117
VANGERVEN, M., DELRUE, G., BRUGMAN, E. and COSAERT, P. A new therapeutic approach to accidental intra-arterial injection of thiopentone 98–100
VAN PEER, A. *see* VAN BEEM, H. 610–615
VASSILIOU, M. *see* FASSOULAKI, A., (*ARS*) 232P
VAUGHAN, R. S. Airways revisited, (*E*) 1–3
VENN, P. J. H. Evaluation of the Ambu CPAP system 340–347
VIBY-MOGENSEN, J. *see* ENGBÆK, J. 274–278
VICKERS, M. D. *see* KIDD, J. F., (*E*) 355–357
VICTORY, J. G. G. and TERRAR, D. A. Effects of bupivacaine on inward currents and contraction in single myocytes isolated from guineapig ventricle, (*ARS*) 227–228P
VIDAL LOPEZ, F. *see* MONTERO MATAMALA, A. 637–640
VIZI, E. S. *see* KINJO, M. 683–690
VUORINEN, J. *see* SCHEININ, B. 385–392

WALKER, A. M. *see* JICK, H. 590–595
WARD, S. *see* CANNING, J., (*ARS*) 226P
WATKINS, J. *see* WRIGHT, P. J. 104–107
WATSON, A. P. *see* FELL, D. 573–575
WATTERS, C. H. *see* CAMPBELL, W. I. 545–547
WAUD, B. E. Neuromuscular block in diaphragm and hand, (*C*) 236
WEAKLY, J. N. *see* BRANDOM, B. W. 488–493
WEBER, S. *see* BRANDOM, B. W. 488–493
WEEKS, D. B. and FORD, D. Prolonged suxamethonium-induced neuromuscular block associated with organophosphate poisoning, (*C*) 237
WEIDEMANN, H. P. *see* MATTHAY, R. A., (*R*) 116
WELLER, R. *see* BASKETT, P., (*R*) 117–118
WELSH, B. E. Aid to intubation, (*C*) 469–470
WERNBERG, M. *see* NIELSEN, T. H. 164–167
WERNER, O. *see* LARSSON, A. 378–384
WESTON, P. *see* LOUGHNAN, B. A., (*ARS*) 223P
WHEELER, A. S. *see* JAMES, F. M. III, (*R*) 582
WHIFFLER, K. *see* JAMES, M. F. M. 213–215
WHITFIELD, A. and DOUGLAS, R. H. B. Effect of general anaesthesia on the magnetic resonance imaging signal from the brain 694–696
WHITTEN, C. E. *Anyone Can Intubate*, (*R*) 583
WIERDA, J. M. K. H., MAESTRONE, E., BENCINI, A. F., BOYER, A., RASHKOVSKY, O. M., LIP, H., KARLICZEK, R., KET, J. M. and AGOSTON, S. Haemodynamic effects of vecuronium 194–198
WILDSMITH, J. A. W. I. Predicting the spread of spinal anaesthesia, (*E*) 353–354
WILDSMITH, J. A. W. *see* PAUL, D. L. 368–372
WILKINS, C. J., MOORES, M. and HANNING, C. D. Comparison of pulse oximeters: effects of vasoconstriction and venous engorgement 439–444
WILLACY, L. H. O. *see* SCHURIZEK, B. A. 129–137; 674–682
WILLATT, D. J. *see* CAMPBELL, I. T., (*ARS*) 231–232P
WILLIAMS, J. D. *see* TURNER, G. A. 279–286
WILSON, G. *A Bibliography of References to Anaesthesia in the Australian Medical Journals 1846–1952*, (*R*) 350–351
WILSON, M. E. and SPIEGELHALTER, D. J. Predicting difficult intubation, (*C*) 469
WILTON, N. C. T., TRABER, K. B. and DESCHNER, L. S. Anaesthetic management for Caesarean section in a patient with uncorrected truncus arteriosus 434–438
WISHART, H. Y. *see* WORSLEY, M. H., (*C*) 114
WITHINGTON, P. S. *see* DODD, P. 77–81
WOELFEL, S. K. *see* BRANDOM, B. W. 488–493
WOESTENBORGHS, R. *see* VAN BEEM, H. 610–615
WOLF, A. R., CARLISLE, K. M., NOBLE, H. A. and PRYS-ROBERTS, C. Evaluation of a bupivacaine–morphine mixture for caudal analgesia in children, (*ARS*) 221–222P
WOLFF, G. *see* BRUNNER, J. X., (*R*) 351
WOOLFSON, A. D. *see* MCCAFFERTY, D. F. 17–21
WORSLEY, M. H., WISHART, H. Y. and AITKENHEAD, A. R. Spinal anaesthesia and surgical blood loss, (*C*) 114
WRIGHT, P. J., SHORTLAND, J. R., STEVENS, J. D., PARSONS, M. A. and WATKINS, J. Fatal haemopathological consequences of general anaesthesia 104–107
WYANT, G. M. *see* DUNDEE, J. W., (*R*) 238

YATE, P. M. *see* DODD, P. 77–81
YELICH, S. J. *see* OVASSAPIAN, A. 13–16
YOUNG, D. L. *see* LOUGHNAN, B. A. 297–300
YOUNG, S. Effects of halothane, isoflurane and enflurane anaesthesia on the total ventilatory impedance of ponies, (*ARS*) 230–231P

ZORAB, J. S. M., (editor) *Surgery for Anaesthetists*, (*R*) 471
ZORNOW, M. H. *see* TATEISHI, A. 548–552

SUBJECT INDEX

A Bibliography of References to Anaesthesia in the Australian Medical Journals 1846–1952, WILSON, G., (*R*) 350–351
A History of Longworth Scientific Instrument Co. Ltd, 1st Edn, JEPHCOTT, A., (*R*) 583
A Manual of Anaesthesia for Emergency Surgery, 1st Edn, DONEGAN, J. H., (editor), (*R*) 350
Abdominal pain, Percutaneous anterior approach to the coeliac plexus using ultrasound, MONTERO MATAMALA, A., *et al.* 637–640
Acetaminophen, Pretreatment with paracetamol inhibits metabolism of enflurane in rats, HANNA, A. N., *et al.* 429–433
Acetylcholinesterase, Doxapram and the neuromuscular junction, POLLARD, B. J., *et al.* 664–668
Acupuncture Treatment and Anaesthesia, 4th Edn, SALIM, M., (editor), (*R*) 702
Adductor pollicis muscle, Train-of-four fade during onset and recovery of neuromuscular block: a study in non-anaesthetized subjects, TURNER, G. A., *et al.* 279–286
ADE system, Comparison of the Bain and the ADE systems during controlled ventilation in adults, SHAH, N. K., *et al.* 150–152
Adrenal cortical reserve, Adrenal cortical reserve in patients undergoing muscle biopsy for malignant hyperthermia screening, FAIRBRASS, M. J., *et al.* 66–69
Adrenaline, Effect of time and adrenaline on the feto-maternal distribution of bupivacaine, REYNOLDS, F., *et al.* 509–514
——, Limitations of adrenaline test doses in obstetric patients undergoing extradural anaesthesia, SCOTT, D. B., (*C*) 578
——, Limitations of adrenaline test doses in obstetric patients undergoing extradural anaesthesia, SCOTT, D. B., (*C*) 579
——, Limitations of adrenaline test doses in obstetric patients undergoing extradural anaesthesia, SOSIS, A., (*C*) 578
——, Limitations of adrenaline test doses in obstetric patients undergoing extradural anaesthesia, THORBURN, J., (*C*) 578–579
——, Plasma concentrations of catecholamines following intraocular irrigation with adrenaline, FELL, D., *et al.* 573–575
Adrenergic block, Use of magnesium sulphate in the anaesthetic management of phaeochromocytoma: a review of 17 anaesthetics, JAMES, M. F. M. 616–623
Adrenocortical response, Effect of dobutamine infusion on the adrenocortical response to halothane anaesthesia in ponies, TAYLOR, P. M., (*ARS*) 219P
Adverse effects, Atracurium—a post-marketing surveillance study: methods and U.S. experience, JICK, H., *et al.* 590–595
——, Atracurium—a post-marketing surveillance study: U.K. study and discussion, LAWSON, D. H., *et al.* 596–600
Adverse reactions, Adverse reactions to atracurium, OH, T. E., *et al.*, (*C*) 467–468
Age, Oxygen consumption and carbon dioxide elimination in infants and children during anaesthesia and surgery, LINDAHL, S. G. E. 70–76
——, Pharmacokinetics of alfentanil during and after a fixed rate infusion, VAN BEEM, H., *et al.* 610–615
——, Propofol for induction and maintenance of anaesthesia: comparison between younger and older patients, SCHEEPSTRA, G. L., *et al.* 54–60
Aggregate anaphylaxis, Fatal haemopathological consequences of general anaesthesia, WRIGHT, P. J., *et al.* 104–107
Air embolism, Air embolism during total hip replacement: comparison of two surgical techniques, EVANS, R. D., *et al.* 243–247
Airflow resistance, Resistance to airflow in anaesthetic breathing systems, MARTIN, D. G., *et al.* 456–461
Airway muscles, Comparison of the effects of sedation with midazolam or ketamine on the airway muscles, DRUMMOND, G. B., (*ARS*) 230P
Airways, Airways revisited, VAUGHAN, R. S., (*E*) 1–3
Alanine aminotransferase, Pretreatment with paracetamol inhibits metabolism of enflurane in rats, HANNA, A. N., *et al.* 429–433
Alcohol consumption, Influence of alcohol consumption on the induction dose of thiopentone, DUNDEE, J. W., *et al.*, (*ARS*) 229–230P
Alfentanil, Alfentanil obtunds the cardiovascular and sympathoadrenal responses to suxamethonium-facilitated laryngoscopy and intubation, SCHEININ, B., *et al.* 385–392
——, Cardiovascular and respiratory effects of ketorolac and alfentanil during anaesthesia, BROCKWAY, M. S., *et al.*, (*ARS*) 224–225P
——, Effects of fentanyl and alfentanil on the change in intraocular pressure produced by suxamethonium and tracheal intubation, SWEENEY, J., *et al.*, (*ARS*) 222P
——, Pharmacokinetics of alfentanil during and after a fixed rate infusion, VAN BEEM, H., *et al.* 610–615
Alkalaemic haemolysis, Hyperventilation haemolysis: are humans at risk? DORRINGTON, K. L., *et al.*, (*ARS*) 235P
Alkalinization, Alkalinization of bupivacaine for sciatic nerve blockade, COVENTRY, D. M., *et al.*, (*ARS*) 227P
Allergy, Fatal haemopathological consequences of general anaesthesia, WRIGHT, P. J., *et al.* 104–107
——, Pancuronium allergy: a case report, PATRIARCA, G., *et al.* 210–212
Althesin, Effect of anaesthetic agents on bile flow and biliary excretion of ^{131}I-cholylglycyltyrosine in the rat, MILLS, C. O., *et al.* 311–315
Alveolar deadspace, Relationship between alveolar deadspace and arterial oxygenation in children with congenital cardiac disease, FLETCHER, R. 168–176
Ambu CPAP system, Evaluation of the Ambu CPAP system, VENN, P. J. H. 340–347
Amethocaine, *In vivo* assessment of percutaneous local anaesthetic preparations, MCCAFFERTY, D. F., *et al.* 17–21
An Introduction to Anaesthesiology, COETZEE, A., *et al.*, (editors), (*R*) 471
Anaesthesia for Thoracic Procedures, MARSHALL, B. E., *et al.*, (editors), (*R*) 473
Anaesthesia Review 5, KAUFMAN, L., (editor), (*R*) 118
Anaesthetic machine, A new microprocessor-controlled anaesthetic machine, SYKES, M. K., *et al.* 445–455
Anaesthetist's activities, The anaesthetist's activities in the operating theatre, GOODMAN, N. W., (*C*) 700
——, The anaesthetist's activities in the operating theatre, MCDONALD, J. S., *et al.*, (*C*) 700

Anaphylactic shock, Pancuronium allergy: a case report, PATRIARCA, G., *et al.* 210–212
Anatomy for Anaesthetists, ELLIS, H., *et al.*, (editors), (*R*) 473
Anesthesia and Co-Existing Disease, 2nd Edn, STOELTING, R. K., *et al.*, (editors), (*R*) 471–472
Angiotensin converting enzyme (ACE) inhibition, Cerebral blood flow during anaesthesia: influence of pretreatment with metoprolol or captopril, JENSEN, K., *et al.* 321–323
Animal model, Hypotensive agents: an animal model, BAGSHAW, R. J., (*C*) 112
——, Hypotensive agents: an animal model, SURY, M. R. J., *et al.*, (*C*) 112
——, Teaching fibreoptic intubation, FORBES, R., *et al.*, (*C*) 113–114
Annual Review of Pulmonary and Critical Care Medicine 88/89, MATTHAY, R. A., *et al.*, (editors), (*R*) 116
Antagonism of neuromuscular blockade, Glycopyrronium requirements for antagonism of the muscarinic side effects of edrophonium, DODD, P., *et al.* 77–81
Antibiotics, Perioperative complications following the use of vancomycin in children: a report of two cases, BEST, C. J., *et al.* 576–577
Antinociceptive effects, Naloxone antagonizes the spinal analgesic effects of midazolam, SERRAO, J. M., *et al.*, (*ARS*) 233–234P
Antroduodenal motility, Antroduodenal motility, pH and gastric emptying during balanced anaesthesia: comparison of pethidine and fentanyl, SCHURIZEK, B. A., *et al.* 674–682
——, Effects of general anaesthesia with halothane on antroduodenal motility, pH and gastric emptying rate in man, SCHURIZEK, B. A., *et al.* 129–137
Anyone Can Intubate, WHITTEN, C. E., (*R*) 583
Apnoea, Prolonged suxamethonium-induced neuromuscular block associated with organophosphate poisoning, WEEKS, D. B., *et al.*, (*C*) 237
Arrhythmias, Incidence of arrhythmias in dental anaesthesia: a cross-over comparison of halothane and isoflurane, HUTCHISON, G. L., *et al.* 518–521
Arterial hypoxaemia, Relationship between alveolar deadspace and arterial oxygenation in children with congenital cardiac disease, FLETCHER, R. 168–176
Arterial oxygenation, Arterial oxygenation after different types of major head and neck surgery, CAMPBELL, I. T., *et al.*, (*ARS*) 231–232P
Arterial oxyhaemoglobin saturation (Sa_{O_2}), Maternal oxygenation during normal labour, REED, P. N., *et al.* 316–318
Arterial pressure, Effect of ketanserin on sodium nitroprusside requirements, arterial pressure control and heart rate following coronary artery bypass surgery, HODSMAN, N. B. A., *et al.* 527–531
Aspartate aminotransferase, Pretreatment with paracetamol inhibits metabolism of enflurane in rats, HANNA, A. N., *et al.* 429–433
Aspiration, Awake fibreoptic intubation of the patient at high risk of aspiration, OVASSAPIAN, A., *et al.* 13–16
Atelectasis, Profound intraoperative atelectasis, SAMUELS, S. I., *et al.* 216–218
Atracurium, Accelerated recovery from combined atracurium–vecuronium neuromuscular block, STIRT, J. A. 697–699
——, Adverse reactions to atracurium, OH, T. E., *et al.*, (*C*) 467–468
——, Anaesthetic management of a patient with facioscapulohumeral muscular dystrophy, DRESNER, D. L., *et al.* 331–334
——, Atracurium—a post-marketing surveillance study: methods and U.S. experience, JICK, H., *et al.* 590–595
——, Atracurium—a post-marketing surveillance study: U.K. study and discussion, LAWSON, D. H., *et al.* 596–600
——, Effect of atracurium and laudanosine on the release of ^{3}H-noradrenaline, KINJO, M., *et al.* 683–690
——, Effect of suxamethonium given during recovery from atracurium, BLACK, A. M. S., (*C*) 348–349
——, Effect of suxamethonium given during recovery from atracurium, SCOTT, R. P. F., *et al.*, (*C*) 349
——, Electroencephalographic effects of laudanosine in an animal model of epilepsy, TATEISHI, A., *et al.* 548–552
——, Interaction of ketamine with atracurium, TOFT, P., *et al.* 319–320
——, Pharmacokinetics of atracurium and laudanosine in patients with hepatic cirrhosis, PARKER, C. J. R., *et al.* 177–183
——, Recovery of neuromuscular function after infusion or intermittent bolus doses of atracurium or vecuronium, GORDON, K. L., *et al.* 269–273
——, Use of atracurium or vecuronium to prolong the action of tubocurarine, MIDDLETON, C. M., *et al.* 659–663
——, Use of continuous prolonged administration of atracurium in the ITU to a patient with myasthenia gravis, POLLARD, B. J., *et al.* 95–97
Atropine, Effects on the lower oesophageal sphincter of cisapride given before the combined administration of atropine and neostigmine, JONES, M. J., *et al.* 124–128
——, Haemodynamic effects of vecuronium, WIERDA, J. M. K. H., *et al.* 194–198
Auditory evoked potentials, Auditory evoked potentials during propofol anaesthesia in man, CHASSARD, D., *et al.* 522–526
Automation in Anesthesia—A Relief?, MEIJLER, A. P., (*R*) 350
Awake intubation, Awake fibreoptic intubation of the patient at high risk of aspiration, OVASSAPIAN, A., *et al.* 13–16
Awareness, Awareness following different techniques of general anaesthesia for Caesarean section, BARAKA, A., *et al.* 645–648
——, Comparison of 1.5% enflurane with 1.25% isoflurane in oxygen for Caesarean section: avoidance of awareness without nitrous oxide, TUNSTALL, M. E., *et al.* 138–143

Bain system, Comparison of the Bain and the ADE systems during controlled ventilation in adults, SHAH, N. K., *et al.* 150–152
Barbiturate anaesthesia, Antroduodenal motility, pH and gastric emptying during balanced anaesthesia: comparison of pethidine and fentanyl, SCHURIZEK, B. A., *et al.* 674–682
Baricity, Spinal anaesthesia with bupivacaine, MITCHELL, R. W. D., *et al.*, (*C*) 113
——, Spinal anaesthesia with bupivacaine, STIENSTRA, R., *et al.*, (*C*) 112–113
Beta-adrenergic blocking agents, Cerebral blood flow during anaesthesia: influence of pretreatment with metoprolol or captopril, JENSEN, K., *et al.* 321–323
Bicuculline, GABA involvement in spinal analgesia with midazolam, EDWARDS, M., *et al.*, (*ARS*) 233P
Bilateral pneumothorax, Bilateral pneumothorax following tracheal intubation, BISWAS, C., *et al.* 338–339
Bile flow, Effect of anaesthetic agents on bile flow and biliary excretion of ^{131}I-cholylglycyltyrosine in the rat, MILLS, C. O., *et al.* 311–315
Biliary excretion, Effect of anaesthetic agents on bile flow and biliary excretion of ^{131}I-cholylglycyltyrosine in the rat, MILLS, C. O., *et al.* 311–315
Biotransformation, Pretreatment with paracetamol inhibits metabolism of enflurane in rats, HANNA, A. N., *et al.* 429–433
Bite-block, Aid to intubation, WELSH, B. E., (*C*) 469–470

Blood–brain barrier, Blood–brain barrier to pertechnetate following drug-induced hypotension, COOK, P. R., *et al.* 402–408
Blood chloroform concentrations, Decay in blood chloroform concentrations after anaesthesia, ORDMAN, A. J., *et al.*, (*ARS*) 229P
Blood:CSF glycine, Blood:CSF glycine concentration gradient following a controlled i.v. infusion in dogs, CLAFFEY, L. P., *et al.*, (*ARS*) 234–235P
Blood lancet, The blood lancet in regional anaesthesia, DE ANDRES, J. A., (*C*) 348
Blood loss, Spinal anaesthesia and surgical blood loss, DONALD, J. R., (*C*) 114
——, Spinal anaesthesia and surgical blood loss, SMITH, G., (*C*) 115
——, Spinal anaesthesia and surgical blood loss, WORSLEY, M. H., *et al.*, (*C*) 114
Body temperature, Effect of halothane, enflurane and isoflurane on body temperature during and after surgery, RAMACHANDRA, V., *et al.* 409–414
Bolus administration, Comparison of mivacurium and suxamethonium administered by bolus and infusion, BRANDOM, B. W., *et al.* 488–493
——, Recovery of neuromuscular function after infusion or intermittent bolus doses of atracurium or vecuronium, GORDON, K. L., *et al.* 269–273
Book Reviews
A Bibliography of References to Anaesthesia in the Australian Medical Journals 1846–1952, WILSON, G., (*R*) 350–351
A History of Longworth Scientific Instrument Co. Ltd, 1st Edn, JEPHCOTT, A., (*R*) 583
A Manual of Anaesthesia for Emergency Surgery, 1st Edn, DONEGAN, J. H., (editor), (*R*) 350
Acupuncture Treatment and Anaesthesia, 4th Edn, SALIM, M., (editor), (*R*) 702
An Introduction to Anaesthesiology, COETZEE, A., *et al.*, (editors), (*R*) 471
Anaesthesia for Thoracic Procedures, MARSHALL, B. E., *et al.*, (editors), (*R*) 473
Anaesthesia Review 5, KAUFMAN, L., (editor), (*R*) 118
Anatomy for Anaesthetists, ELLIS, H., *et al.*, (editors), (*R*) 473
Anesthesia and Co-Existing Disease, 2nd Edn, STOELTING, R. K., *et al.*, (editors), (*R*) 471–472
Annual Review of Pulmonary and Critical Care Medicine 88/89, MATTHAY, R. A., *et al.*, (editors), (*R*) 116
Anyone Can Intubate, WHITTEN, C. E., (*R*) 583
Automation in Anesthesia—A Relief? MEIJLER, A. P., (*R*) 350
Care of the Critically Ill, 3rd Edn, AYRES, S. M., *et al.*, (editors), (*R*) 117
Clinical Anatomy for Anesthesiologists, SNELL, R. S., *et al.*, (editors), (*R*) 702
Current Practice in Anesthesiology, 1st Edn, ROGERS, M., (editor), (*R*) 584
Diamorphine: Its Chemistry, Pharmacology and Clinical Use, SCOTT, D. B., (editor), (*R*) 117
Imaging and Labelling Techniques in the Critically Ill, KOX, W., *et al.*, (editors), (*R*) 701
Intensive Care—Pocket Reference, PARK, G. R., *et al.*, (editors), (*R*) 116
I.v. Anaesthesia, 2nd Edn, DUNDEE, J. W., *et al.*, (*R*) 238
Introduction to Anaesthesia: The Principles of Safe Practice, 7th Edn, DRIPPS, R. D., *et al.*, (*R*) 116–117
Medicine for Disasters, 1st Edn, BASKETT, P., *et al.*, (editors), (*R*) 117–118
Neonatal Anaesthesia, 1st Edn, COOK, D. R., *et al.*, (editors), (*R*) 472–473
Obstetric Anesthesia: The Complicated Patient, 2nd Edn, JAMES, F. M. III, *et al.*, (editors), (*R*) 582
Perspectives in Critical Care Medicine, CERRA, F. B., (editor), (*R*) 583–584
Pocket Manual of Anesthesia, 1st Edn, LENZ, G., *et al.*, (editors), (*R*) 701–702
Positioning the Surgical Patient, ANDERTON, J. M., *et al.*, (*R*) 238
Principles of Airway Management, 1st Edn, FINUCANE, B. T., *et al.*, (editors), (*R*) 116
Pulmonary Function Indices in Critical Care Patients, 1st Edn, BRUNNER, J. X., *et al.*, (*R*) 351
Recent Advances in Critical Care Medicine, Volume 3. LEDINGHAM, I. McA., (editor), (*R*) 118–119
Surgery for Anaesthetists, ZORAB, J. S. M., (editor), (*R*) 471
Understanding Anaesthesia, 2nd Edn, CARRIE, L. E. S., *et al.*, (*R*) 472
Yearbook of Critical Care Medicine, 1988, 6th Edn, ROGERS, M. C., (editor), (*R*) 582
Bradycardia, Effects of pipecuronium and pancuronium on the isolated rabbit heart, DEAM, R. K., *et al.* 287–289
——, Haemodynamic effects of vecuronium, WIERDA, J. M. K. H., *et al.* 194–198
Brain, Effect of general anaesthesia on the magnetic resonance imaging signal from the brain, WHITFIELD, A., *et al.* 694–696
Breathing systems, Comparison of the Magill and Lack anaesthetic breathing systems in anaesthetized patients, MILLAR, S. W., *et al.* 153–158
——, Controlled ventilation with a Mapleson A (Magill) breathing system: reassessment using a lung model, TYLER, C. K. G., *et al.* 462–466
——, Preliminary evaluation of the Enclosed Magill Breathing System, BRUCE, W. C., *et al.* 144–149
——, Resistance to airflow in anaesthetic breathing systems, MARTIN, D. G., *et al.* 456–461
Buccal administration, Pharmacokinetics of morphine following administration by the buccal route, MANARA, A. R., *et al.* 498–502
Bunsen solubility coefficient, Solubility of Freon-22 in blood and lung tissue, FRANKS, P. J., *et al.* 425–428
Bupivacaine, Alkalinization of bupivacaine for sciatic nerve blockade, COVENTRY, D. M., *et al.*, (*ARS*) 227P
——, Comparison of continuous paravertebral and extradural infusions of bupivacaine for pain relief after thoracotomy, MATTHEWS, P. J., *et al.* 204–205
——, Continuous thoracic extradural 0.5% bupivacaine with or without morphine: effect on quality of blockade, lung function and the surgical stress response, SCOTT, N. B., *et al.* 253–257
——, Controlled trial of extradural bupivacaine with fentanyl, morphine or placebo for pain relief in labour, LIRZIN, J. D., *et al.* 641–644
——, Does pretreatment with cimetidine and ranitidine affect the disposition of bupivacaine? FLYNN, R. J., *et al.* 87–91
——, Effect of time and adrenaline on the feto–maternal distribution of bupivacaine, REYNOLDS, F., *et al.* 509–514
——, Effects of bupivacaine on inward currents and contraction in single myocytes isolated from guineapig ventricle, VICTORY, J. G. G., *et al.*, (*ARS*) 227–228P
——, Evaluation of a bupivacaine–morphine mixture for caudal analgesia in children, WOLF, A. R., *et al.*, (*ARS*) 221–222P
——, Extradural bupivacaine and methadone for extracorporeal shock-wave lithotripsy, DRENGER, B., *et al.* 82–86
——, Extradural bupivacaine and methadone for extracorporeal shock-wave lithotripsy, DRENGER, B., (*C*) 580
——, Extradural bupivacaine and methadone for extracorporeal shock-wave lithotripsy, LIM, M., (*C*) 579

Bupivacaine, Extradural pressure following the injection of two volumes of bupivacaine, PAUL, D. L., *et al.* 368–372
——, Low-dose intrathecal diamorphine analgesia following major orthopaedic surgery, REAY, B. A., *et al.* 248–252
——, Maternal and neonatal bupivacaine concentrations after spinal and extradural anaesthesia for Caesarean section, JANI, K., *et al.*, (*ARS*) 226–227P
——, Plain bupivacaine: 0.5% or 0.25% for spinal analgesia? NIELSEN, T. H., *et al.* 164–167
——, Safety and efficacy of a low volume extradural test dose of bupivacaine in labour, PRINCE, G. D., *et al.* 503–508
——, Spinal anaesthesia with bupivacaine, MITCHELL, R. W. D., *et al.*, (*C*) 113
——, Spinal anaesthesia with bupivacaine, STIENSTRA, R., *et al.*, (*C*) 112–113
——, Spread of spinal anaesthesia with plain 0.5% bupivacaine: influence of the vertebral interspace used for injection, TUOMINEN, M., *et al.* 358–361
Bupivacaine–morphine mixture, Evaluation of a bupivacaine–morphine mixture for caudal analgesia in children, WOLF, A. R., *et al.*, (*ARS*) 221–222P
BW B1090U, mivacurium chloride, Comparison of mivacurium and suxamethonium administered by bolus and infusion, BRANDOM, B. W., *et al.* 488–493

Caesarean section, Anaesthetic management for Caesarean section in a patient with uncorrected truncus arteriosus, WILTON, N. C. T., *et al.* 434–438
——, Awareness following different techniques of general anaesthesia for Caesarean section, BARAKA, A., *et al.* 645–648
——, Comparison of 1.5% enflurane with 1.25% isoflurane in oxygen for Caesarean section: avoidance of awareness without nitrous oxide, TUNSTALL, M. E., *et al.* 138–143
——, Complications of spinal anaesthesia following extradural block for Caesarean section, STONE, P. A., *et al.* 335–337
——, Does pretreatment with cimetidine and ranitidine affect the disposition of bupivacaine? FLYNN, R. J., *et al.* 87–91
——, Effect of time and adrenaline on the feto–maternal distribution of bupivacaine, REYNOLDS, F., *et al.* 509–514
——, Influence of preoperative gastric aspiration on the volume and pH of gastric contents in obstetric patients undergoing Caesarean section, BROCK-UTNE, J. G., *et al.* 397–401
——, Maternal and neonatal bupivacaine concentrations after spinal and extradural anaesthesia for Caesarean section, JANI, K., *et al.*, (*ARS*) 226–227P
——, Neurobehavioural effects of propofol on the neonate following elective Caesarean section, CELLENO, D., *et al.* 649–654
——, Serial peak expiratory flow rates in mothers during Caesarean section under extradural anaesthesia, GAMIL, M. 415–418
Caffeine, Effect of diltiazem and dantrolene on the contractility of isolated malignant hyperpyrexia-susceptible porcine skeletal muscle, FOSTER, P. S., *et al.* 566–572
——, Inhalation anaesthetics decrease calcium content of cardiac sarcoplasmic reticulum, KATSUOKA, M., *et al.* 669–673
Calcium channel antagonist, Effect of diltiazem and dantrolene on the contractility of isolated malignant hyperpyrexia-susceptible porcine skeletal muscle, FOSTER, P. S., *et al.* 566–572
——, Effect of diltiazem on porcine malignant hyperpyrexia induced by suxamethonium and halothane, FOSTER, P. S., *et al.* 560–565
Calcium channel block, Effect of nicardipine infusion on the release of glutathione S-transferase following halothane anaesthesia, RAY, D. C., *et al.* 553–559
Calcium content, Inhalation anaesthetics decrease calcium content of cardiac sarcoplasmic reticulum, KATSUOKA, M., *et al.* 669–673
Captopril, Cerebral blood flow during anaesthesia: influence of pretreatment with metoprolol or captopril, JENSEN, K., *et al.* 321–323
Carbon dioxide, Effect of nalbuphine hydrochloride on the ventilatory and occlusion pressure responses to carbon dioxide in volunteers, PUGH, G. C., *et al.* 601–609
——, Oxygen consumption and carbon dioxide elimination in infants and children during anaesthesia and surgery, LINDAHL, S. G. E. 70–76
Cardiac sarcoplasmic reticulum, Inhalation anaesthetics decrease calcium content of cardiac sarcoplasmic reticulum, KATSUOKA, M., *et al.* 669–673
Cardiac surgery, Effect of ketanserin on sodium nitroprusside requirements, arterial pressure control and heart rate following coronary artery bypass surgery, HODSMAN, N. B. A., *et al.* 527–531
Cardiovascular action, Hypotensive agents: an animal model, BAGSHAW, R. J., (*C*) 112
——, Hypotensive agents: an animal model, SURY, M. R. J., *et al.*, (*C*) 112
Cardiovascular effects, Air embolism during total hip replacement: comparison of two surgical techniques, EVANS, R. D., *et al.* 243–247
——, Alfentanil obtunds the cardiovascular and sympathoadrenal responses to suxamethonium-facilitated laryngoscopy and intubation, SCHEININ, B., *et al.* 385–392
——, Cardiovascular and respiratory effects of ketorolac and alfentanil during anaesthesia, BROCKWAY, M. S., *et al.*, (*ARS*) 224–225P
——, Effect of atracurium and laudanosine on the release of ^{3}H-noradrenaline, KINJO, M., *et al.* 683–690
——, Glycopyrronium requirements for antagonism of the muscarinic side effects of edrophonium, DODD, P., *et al.* 77–81
——, Neuromuscular and cardiovascular effects of doxacurium in children anaesthetized with halothane, GOUDSOUZIAN, N. G., *et al.* 263–268
Care of the Critically Ill, 3rd Edn, AYRES, S. M., *et al.*, (editors), (*R*) 117
Carotid body chemoreceptors, Effect of halothane, enflurane and isoflurane on carotid body chemoreceptor activity in the rabbit and the cat, PONTE, J., *et al.* 33–40
——, Effect of thiopentone, etomidate and propofol on carotid body chemoreceptor activity in the rabbit and the cat, PONTE, J., *et al.* 41–45
Cat, Effect of halothane, enflurane and isoflurane on carotid body chemoreceptor activity in the rabbit and the cat, PONTE, J., *et al.* 33–40
——, Effect of thiopentone, etomidate and propofol on carotid body chemoreceptor activity in the rabbit and the cat, PONTE, J., *et al.* 41–45
——, Pharmacokinetics and disposition of Org 9616 and Org 9426 in the cat, KHUENL-BRADY, K. S., *et al.*, (*ARS*) 225–226P
Catecholamines, Plasma concentrations of catecholamines following intraocular irrigation with adrenaline, FELL, D., *et al.* 573–575
——, Use of magnesium sulphate in the anaesthetic management of phaeochromocytoma: a review of 17 anaesthetics, JAMES, M. F. M. 616–623
Caudal anaesthesia, Evaluation of a bupivacaine–morphine mixture for caudal analgesia in children, WOLF, A. R., *et al.*, (*ARS*) 221–222P
Cement insertion, Air embolism during total hip

replacement: comparison of two surgical techniques, EVANS, R. D., *et al.* 243–247
Cerebral blood flow (CBF), Cerebral blood flow during anaesthesia: influence of pretreatment with metoprolol or captopril, JENSEN, K., *et al.* 321–323
Children, Antagonism of vecuronium with neostigmine in children: influence of the associated halogenated agent, MEISTELMAN, C., *et al.*, (*ARS*) 228–229P
——, Changes in oxygen saturation during inhalation induction of anaesthesia in children, SAMPAIO, M. M., *et al.* 199–201
——, Comparison of total ventilatory compliance in sedated and anaesthetized infants and young children, STACK, C. G., *et al.*, (*ARS*) 232P
——, Effect of surface electrode positioning on the compound action potential evoked by ulnar nerve stimulation in anaesthetized infants and children, KALLI, I. 188–193
——, Estimation of Pa_{CO_2} from end-tidal P_{CO_2} and Hb saturation in cyanotic children, FLETCHER, R., (*ARS*) 231P
——, Evaluation of a bupivacaine–morphine mixture for caudal analgesia in children, WOLF, A. R., *et al.*, (*ARS*) 221–222P
——, Is there a relationship between masseteric muscle spasm and malignant hyperpyrexia? CHRISTIAN, A. S., *et al.* 540–544
——, Lung function in the supine and lateral decubitus positions in anaesthetized infants and children, LARSSON, A., *et al.* 378–384
——, Neuromuscular and cardiovascular effects of doxacurium in children anaesthetized with halothane, GOUDSOUZIAN, N. G., *et al.* 263–268
——, Oxygen consumption and carbon dioxide elimination in infants and children during anaesthesia and surgery, LINDAHL, S. G. E. 70–76
——, Significance of preload on mechanomyographic relaxometry in infants, children and adults, LEUWER, M., (*ARS*) 228P
Chloroform, Decay in blood chloroform concentrations after anaesthesia, ORDMAN, A. J., *et al.*, (*ARS*) 229P
Cholesterol, Effect of prolonged sedation with propofol on serum triglyceride and cholesterol concentrations, GOTTARDIS, M., *et al.* 393–396
Chronotropic effects, Effects of pipecuronium and pancuronium on the isolated rabbit heart, DEAM, R. K., *et al.* 287–289
Cimetidine, Does pretreatment with cimetidine and ranitidine affect the disposition of bupivacaine? FLYNN, R. J., *et al.* 87–91
Cirrhosis, Pharmacokinetics of atracurium and laudanosine in patients with hepatic cirrhosis, PARKER, C. J. R., *et al.* 177–183
Cisapride, Cisapride and anaesthesia, ROWBOTHAM, D. J., (*E*) 121–123
——, Effects on the lower oesophageal sphincter of cisapride given before the combined administration of atropine and neostigmine, JONES, M. J., *et al.* 124–128
Clinical Anatomy for Anesthesiologists, SNELL, R. S., *et al.*, (editors), (*R*) 702
Closed-loop feedback, Closed-loop feedback control of propofol anaesthesia by quantitative EEG analysis in humans, SCHWILDEN, H., *et al.* 290–296
Coeliac plexus block, Percutaneous anterior approach to the coeliac plexus using ultrasound, MONTERO MATAMALA, A., *et al.* 637–640
Complications, Complications of spinal anaesthesia following extradural block for Caesarean section, STONE, P. A., *et al.* 335–337
——, Perioperative complications following the use of vancomycin in children: a report of two cases, BEST, C. J., *et al.* 576–577
Computerized infusion system, Computer controlled infusion of propofol, TACKLEY, R. M., *et al.* 46–53
Congenital cardiac disease, Anaesthetic management for Caesarean section in a patient with uncorrected truncus arteriosus, WILTON, N. C. T., *et al.* 434–438
——, Estimation of Pa_{CO_2} from end-tidal P_{CO_2} and Hb saturation in cyanotic children, FLETCHER, R., (*ARS*) 231P
——, Relationship between alveolar deadspace and arterial oxygenation in children with congenital cardiac disease, FLETCHER, R. 168–176
Continuous infusions, Comparison of continuous paravertebral and extradural infusions of bupivacaine for pain relief after thoracotomy, MATTHEWS, P. J., *et al.* 204–205
Continuous positive airways pressure (CPAP), Evaluation of the Ambu CPAP system, VENN, P. J. H. 340–347
Controlled i.v. infusion, Blood:CSF glycine concentration gradient following a controlled i.v. infusion in dogs, CLAFFEY, L. P., *et al.*, (*ARS*) 234–235P
Controlled ventilation, Comparison of the Bain and the ADE systems during controlled ventilation in adults, SHAH, N. K., *et al.* 150–152
——, Controlled ventilation with a Mapleson A (Magill) breathing system: reassessment using a lung model, TYLER, C. K. G., *et al.* 462–466
Convulsions, Retrospective study of early postoperative convulsions after intracranial surgery with isoflurane or enflurane anaesthesia, CHRISTYS, A. R., *et al.* 624–627
Core temperature, Estimation of core temperature by use of an insulated arm, KEELER, J. F., *et al.*, (*ARS*) 223–224P
Cortical auditory evoked response, Early cortical auditory evoked response in anaesthesia: comparison of the effects of nitrous oxide and isoflurane, NEWTON, D. E. F., *et al.* 61–65
Cough suppression, Serial peak expiratory flow rates in mothers during Caesarean section under extradural anaesthesia, GAMIL, M. 415–418
CSF, Blood:CSF glycine concentration gradient following a controlled i.v. infusion in dogs, CLAFFEY, L. P., *et al.*, (*ARS*) 234–235P
Current Practice in Anesthesiology, 1st Edn, ROGERS, M., (editor), (*R*) 584
Cyanotic children, Estimation of Pa_{CO_2} from end-tidal P_{CO_2} and Hb saturation in cyanotic children, FLETCHER, R., (*ARS*) 231P
Cyanotic heart disease, Relationship between alveolar deadspace and arterial oxygenation in children with congenital cardiac disease, FLETCHER, R. 168–176

Dantrolene, Effect of diltiazem and dantrolene on the contractility of isolated malignant hyperpyrexia-susceptible porcine skeletal muscle, FOSTER, P. S., *et al.* 566–572
Datex Relaxograph, Comparison of the Elwell Neuromuscular Indicator and the Datex Relaxograph, CANNING, J., *et al.*, (*ARS*) 226P
——, Effect of suxamethonium given during recovery from atracurium, BLACK, A. M. S., (*C*) 348–349
Daycase surgery, Factors affecting headache following anaesthesia for urological daycase surgery, FAITHFULL, N. S., (*ARS*) 220–221P
Dental anaesthesia, Incidence of arrhythmias in dental anaesthesia: a cross-over comparison of halothane and isoflurane, HUTCHISON, G. L., *et al.* 518–521
Dextrose dilution, Effect of diluting propofol on the incidence of pain on injection and venous sequelae, STOKES, D. N., *et al.* 202–203
Diamorphine, Low-dose intrathecal diamorphine analgesia following major orthopaedic surgery, REAY, B. A., *et al.* 248–252
Diamorphine: Its Chemistry, Pharmacology and Clinical Use, SCOTT, D. B., (editor), (*R*) 117

Diaphragm, Neuromuscular block in diaphragm and hand, DERRINGTON, M. C., (*C*) 236
——, Neuromuscular block in diaphragm and hand, WAUD, B. E., (*C*) 236
Diaphragm–phrenic nerve preparation, *In vitro* investigation of the priming principle for rapid neuromuscular block, STORELLA, R. J., *et al.* 478–482
Diazepam, Effect of oral midazolam and diazepam on some pulmonary function tests, FASSOULAKI, A., *et al.*, (*ARS*) 232P
Diclofenac sodium (Voltarol), Venous sequelae following i.v. administration of diclofenac, CAMPBELL, W. I., *et al.* 545–547
Difficult intubation, Predicting difficult intubation, BELLHOUSE, C. P., *et al.*, (*C*) 469
——, Predicting difficult intubation, WILSON, M. E., *et al.*, (*C*) 469
——, Transilluminated tracheal intubation, AINSWORTH, Q. P., *et al.* 494–497
——, X-ray laryngoscopy in patients with a history of difficult laryngoscopy during pregnancy, FAHY, L., *et al.*, (*ARS*) 234P
Diltiazem, Effect of diltiazem and dantrolene on the contractility of isolated malignant hyperpyrexia-susceptible porcine skeletal muscle, FOSTER, P. S., *et al.* 566–572
——, Effect of diltiazem on porcine malignant hyperpyrexia induced by suxamethonium and halothane, FOSTER, P. S., *et al.* 560–565
Disposition, Pharmacokinetics and disposition of Org 9616 and Org 9426 in the cat, KHUENL-BRADY, K. S., *et al.*, (*ARS*) 225–226P
Dobutamine, Effect of dobutamine infusion on the adrenocortical response to halothane anaesthesia in ponies, TAYLOR, P. M., (*ARS*) 219P
Dog, Blood:CSF glycine concentration gradient following a controlled i.v. infusion in dogs, CLAFFEY, L. P., *et al.*, (*ARS*) 234–235P
——, Effects of propofol on pulmonary and systemic arterial pressure–flow relationships in hyperoxic and hypoxic dogs, NAEIJE, R., *et al.* 532–539
——, Neuromuscular block in diaphragm and hand, DERRINGTON, M. C., (*C*) 236
——, Neuromuscular block in diaphragm and hand, WAUD, B. E., (*C*) 236
Doppler ultrasonography, Air embolism during total hip replacement: comparison of two surgical techniques, EVANS, R. D., *et al.* 243–247
Dose, Pharmacokinetics of alfentanil during and after a fixed rate infusion, VAN BEEM, H., *et al.* 610–615
Double burst stimulation (DBS), Double burst stimulation (DBS): a new pattern of nerve stimulation to identify residual neuromuscular block, ENGBÆK, J., *et al.* 274–278
Doxacurium chloride, Doxacurium chloride: a preliminary clinical trial, SCOTT, R. P. F., *et al.* 373–377
——, Neuromuscular and cardiovascular effects of doxacurium in children anaesthetized with halothane, GOUDSOUZIAN, N. G., *et al.* 263–268
Doxapram, Doxapram and the neuromuscular junction, POLLARD, B. J., *et al.* 664–668
——, Effect of oral doxapram on morphine-induced changes in the ventilatory response to carbon dioxide, RANDALL, N. P. C., *et al.* 159–163
Drug interactions, Perioperative complications following the use of vancomycin in children: a report of two cases, BEST, C. J., *et al.* 576–577
Drug safety, The safety of new drugs, HULL, C. J., (*E*) 587–589

Edrophonium, Doxacurium chloride: a preliminary clinical trial, SCOTT, R. P. F., *et al.* 373–377
——, Glycopyrronium requirements for antagonism of the muscarinic side effects of edrophonium, DODD, P., *et al.* 77–81
EEG analysis, Closed-loop feedback control of propofol anaesthesia by quantitative EEG analysis in humans, SCHWILDEN, H., *et al.* 290–296
Eicosanoids, Effects of propofol on pulmonary and systemic arterial pressure–flow relationships in hyperoxic and hypoxic dogs, NAEIJE, R., *et al.* 532–539
Elderly patients, Bilateral pneumothorax following tracheal intubation, BISWAS, C., *et al.* 338–339
——, Comparison of increase in end-tidal concentrations of halothane and isoflurane in elderly patients, DWYER, R., *et al.*, (*ARS*) 219–220P
Electroacupuncture, Electroacupuncture and postoperative pain, CHRISTENSEN, P. A., *et al.* 258–262
Electroencephalogram, Electroencephalographic effects of laudanosine in an animal model of epilepsy, TATEISHI, A., *et al.* 548–552
Electromyography, Antagonism of moderate degrees of vecuronium-induced neuromuscular block by small doses of neostigmine, JOHNSON, R. A., *et al.* 483–487
——, Effect of surface electrode positioning on the compound action potential evoked by ulnar nerve stimulation in anaesthetized infants and children, KALLI, I. 188–193
——, Effect of suxamethonium given during recovery from atracurium, SCOTT, R. P. F., *et al.*, (*C*) 349
——, Train-of-four fade during onset and recovery of neuromuscular block: a study in non-anaesthetized subjects, TURNER, G. A., *et al.* 279–286
Elwell Neuromuscular Indicator, Comparison of the Elwell Neuromuscular Indicator and the Datex Relaxograph, CANNING, J., *et al.*, (*ARS*) 226P
EMLA (Eutectic Mixture of Local Anaesthetics), Anaesthesia of the skin, COLEY, S., (*E*) 4–5
——, *In vivo* assessment of percutaneous local anaesthetic preparations, MCCAFFERTY, D. F., *et al.* 17–21
Enclosed Magill Breathing System, Preliminary evaluation of the Enclosed Magill Breathing System, BRUCE, W. C., *et al.* 144–149
End-tidal carbon dioxide, Oxygen consumption and carbon dioxide elimination in infants and children during anaesthesia and surgery, LINDAHL, S. G. E. 70–76
——, Relationship between alveolar deadspace and arterial oxygenation in children with congenital cardiac disease, FLETCHER, R. 168–176
End-tidal concentrations, Comparison of increase in end-tidal concentrations of halothane and isoflurane in elderly patients, DWYER, R., *et al.*, (*ARS*) 219–220P
End-tidal P_{CO_2}, Estimation of Pa_{CO_2} from end-tidal P_{CO_2} and Hb saturation in cyanotic children, FLETCHER, R., (*ARS*) 231P
Enflurane, Comparison of 1.5% enflurane with 1.25% isoflurane in oxygen for Caesarean section: avoidance of awareness without nitrous oxide, TUNSTALL, M. E., *et al.* 138–143
——, Effect of halothane, enflurane and isoflurane on body temperature during and after surgery, RAMACHANDRA, V., *et al.* 409–414
——, Effect of halothane, enflurane and isoflurane on carotid body chemoreceptor activity in the rabbit and the cat, PONTE, J., *et al.* 33–40
——, Effects of halothane, isoflurane and enflurane anaesthesia on the total ventilatory impedance of ponies, YOUNG, S., (*ARS*) 230–231P
——, Inhalation anaesthetics decrease calcium content of cardiac sarcoplasmic reticulum, KATSUOKA, M., *et al.* 669–673
——, Pretreatment with paracetamol inhibits metabolism of enflurane in rats, HANNA, A. N., *et al.* 429–433
——, Retrospective study of early postoperative convulsions

after intracranial surgery with isoflurane or enflurane anaesthesia, CHRISTYS, A. R., *et al.* 624–627
Epilepsy, Electroencephalographic effects of laudanosine in an animal model of epilepsy, TATEISHI, A., *et al.* 548–552
Etomidate, Effect of anaesthetic agents on bile flow and biliary excretion of ^{131}I-cholylglycyltyrosine in the rat, MILLS, C. O., *et al.* 311–315
——, Effect of thiopentone, etomidate and propofol on carotid body chemoreceptor activity in the rabbit and the cat, PONTE, J., *et al.* 41–45
Evoked compound action potential (ECAP), Effect of surface electrode positioning on the compound action potential evoked by ulnar nerve stimulation in anaesthetized infants and children, KALLI, I. 188–193
Exeter cement gun, Air embolism during total hip replacement: comparison of two surgical techniques, EVANS, R. D., *et al.* 243–247
Extracorporeal carbon dioxide removal (ECCO$_2$R), Hyperventilation haemolysis: are humans at risk? DORRINGTON, K. L., *et al.*, (*ARS*) 235P
Extracorporeal shock wave lithotripsy (ESWL), Extradural bupivacaine and methadone for extracorporeal shock-wave lithotripsy, DRENGER, B., *et al.* 82–86
——, Extradural bupivacaine and methadone for extracorporeal shock-wave lithotripsy, DRENGER, B., (*C*) 580
——, Extradural bupivacaine and methadone for extracorporeal shock-wave lithotripsy, LIM, M., (*C*) 579
Extradural analgesia, Comparison of continuous paravertebral and extradural infusions of bupivacaine for pain relief after thoracotomy, MATTHEWS, P. J., *et al.* 204–205
——, Complications of spinal anaesthesia following extradural block for Caesarean section, STONE, P. A., *et al.* 335–337
——, Continuous thoracic extradural 0.5% bupivacaine with or without morphine: effect on quality of blockade, lung function and the surgical stress response, SCOTT, N. B., *et al.* 253–257
——, Controlled trial of extradural bupivacaine with fentanyl, morphine or placebo for pain relief in labour, LIRZIN, J. D., *et al.* 641–644
——, Does pretreatment with cimetidine and ranitidine affect the disposition of bupivacaine? FLYNN, R. J., *et al.* 87–91
——, Effect of time and adrenaline on the feto–maternal distribution of bupivacaine, REYNOLDS, F., *et al.* 509–514
——, Extradural bupivacaine and methadone for extracorporeal shock-wave lithotripsy, DRENGER, B., *et al.* 82–86
——, Extradural bupivacaine and methadone for extracorporeal shock-wave lithotripsy, DRENGER, B., (*C*) 580
——, Extradural bupivacaine and methadone for extracorporeal shock-wave lithotripsy, LIM, M., (*C*) 579
——, Limitations of adrenaline test doses in obstetric patients undergoing extradural anaesthesia, SCOTT, D. B., (*C*) 578
——, Limitations of adrenaline test doses in obstetric patients undergoing extradural anaesthesia, SCOTT, D. B., (*C*) 579
——, Limitations of adrenaline test doses in obstetric patients undergoing extradural anaesthesia, SOSIS, A., (*C*) 578
——, Limitations of adrenaline test doses in obstetric patients undergoing extradural anaesthesia, THORBURN, J., (*C*) 578–579
——, Maternal and neonatal bupivacaine concentrations after spinal and extradural anaesthesia for Caesarean section, JANI, K., *et al.*, (*ARS*) 226–227P
——, Oxygen desaturation following sedation for regional analgesia, SMITH, D. C., *et al.* 206–209
——, Safety and efficacy of a low volume extradural test dose of bupivacaine in labour, PRINCE, G. D., *et al.* 503–508
——, Serial peak expiratory flow rates in mothers during Caesarean section under extradural anaesthesia, GAMIL, M. 415–418
Extradural bupivacaine, Continuous thoracic extradural 0.5% bupivacaine with or without morphine: effect on quality of blockade, lung function and the surgical stress response, SCOTT, N. B., *et al.* 253–257
Extradural pressure, Extradural pressure following the injection of two volumes of bupivacaine, PAUL, D. L., *et al.* 368–372
Extradural space, Effects of halothane on electrically stimulated motor evoked potential in the extradural space, LOUGHNAN, B. A., *et al.*, (*ARS*) 223P
——, Effects of halothane on somatosensory evoked potentials recorded in the extradural space, LOUGHNAN, B. A., *et al.* 297–300
Eye surgery, Plasma concentrations of catecholamines following intraocular irrigation with adrenaline, FELL, D., *et al.* 573–575

Facioscapulohumeral muscular dystrophy, Anaesthetic management of a patient with facioscapulohumeral muscular dystrophy, DRESNER, D. L., *et al.* 331–334
Femoral nerve, Evaluation of "3 in 1" lumbar plexus block in patients having muscle biopsy, MADEJ, T. H., *et al.* 515–517
Fentanyl, Antroduodenal motility, pH and gastric emptying during balanced anaesthesia: comparison of pethidine and fentanyl, SCHURIZEK, B. A., *et al.* 674–682
——, Controlled trial of extradural bupivacaine with fentanyl, morphine or placebo for pain relief in labour, LIRZIN, J. D., *et al.* 641–644
——, Effects of fentanyl and alfentanil on the change in intraocular pressure produced by suxamethonium and tracheal intubation, SWEENEY, J., *et al.*, (*ARS*) 222P
——, GABA involvement in spinal analgesia with midazolam, EDWARDS, M., *et al.*, (*ARS*) 233P
——, Naloxone antagonizes the spinal analgesic effects of midazolam, SERRAO, J. M., *et al.*, (*ARS*) 233–234P
Fetus, Effect of time and adrenaline on the feto–maternal distribution of bupivacaine, REYNOLDS, F., *et al.* 509–514
Fibreoptic intubation, Awake fibreoptic intubation of the patient at high risk of aspiration, OVASSAPIAN, A., *et al.* 13–16
——, Teaching fibreoptic intubation, FORBES, R., *et al.*, (*C*) 113–114
Flumazenil, Naloxone antagonizes the spinal analgesic effects of midazolam, SERRAO, J. M., *et al.*, (*ARS*) 233–234P
Freon-22 solubility, Solubility of Freon-22 in blood and lung tissue, FRANKS, P. J., *et al.* 425–428
Fresh gas flow, Comparison of the Bain and the ADE systems during controlled ventilation in adults, SHAH, N. K., *et al.* 150–152
Fresh gas flow rates, Comparison of the Magill and Lack anaesthetic breathing systems in anaesthetized patients, MILLAR, S. W., *et al.* 153–158
Functional residual capacity, Lung function in the supine and lateral decubitus positions in anaesthetized infants and children, LARSSON, A., *et al.* 378–384

GABA, GABA involvement in spinal analgesia with midazolam, EDWARDS, M., *et al.*, (*ARS*) 233P
Gas exchange, Oxygen consumption and carbon dioxide

elimination in infants and children during anaesthesia and surgery, LINDAHL, S. G. E. 70–76
Gas exchange, Relationship between alveolar deadspace and arterial oxygenation in children with congenital cardiac disease, FLETCHER, R. 168–176
Gastric dilatation, Acute gastric dilatation in an incarcerated hiatus hernia, HOPKINS, C. S., *et al.* 108–111
Gastric emptying, Antroduodenal motility, pH and gastric emptying during balanced anaesthesia: comparison of pethidine and fentanyl, SCHURIZEK, B. A., *et al.* 674–682
——, Cisapride and anaesthesia, ROWBOTHAM, D. J., (*E*) 121–123
——, Effects of general anaesthesia with halothane on antroduodenal motility, pH and gastric emptying rate in man, SCHURIZEK, B. A., *et al.* 129–137
Gastric pH, Antroduodenal motility, pH and gastric emptying during balanced anaesthesia: comparison of pethidine and fentanyl, SCHURIZEK, B. A., *et al.* 674–682
——, Effects of general anaesthesia with halothane on antroduodenal motility, pH and gastric emptying rate in man, SCHURIZEK, B. A., *et al.* 129–137
Gastrointestinal endoscopy, Haemodynamic and oxgen saturation changes during upper gastrointestinal endoscopy: evaluation of propofol and midazolam sedation, PATTERSON, K. W., *et al.*, (*ARS*) 222–223P
General anaesthesia, Awareness following different techniques of general anaesthesia for Caesarean section, BARAKA, A., *et al.* 645–648
——, Effect of general anaesthesia on the magnetic resonance imaging signal from the brain, WHITFIELD, A., *et al.* 694–696
——, General anaesthetic modification of synaptic facilitation and long-term potentiation in hippocampus, MACIVER, M. B., *et al.* 301–310
——, Neurobehavioural effects of propofol on the neonate following elective Caesarean section, CELLENO, D., *et al.* 649–654
——, Studies on morphine disposition: influence of general anaesthesia on plasma concentrations of morphine and its metabolites, SEAR, J. W., *et al.* 22–27
Glutathione S-transferase, Effect of nicardipine infusion on the release of glutathione S-transferase following halothane anaesthesia, RAY, D. C., *et al.* 553–559
Glycine, Blood:CSF glycine concentration gradient following a controlled i.v. infusion in dogs, CLAFFEY, L. P., *et al.*, (*ARS*) 234–235P
Glycopyrronium, Glycopyrronium requirements for antagonism of the muscarinic side effects of edrophonium, DODD, P., *et al.* 77–81
Greyhound, Hypotensive agents: an animal model, BAGSHAW, R. J., (*C*) 112
——, Hypotensive agents: an animal model, SURY, M. R. J., *et al.*, (*C*) 112
Guineapig heart, Effects of bupivacaine on inward currents and contraction in single myocytes isolated from guineapig ventricle, VICTORY, J. G. G., *et al.*, (*ARS*) 227–228P
Guineapig right atrium preparation, Effect of atracurium and laudanosine on the release of ^{3}H-noradrenaline, KINJO, M., *et al.* 683–690

H_2 blockers, Does pretreatment with cimetidine and ranitidine affect the disposition of bupivacaine? FLYNN, R. J., *et al.* 87–91
Haemodynamic effects, Haemodynamic and oxgen saturation changes during upper gastrointestinal endoscopy: evaluation of propofol and midazolam sedation, PATTERSON, K. W., *et al.*, (*ARS*) 222–223P
——, Haemodynamic effects of vecuronium, WIERDA, J. M. K. H., *et al.* 194–198
Haemoglobin saturation, Estimation of Pa_{CO_2} from end-tidal PCO_2 and Hb saturation in cyanotic children, FLETCHER, R., (*ARS*) 231P
Halothane, Antagonism of vecuronium with neostigmine in children: influence of the associated halogenated agent, MEISTELMAN, C., *et al.*, (*ARS*) 228–229P
——, Awareness following different techniques of general anaesthesia for Caesarean section, BARAKA, A., *et al.* 645–648
——, Changes in oxygen saturation during inhalation induction of anaesthesia in children, SAMPAIO, M. M., *et al.* 199–201
——, Comparison of increase in end-tidal concentrations of halothane and isoflurane in elderly patients, DWYER, R., *et al.*, (*ARS*) 219–220P
——, Effect of diltiazem and dantrolene on the contractility of isolated malignant hyperpyrexia-susceptible porcine skeletal muscle, FOSTER, P. S., *et al.* 566–572
——, Effect of diltiazem on porcine malignant hyperpyrexia induced by suxamethonium and halothane, FOSTER, P. S., *et al.* 560–565
——, Effect of dobutamine infusion on the adrenocortical response to halothane anaesthesia in ponies, TAYLOR, P. M., (*ARS*) 219P
——, Effect of halothane, enflurane and isoflurane on body temperature during and after surgery, RAMACHANDRA, V., *et al.* 409–414
——, Effect of halothane, enflurane and isoflurane on carotid body chemoreceptor activity in the rabbit and the cat, PONTE, J., *et al.* 33–40
——, Effect of nicardipine infusion on the release of glutathione S-transferase following halothane anaesthesia, RAY, D. C., *et al.* 553–559
——, Effects of general anaesthesia with halothane on antroduodenal motility, pH and gastric emptying rate in man, SCHURIZEK, B. A., *et al.* 129–137
——, Effects of halothane, isoflurane and enflurane anaesthesia on the total ventilatory impedance of ponies, YOUNG, S., (*ARS*) 230–231P
——, Effects of halothane on electrically stimulated motor evoked potential in the extradural space, LOUGHNAN, B. A., *et al.*, (*ARS*) 223P
——, Effects of halothane on somatosensory evoked potentials recorded in the extradural space, LOUGHNAN, B. A., *et al.* 297–300
——, General anaesthetic modification of synaptic facilitation and long-term potentiation in hippocampus, MACIVER, M. B., *et al.* 301–310
——, Haemodynamic effects of vecuronium, WIERDA, J. M. K. H., *et al.* 194–198
——, Incidence of arrhythmias in dental anaesthesia: a cross-over comparison of halothane and isoflurane, HUTCHISON, G. L., *et al.* 518–521
——, Inhalation anaesthetics decrease calcium content of cardiac sarcoplasmic reticulum, KATSUOKA, M., *et al.* 669–673
——, Oxygen consumption and carbon dioxide elimination in infants and children during anaesthesia and surgery, LINDAHL, S. G. E. 70–76
Hand muscle, Neuromuscular block in diaphragm and hand, DERRINGTON, M. C., (*C*) 236
——, Neuromuscular block in diaphragm and hand, WAUD, B. E., (*C*) 236
HDL-cholesterol, Effect of prolonged sedation with propofol on serum triglyceride and cholesterol concentrations, GOTTARDIS, M., *et al.* 393–396
Head injuries, Nasotracheal intubation, paranasal sinusitis and head injuries, FASSOULAKI, A., (*C*) 236
——, Nasotracheal intubation, paranasal sinusitis and head injuries, HANSEN, M., *et al.*, (*C*) 237
Head surgery, Arterial oxygenation after different types of major head and neck surgery, CAMPBELL, I. T., *et al.*, (*ARS*) 231–232P

Headache, Factors affecting headache following anaesthesia for urological daycase surgery, FAITHFULL, N. S., (*ARS*) 220–221P
Heart, Effects of pipecuronium and pancuronium on the isolated rabbit heart, DEAM, R. K., *et al.* 287–289
Heart block, Heart block following propofol: a case report, JAMES, M. F. M., *et al.* 213–215
Heart rate, Effect of ketanserin on sodium nitroprusside requirements, arterial pressure control and heart rate following coronary artery bypass surgery, HODSMAN, N. B. A., *et al.* 527–531
——, Neuromuscular and cardiovascular effects of doxacurium in children anaesthetized with halothane, GOUDSOUZIAN, N. G., *et al.* 263–268
Hepatic cirrhosis, Pharmacokinetics of atracurium and laudanosine in patients with hepatic cirrhosis, PARKER, C. J. R., *et al.* 177–183
Hepatobiliary function, Effect of anaesthetic agents on bile flow and biliary excretion of ^{131}I-cholylglycyltyrosine in the rat, MILLS, C. O., *et al.* 311–315
Hepatotoxicity, Effect of nicardipine infusion on the release of glutathione S-transferase following halothane anaesthesia, RAY, D. C., *et al.* 553–559
——, Pretreatment with paracetamol inhibits metabolism of enflurane in rats, HANNA, A. N., *et al.* 429–433
Hiatus hernia, Acute gastric dilatation in an incarcerated hiatus hernia, HOPKINS, C. S., *et al.* 108–111
High frequency chest wall oscillation (HFCWO), High frequency ventilation, SYKES, M. K., (*E*) 475–477
High frequency jet ventilation, High frequency ventilation, SYKES, M. K., (*E*) 475–477
High frequency oscillation, Comparison of the effects of high frequency oscillation and controlled mechanical ventilation on hyaline membrane formation in a rabbit model of the neonatal respiratory distress syndrome, NIBLETT, D. J., *et al.* 628–636
——, High frequency ventilation, SYKES, M. K., (*E*) 475–477
High frequency positive pressure ventilation (HFPPV), High frequency ventilation, SYKES, M. K., (*E*) 475–477
High frequency ventilation, High frequency ventilation, SYKES, M. K., (*E*) 475–477
High thoracic extradural anaesthesia, Effect of high thoracic extradural anaesthesia on ventilatory response to hypercapnia in normal volunteers, KOCHI, T., *et al.* 362–367
Hip replacement, Air embolism during total hip replacement: comparison of two surgical techniques, EVANS, R. D., *et al.* 243–247
Hippocampal slice, General anaesthetic modification of synaptic facilitation and long-term potentiation in hippocampus, MACIVER, M. B., *et al.* 301–310
Hyaline membrane formation, Comparison of the effects of high frequency oscillation and controlled mechanical ventilation on hyaline membrane formation in a rabbit model of the neonatal respiratory distress syndrome, NIBLETT, D. J., *et al.* 628–636
Hypercapnic ventilatory response (HVR), Effect of high thoracic extradural anaesthesia on ventilatory response to hypercapnia in normal volunteers, KOCHI, T., *et al.* 362–367
Hypertension, Blood–brain barrier to pertechnetate following drug-induced hypotension, COOK, P. R., *et al.* 402–408
——, Effect of ketanserin on sodium nitroprusside requirements, arterial pressure control and heart rate following coronary artery bypass surgery, HODSMAN, N. B. A., *et al.* 527–531
Hyperthermia, Adrenal cortical reserve in patients undergoing muscle biopsy for malignant hyperthermia screening, FAIRBRASS, M. J., *et al.* 66–69
Hyperventilation haemolysis, Hyperventilation haemolysis: are humans at risk? DORRINGTON, K. L., *et al.*, (*ARS*) 235P
Hypotension, Blood–brain barrier to pertechnetate following drug-induced hypotension, COOK, P. R., *et al.* 402–408
——, Perioperative complications following the use of vancomycin in children: a report of two cases, BEST, C. J., *et al.* 576–577
Hypotensive agents, Hypotensive agents: an animal model, BAGSHAW, R. J., (*C*) 112
——, Hypotensive agents: an animal model, SURY, M. R. J., *et al.*, (*C*) 112
Hypoxaemia, Profound intraoperative atelectasis, SAMUELS, S. I., *et al.* 216–218
Hypoxaemia detection, Comparison of pulse oximeters: effects of vasoconstriction and venous engorgement, WILKINS, C. J., *et al.* 439–444
Hypoxia, Effect of halothane, enflurane and isoflurane on carotid body chemoreceptor activity in the rabbit and the cat, PONTE, J., *et al.* 33–40
——, Effect of thiopentone, etomidate and propofol on carotid body chemoreceptor activity in the rabbit and the cat, PONTE, J., *et al.* 41–45
——, Maternal oxygenation during normal labour, REED, P. N., *et al.* 316–318
——, Oxygen desaturation following sedation for regional analgesia, SMITH, D. C., *et al.* 206–209
Hypoxic pulmonary vasoconstriction, Effects of propofol on pulmonary and systemic arterial pressure–flow relationships in hyperoxic and hypoxic dogs, NAEIJE, R., *et al.* 532–539

^{131}I-cholylglycyltyrosine, Effect of anaesthetic agents on bile flow and biliary excretion of ^{131}I-cholylglycyltyrosine in the rat, MILLS, C. O., *et al.* 311–315
IEMG, Comparison of mechanomyography and integrated electromyography for monitoring suxamethonium block, BELL, P. F., *et al.*, (*ARS*) 225P
Imaging and Labelling Techniques in the Critically Ill, KOX, W., *et al.*, (editors), (*R*) 701
Induction dose, Influence of alcohol consumption on the induction dose of thiopentone, DUNDEE, J. W., *et al.*, (*ARS*) 229–230P
Infants, Comparison of total ventilatory compliance in sedated and anaesthetized infants and young children, STACK, C. G., *et al.*, (*ARS*) 232P
——, Effect of surface electrode positioning on the compound action potential evoked by ulnar nerve stimulation in anaesthetized infants and children, KALLI, I. 188–193
——, Is vecuronium a long-acting neuromuscular blocking agent in neonates and infants? MERETOJA, O. A. 184–187
——, Lung function in the supine and lateral decubitus positions in anaesthetized infants and children, LARSSON, A., *et al.* 378–384
——, Oxygen consumption and carbon dioxide elimination in infants and children during anaesthesia and surgery, LINDAHL, S. G. E. 70–76
——, Significance of preload on mechanomyographic relaxometry in infants, children and adults, LEUWER, M., (*ARS*) 228P
Infusion, Comparison of mivacurium and suxamethonium administered by bolus and infusion, BRANDOM, B. W., *et al.* 488–493
——, Computer controlled infusion of propofol, TACKLEY, R. M., *et al.* 46–53
——, Recovery of neuromuscular function after infusion or intermittent bolus doses of atracurium or vecuronium, GORDON, K. L., *et al.* 269–273
——, Use of continuous prolonged administration of

atracurium in the ITU to a patient with myasthenia gravis, POLLARD, B. J., *et al.* 95–97
Inhalation anaesthetic, General anaesthetic modification of synaptic facilitation and long-term potentiation in hippocampus, MACIVER, M. B., *et al.* 301–310
——, Inhalation anaesthetics decrease calcium content of cardiac sarcoplasmic reticulum, KATSUOKA, M., *et al.* 669–673
——, Pharmacokinetics of alfentanil during and after a fixed rate infusion, VAN BEEM, H., *et al.* 610–615
Injection pain, Effect of diluting propofol on the incidence of pain on injection and venous sequelae, STOKES, D. N., *et al.* 202–203
Inotropic effects, Effects of pipecuronium and pancuronium on the isolated rabbit heart, DEAM, R. K., *et al.* 287–289
Insulated arm, Estimation of core temperature by use of an insulated arm, KEELER, J. F., *et al.*, (*ARS*) 223–224P
Integrated electromyography, Comparison of mechanomyography and integrated electromyography for monitoring suxamethonium block, BELL, P. F., *et al.*, (*ARS*) 225P
Intensive Care—Pocket Reference, PARK, G. R., *et al.*, (editors), (*R*) 116
Intensive Care Unit, Effect of prolonged sedation with propofol on serum triglyceride and cholesterol concentrations, GOTTARDIS, M., *et al.* 393–396
——, Use of continuous prolonged administration of atracurium in the ITU to a patient with myasthenia gravis, POLLARD, B. J., *et al.* 95–97
Interdigestive motility complex, Effects of general anaesthesia with halothane on antroduodenal motility, pH and gastric emptying rate in man, SCHURIZEK, B. A., *et al.* 129–137
Intra-arterial injection, A new therapeutic approach to accidental intra-arterial injection of thiopentone, VANGERVEN, M., *et al.* 98–100
Intracranial surgery, Retrospective study of early postoperative convulsions after intracranial surgery with isoflurane or enflurane anaesthesia, CHRISTYS, A. R., *et al.* 624–627
Intraocular pressure, Effects of fentanyl and alfentanil on the change in intraocular pressure produced by suxamethonium and tracheal intubation, SWEENEY, J., *et al.*, (*ARS*) 222P
Intraoperative atelectasis, Profound intraoperative atelectasis, SAMUELS, S. I., *et al.* 216–218
Intraoperative hypoxaemia, Profound intraoperative atelectasis, SAMUELS, S. I., *et al.* 216–218
Intraoperative monitoring, Median nerve evoked potentials during propofol anaesthesia, SCHEEPSTRA, G. L., *et al.* 92–94
Intrathecal administration, Low-dose intrathecal diamorphine analgesia following major orthopaedic surgery, REAY, B. A., *et al.* 248–252
Introduction to Anaesthesia: The Principles of Safe Practice, 7th Edn, DRIPPS, R. D., *et al.*, (*R*) 116–117
Intubating conditions, Doxacurium chloride: a preliminary clinical trial, SCOTT, R. P. F., *et al.* 373–377
Intubation, Aid to intubation, WELSH, B. E., (*C*) 469–470
——, Airways revisited, VAUGHAN, R. S., (*E*) 1–3
——, Bilateral pneumothorax following tracheal intubation, BISWAS, C., *et al.* 338–339
——, Defining a standard intubating position using "Angle Finder", HORTON, W. A., *et al.* 6–12
——, Predicting difficult intubation, BELLHOUSE, C. P., *et al.*, (*C*) 469
——, Predicting difficult intubation, WILSON, M. E., *et al.*, (*C*) 469
——, Teaching fibreoptic intubation, FORBES, R., *et al.*, (*C*) 113–114
——, X-ray laryngoscopy in patients with a history of difficult laryngoscopy during pregnancy, FAHY, L., *et al.*, (*ARS*) 234P
Isoflurane, Antagonism of vecuronium with neostigmine in children: influence of the associated halogenated agent, MEISTELMAN, C., *et al.*, (*ARS*) 228–229P
——, Changes in oxygen saturation during inhalation induction of anaesthesia in children, SAMPAIO, M. M., *et al.* 199–201
——, Comparison of 1.5% enflurane with 1.25% isoflurane in oxygen for Caesarean section: avoidance of awareness without nitrous oxide, TUNSTALL, M. E., *et al.* 138–143
——, Comparison of increase in end-tidal concentrations of halothane and isoflurane in elderly patients, DWYER, R., *et al.*, (*ARS*) 219–220P
——, Early cortical auditory evoked response in anaesthesia: comparison of the effects of nitrous oxide and isoflurane, NEWTON, D. E. F., *et al.* 61–65
——, Effect of halothane, enflurane and isoflurane on body temperature during and after surgery, RAMACHANDRA, V., *et al.* 409–414
——, Effect of halothane, enflurane and isoflurane on carotid body chemoreceptor activity in the rabbit and the cat, PONTE, J., *et al.* 33–40
——, Effects of halothane, isoflurane and enflurane anaesthesia on the total ventilatory impedance of ponies, YOUNG, S., (*ARS*) 230–231P
——, Incidence of arrhythmias in dental anaesthesia: a cross-over comparison of halothane and isoflurane, HUTCHISON, G. L., *et al.* 518–521
——, Retrospective study of early postoperative convulsions after intracranial surgery with isoflurane or enflurane anaesthesia, CHRISTYS, A. R., *et al.* 624–627
I.v. anaesthesia, Heart block following propofol: a case report, JAMES, M. F. M., *et al.* 213–215
——, Median nerve evoked potentials during propofol anaesthesia, SCHEEPSTRA, G. L., *et al.* 92–94
I.v. Anaesthesia, 2nd Edn, DUNDEE, J. W., *et al.*, (*R*) 238
I.v. anaesthetics, Auditory evoked potentials during propofol anaesthesia in man, CHASSARD, D., *et al.* 522–526
I.v. infusion, Pharmacokinetics of alfentanil during and after a fixed rate infusion, VAN BEEM, H., *et al.* 610–615

Ketamine, Awareness following different techniques of general anaesthesia for Caesarean section, BARAKA, A., *et al.* 645–648
——, Comparison of the effects of sedation with midazolam or ketamine on the airway muscles, DRUMMOND, G. B., (*ARS*) 230P
——, Interaction of ketamine with atracurium, TOFT, P., *et al.* 319–320
Ketanserin, Effect of ketanserin on sodium nitroprusside requirements, arterial pressure control and heart rate following coronary artery bypass surgery, HODSMAN, N. B. A., *et al.* 527–531
Ketocyclazocine, GABA involvement in spinal analgesia with midazolam, EDWARDS, M., *et al.*, (*ARS*) 233P
——, Naloxone antagonizes the spinal analgesic effects of midazolam, SERRAO, J. M., *et al.*, (*ARS*) 233–234P
Ketorolac, Cardiovascular and respiratory effects of ketorolac and alfentanil during anaesthesia, BROCKWAY, M. S., *et al.*, (*ARS*) 224–225P

Labour, Controlled trial of extradural bupivacaine with fentanyl, morphine or placebo for pain relief in labour, LIRZIN, J. D., *et al.* 641–644
——, Maternal oxygenation during normal labour, REED, P. N., *et al.* 316–318
——, Safety and efficacy of a low volume extradural test dose of bupivacaine in labour, PRINCE, G. D., *et al.* 503–508

Lack breathing system, Comparison of the Magill and Lack anaesthetic breathing systems in anaesthetized patients, MILLAR, S. W., *et al.* 153–158
Landouzy–Dejerine muscular dystrophy, Anaesthetic management of a patient with facioscapulohumeral muscular dystrophy, DRESNER, D. L., *et al.* 331–334
Laryngoscopy, Alfentanil obtunds the cardiovascular and sympathoadrenal responses to suxamethonium-facilitated laryngoscopy and intubation, SCHEININ, B., *et al.* 385–392
——, Defining a standard intubating position using "Angle Finder", HORTON, W. A., *et al.* 6–12
——, X-ray laryngoscopy in patients with a history of difficult laryngoscopy during pregnancy, FAHY, L., *et al.*, (*ARS*) 234P
Lateral cutaneous nerve of thigh, Evaluation of "3 in 1" lumbar plexus block in patients having muscle biopsy, MADEJ, T. H., *et al.* 515–517
Lateral position, Lung function in the supine and lateral decubitus positions in anaesthetized infants and children, LARSSON, A., *et al.* 378–384
Laudanosine, Effect of atracurium and laudanosine on the release of ^{3}H-noradrenaline, KINJO, M., *et al.* 683–690
——, Electroencephalographic effects of laudanosine in an animal model of epilepsy, TATEISHI, A., *et al.* 548–552
——, Pharmacokinetics of atracurium and laudanosine in patients with hepatic cirrhosis, PARKER, C. J. R., *et al.* 177–183
Lignocaine, Effect of high thoracic extradural anaesthesia on ventilatory response to hypercapnia in normal volunteers, KOCHI, T., *et al.* 362–367
Local anaesthesia, Comparison of continuous paravertebral and extradural infusions of bupivacaine for pain relief after thoracotomy, MATTHEWS, P. J., *et al.* 204–205
Local anaesthetics, Anaesthesia of the skin, COLEY, S., (*E*) 4–5
——, Controlled trial of extradural bupivacaine with fentanyl, morphine or placebo for pain relief in labour, LIRZIN, J. D., *et al.* 641–644
——, Evaluation of "3 in 1" lumbar plexus block in patients having muscle biopsy, MADEJ, T. H., *et al.* 515–517
——, Extradural pressure following the injection of two volumes of bupivacaine, PAUL, D. L., *et al.* 368–372
——, *In vivo* assessment of percutaneous local anaesthetic preparations, MCCAFFERTY, D. F., *et al.* 17–21
——, Spread of spinal anaesthesia with plain 0.5% bupivacaine: influence of the vertebral interspace used for injection, TUOMINEN, M., *et al.* 358–361
——, The blood lancet in regional anaesthesia, DE ANDRES, J. A., (*C*) 348
Long term infusion, Effect of prolonged sedation with propofol on serum triglyceride and cholesterol concentrations, GOTTARDIS, M., *et al.* 393–396
Long-term potentiation, General anaesthetic modification of synaptic facilitation and long-term potentiation in hippocampus, MACIVER, M. B., *et al.* 301–310
LOS pressure, Cisapride and anaesthesia, ROWBOTHAM, D. J., (*E*) 121–123
Low lumbar extradural injection, Extradural pressure following the injection of two volumes of bupivacaine, PAUL, D. L., *et al.* 368–372
Lower oesophageal sphincter, Cisapride and anaesthesia, ROWBOTHAM, D. J., (*E*) 121–123
——, Effects on the lower oesophageal sphincter of cisapride given before the combined administration of atropine and neostigmine, JONES, M. J., *et al.* 124–128
——, Prostaglandins and the lower oesophageal sphincter, JONES, M. J., *et al.*, (*C*) 581
——, Prostaglandins and the lower oesophageal sphincter, MAHONEY, A., (*C*) 581
"3 in 1" Lumbar plexus block, Evaluation of "3 in 1" lumbar plexus block in patients having muscle biopsy, MADEJ, T. H., *et al.* 515–517
Lung compliance, Lung function in the supine and lateral decubitus positions in anaesthetized infants and children, LARSSON, A., *et al.* 378–384
Lung function, Lung function in the supine and lateral decubitus positions in anaesthetized infants and children, LARSSON, A., *et al.* 378–384
Lung model, Controlled ventilation with a Mapleson A (Magill) breathing system: reassessment using a lung model, TYLER, C. K. G., *et al.* 462–466
Lung tissue, Solubility of Freon-22 in blood and lung tissue, FRANKS, P. J., *et al.* 425–428
Lung volume, Arterial oxygenation after different types of major head and neck surgery, CAMPBELL, I. T., *et al.*, (*ARS*) 231–232P

Magill breathing system, Comparison of the Magill and Lack anaesthetic breathing systems in anaesthetized patients, MILLAR, S. W., *et al.* 153–158
Magnesium sulphate, Use of magnesium sulphate in the anaesthetic management of phaeochromocytoma: a review of 17 anaesthetics, JAMES, M. F. M. 616–623
Magnetic resonance imaging, Effect of general anaesthesia on the magnetic resonance imaging signal from the brain, WHITFIELD, A., *et al.* 694–696
Malignant hyperpyrexia, Is there a relationship between masseteric muscle spasm and malignant hyperpyrexia? CHRISTIAN, A. S., *et al.* 540–544
Malignant hyperpyrexia-susceptible porcine muscle, Effect of diltiazem and dantrolene on the contractility of isolated malignant hyperpyrexia-susceptible porcine skeletal muscle, FOSTER, P. S., *et al.* 566–572
Malignant hyperthermia, Adrenal cortical reserve in patients undergoing muscle biopsy for malignant hyperthermia screening, FAIRBRASS, M. J., *et al.* 66–69
——, Effect of propofol on the malignant hyperthermia susceptible pig model, KRIVOSIC-HORBER, R., *et al.* 691–693
——, Suxamethonium and malignant hyperthermia, FLETCHER, J. E., *et al.*, (*C*) 468
——, Suxamethonium and malignant hyperthermia, NELSON, T. E., (*C*) 468–469
Malignant hyperthermia susceptible pig model, Effect of propofol on the malignant hyperthermia susceptible pig model, KRIVOSIC-HORBER, R., *et al.* 691–693
Manometry, Effects of general anaesthesia with halothane on antroduodenal motility, pH and gastric emptying rate in man, SCHURIZEK, B. A., *et al.* 129–137
Mapleson A (Magill) breathing system, Comparison of the Magill and Lack anaesthetic breathing systems in anaesthetized patients, MILLAR, S. W., *et al.* 153–158
——, Controlled ventilation with a Mapleson A (Magill) breathing system: reassessment using a lung model, TYLER, C. K. G., *et al.* 462–466
Mass spectrometry, Oxygen consumption and carbon dioxide elimination in infants and children during anaesthesia and surgery, LINDAHL, S. G. E. 70–76
Masseteric muscle spasm, Is there a relationship between masseteric muscle spasm and malignant hyperpyrexia? CHRISTIAN, A. S., *et al.* 540–544
Maternal bupivacaine, Maternal and neonatal bupivacaine concentrations after spinal and extradural anaesthesia for Caesarean section, JANI, K., *et al.*, (*ARS*) 226–227P
Maternal–fetal exchange, Effect of time and adrenaline on the feto–maternal distribution of bupivacaine, REYNOLDS, F., *et al.* 509–514
Maternal hypoxia, Maternal oxygenation during normal labour, REED, P. N., *et al.* 316–318
Maternal oxygenation, Maternal oxygenation during normal labour, REED, P. N., *et al.* 316–318
Mechanical ventilation, Lung function in the supine and

lateral decubitus positions in anaesthetized infants and children, LARSSON, A., *et al.* 378–384
Mechanomyographic relaxometry, Significance of preload on mechanomyographic relaxometry in infants, children and adults, LEUWER, M., (*ARS*) 228P
Mechanomyography, Comparison of mechanomyography and integrated electromyography for monitoring suxamethonium block, BELL, P. F., *et al.*, (*ARS*) 225P
——, Effect of suxamethonium given during recovery from atracurium, SCOTT, R. P. F., *et al.*, (*C*) 349
——, Train-of-four fade during onset and recovery of neuromuscular block: a study in non-anaesthetized subjects, TURNER, G. A., *et al.* 279–286
Medicine for Disasters, 1st Edn, BASKETT, P., *et al.*, (editors), (*R*) 117–118
Methadone, Extradural bupivacaine and methadone for extracorporeal shock-wave lithotripsy, DRENGER, B., *et al.* 82–86
——, Extradural bupivacaine and methadone for extracorporeal shock-wave lithotripsy, DRENGER, B., (*C*) 580
——, Extradural bupivacaine and methadone for extracorporeal shock-wave lithotripsy, LIM, M., (*C*) 579
Methionine, Short term effect of nitrous oxide on methionine and S-adenosyl methionine concentrations, ROYSTON, B. D., *et al.* 419–424
Methohexitone, Closed-loop feedback control of propofol anaesthesia by quantitative EEG analysis in humans, SCHWILDEN, H., *et al.* 290–296
Methoxyflurane, General anaesthetic modification of synaptic facilitation and long-term potentiation in hippocampus, MACIVER, M. B., *et al.* 301–310
Metoprolol, Cerebral blood flow during anaesthesia: influence of pretreatment with metoprolol or captopril, JENSEN, K., *et al.* 321–323
Microprocessor-controlled anaesthetic machine, A new microprocessor-controlled anaesthetic machine, SYKES, M. K., *et al.* 445–455
Midazolam, Comparison of the effects of sedation with midazolam or ketamine on the airway muscles, DRUMMOND, G. B., (*ARS*) 230P
——, Effect of oral midazolam and diazepam on some pulmonary function tests, FASSOULAKI, A., *et al.*, (*ARS*) 232P
——, GABA involvement in spinal analgesia with midazolam, EDWARDS, M., *et al.*, (*ARS*) 233P
——, Haemodynamic and oxgen saturation changes during upper gastrointestinal endoscopy: evaluation of propofol and midazolam sedation, PATTERSON, K. W., *et al.*, (*ARS*) 222–223P
——, Naloxone antagonizes the spinal analgesic effects of midazolam, SERRAO, J. M., *et al.*, (*ARS*) 233–234P
Mivacurium, Comparison of mivacurium and suxamethonium administered by bolus and infusion, BRANDOM, B. W., *et al.* 488–493
MMG, Comparison of mechanomyography and integrated electromyography for monitoring suxamethonium block, BELL, P. F., *et al.*, (*ARS*) 225P
Monitoring, Auditory evoked potentials during propofol anaesthesia in man, CHASSARD, D., *et al.* 522–526
——, Comparison of pulse oximeters: effects of vasoconstriction and venous engorgement, WILKINS, C. J., *et al.* 439–444
——, Neuromuscular and cardiovascular effects of doxacurium in children anaesthetized with halothane, GOUDSOUZIAN, N. G., *et al.* 263–268
——, Pulse oximeters: essential monitors with limitations, KIDD, J. F., *et al.*, (*E*) 355–357
——, The anaesthetist's activities in the operating theatre, GOODMAN, N. W., (*C*) 700
——, The anaesthetist's activities in the operating theatre, MCDONALD, J. S., *et al.*, (*C*) 700
Morphine, Continuous thoracic extradural 0.5% bupivacaine with or without morphine: effect on quality of blockade, lung function and the surgical stress response, SCOTT, N. B., *et al.* 253–257
——, Controlled trial of extradural bupivacaine with fentanyl, morphine or placebo for pain relief in labour, LIRZIN, J. D., *et al.* 641–644
——, Effect of oral doxapram on morphine-induced changes in the ventilatory response to carbon dioxide, RANDALL, N. P. C., *et al.* 159–163
——, Evaluation of a bupivacaine–morphine mixture for caudal analgesia in children, WOLF, A. R., *et al.*, (*ARS*) 221–222P
——, Pharmacokinetics of morphine following administration by the buccal route, MANARA, A. R., *et al.* 498–502
——, Studies on morphine disposition: influence of general anaesthesia on plasma concentrations of morphine and its metabolites, SEAR, J. W., *et al.* 22–27
——, Studies on morphine disposition: influence of renal failure on the kinetics of morphine and its metabolites, SEAR, J. W., *et al.* 28–32
Morphine-3-glucuronide (M3G), Studies on morphine disposition: influence of general anaesthesia on plasma concentrations of morphine and its metabolites, SEAR, J. W., *et al.* 22–27
——, Studies on morphine disposition: influence of renal failure on the kinetics of morphine and its metabolites, SEAR, J. W., *et al.* 28–32
Morphine-6-glucuronide (M6G), Studies on morphine disposition: influence of general anaesthesia on plasma concentrations of morphine and its metabolites, SEAR, J. W., *et al.* 22–27
——, Studies on morphine disposition: influence of renal failure on the kinetics of morphine and its metabolites, SEAR, J. W., *et al.* 28–32
Motor evoked potential, Effects of halothane on electrically stimulated motor evoked potential in the extradural space, LOUGHNAN, B. A., *et al.*, (*ARS*) 223P
Muscular dystrophy, Anaesthetic management of a patient with facioscapulohumeral muscular dystrophy, DRESNER, D. L., *et al.* 331–334
Myasthenia gravis, Use of continuous prolonged administration of atracurium in the ITU to a patient with myasthenia gravis, POLLARD, B. J., *et al.* 95–97
Myocardial contractility, Effects of pipecuronium and pancuronium on the isolated rabbit heart, DEAM, R. K., *et al.* 287–289
Myocardial function, Effect of nitrous oxide during basal propofol anaesthesia on myocardium with normal and critically restricted blood supply, DIEDERICKS, J. *et al.*, (*ARS*) 224P
——, Effects of bupivacaine on inward currents and contraction in single myocytes isolated from guineapig ventricle, VICTORY, J. G. G., *et al.*, (*ARS*) 227–228P
Myocytes, Effects of bupivacaine on inward currents and contraction in single myocytes isolated from guineapig ventricle, VICTORY, J. G. G., *et al.*, (*ARS*) 227–228P
Myopathy, Is there a relationship between masseteric muscle spasm and malignant hyperpyrexia? CHRISTIAN, A. S., *et al.* 540–544

Nalbuphine, Effect of nalbuphine hydrochloride on the ventilatory and occlusion pressure responses to carbon dioxide in volunteers, PUGH, G. C., *et al.* 601–609
Naloxone, Effect of nalbuphine hydrochloride on the ventilatory and occlusion pressure responses to carbon dioxide in volunteers, PUGH, G. C., *et al.* 601–609
——, Naloxone antagonizes the spinal analgesic effects of midazolam, SERRAO, J. M., *et al.*, (*ARS*) 233–234P
Nasotracheal intubation, Nasotracheal intubation, paranasal sinusitis and head injuries, FASSOULAKI, A., (*C*) 236

——, Nasotracheal intubation, paranasal sinusitis and head injuries, HANSEN, M., *et al.*, (*C*) 237
Natural killer cell activity, Natural killer cell activity in a patient undergoing resection of phaeochromocytoma, TØNNESEN, E., *et al.* 327–330
Nausea, Low-dose intrathecal diamorphine analgesia following major orthopaedic surgery, REAY, B. A., *et al.* 248–252
Neck surgery, Arterial oxygenation after different types of major head and neck surgery, CAMPBELL, I. T., *et al.*, (*ARS*) 231–232P
Negative inotropic effect, Inhalation anaesthetics decrease calcium content of cardiac sarcoplasmic reticulum, KATSUOKA, M., *et al.* 669–673
Neonatal Anaesthesia, 1st Edn, COOK, D. R., *et al.*, (editors), (*R*) 472–473
Neonatal bupivacaine, Maternal and neonatal bupivacaine concentrations after spinal and extradural anaesthesia for Caesarean section, JANI, K., *et al.*, (*ARS*) 226–227P
Neonatal neurobehavioural testing, Neurobehavioural effects of propofol on the neonate following elective Caesarean section, CELLENO, D., *et al.* 649–654
Neonatal respiratory distress syndrome, Comparison of the effects of high frequency oscillation and controlled mechanical ventilation on hyaline membrane formation in a rabbit model of the neonatal respiratory distress syndrome, NIBLETT, D. J., *et al.* 628–636
Neonates, Is vecuronium a long-acting neuromuscular blocking agent in neonates and infants? MERETOJA, O. A. 184–187
Neostigmine, Antagonism of moderate degrees of vecuronium-induced neuromuscular block by small doses of neostigmine, JOHNSON, R. A., *et al.* 483–487
——, Antagonism of vecuronium with neostigmine in children: influence of the associated halogenated agent, MEISTELMAN, C., *et al.*, (*ARS*) 228–229P
——, Doxacurium chloride: a preliminary clinical trial, SCOTT, R. P. F., *et al.* 373–377
——, Effect of suxamethonium given during recovery from atracurium, BLACK, A. M. S., (*C*) 348–349
——, Effect of suxamethonium given during recovery from atracurium, SCOTT, R. P. F., *et al.*, (*C*) 349
——, Effects on the lower oesophageal sphincter of cisapride given before the combined administration of atropine and neostigmine, JONES, M. J., *et al.* 124–128
Nerve block, Alkalinization of bupivacaine for sciatic nerve blockade, COVENTRY, D. M., *et al.*, (*ARS*) 227P
Nerve stimulation, Double burst stimulation (DBS): a new pattern of nerve stimulation to identify residual neuromuscular block, ENGBÆK, J., *et al.* 274–278
Neurobehavioural effects, Neurobehavioural effects of propofol on the neonate following elective Caesarean section, CELLENO, D., *et al.* 649–654
Neurogenic pulmonary oedema, Neurogenic pulmonary oedema precipitated by induction of anaesthesia, BRAUDE, N., *et al.* 101–103
Neurolept anaesthesia, Haemodynamic effects of vecuronium, WIERDA, J. M. K. H., *et al.* 194–198
Neuromuscular block, Accelerated recovery from combined atracurium–vecuronium neuromuscular block, STIRT, J. A. 697–699
——, Antagonism of moderate degrees of vecuronium-induced neuromuscular block by small doses of neostigmine, JOHNSON, R. A., *et al.* 483–487
——, Antagonism of vecuronium with neostigmine in children: influence of the associated halogenated agent, MEISTELMAN, C., *et al.*, (*ARS*) 228–229P
——, Comparison of mechanomyography and integrated electromyography for monitoring suxamethonium block, BELL, P. F., *et al.*, (*ARS*) 225P
——, Comparison of mivacurium and suxamethonium administered by bolus and infusion, BRANDOM, B. W., *et al.* 488–493
——, Dose–response curves for suxamethonium in neonates, infants and children, MEAKIN, G., *et al.* 655–658
——, Double burst stimulation (DBS): a new pattern of nerve stimulation to identify residual neuromuscular block, ENGBÆK, J., *et al.* 274–278
——, Doxacurium chloride: a preliminary clinical trial, SCOTT, R. P. F., *et al.* 373–377
——, Effect of atracurium and laudanosine on the release of ^{3}H-noradrenaline, KINJO, M., *et al.* 683–690
——, Effect of surface electrode positioning on the compound action potential evoked by ulnar nerve stimulation in anaesthetized infants and children, KALLI, I. 188–193
——, Effects of pipecuronium and pancuronium on the isolated rabbit heart, DEAM, R. K., *et al.* 287–289
——, Electroencephalographic effects of laudanosine in an animal model of epilepsy, TATEISHI, A., *et al.* 548–552
——, *In vitro* investigation of the priming principle for rapid neuromuscular block, STORELLA, R. J., *et al.* 478–482
——, Influence of suxamethonium on the action of subsequently administered vecuronium or pancuronium, ONO, K., *et al.* 324–326
——, Interaction of ketamine with atracurium, TOFT, P., *et al.* 319–320
——, Is vecuronium a long-acting neuromuscular blocking agent in neonates and infants? MERETOJA, O. A. 184–187
——, Neuromuscular and cardiovascular effects of doxacurium in children anaesthetized with halothane, GOUDSOUZIAN, N. G., *et al.* 263–268
——, Neuromuscular block in diaphragm and hand, DERRINGTON, M. C., (*C*) 236
——, Neuromuscular block in diaphragm and hand, WAUD, B. E., (*C*) 236
——, Parkinsonism and the anaesthetist, HO, A. M.-H., (*C*) 580
——, Parkinsonism and the anaesthetist, SEVERN, A. M., (*C*) 580–581
——, Pharmacokinetics and disposition of Org 9616 and Org 9426 in the cat, KHUENL-BRADY, K. S., *et al.*, (*ARS*) 225–226P
——, Prolonged suxamethonium-induced neuromuscular block associated with organophosphate poisoning, WEEKS, D. B., *et al.*, (*C*) 237
——, Recovery of neuromuscular function after infusion or intermittent bolus doses of atracurium or vecuronium, GORDON, K. L., *et al.* 269–273
——, Train-of-four fade during onset and recovery of neuromuscular block: a study in non-anaesthetized subjects, TURNER, G. A., *et al.* 279–286
——, Use of atracurium or vecuronium to prolong the action of tubocurarine, MIDDLETON, C. M., *et al.* 659–663
——, Use of continuous prolonged administration of atracurium in the ITU to a patient with myasthenia gravis, POLLARD, B. J., *et al.* 95–97
Neuromuscular junction, Doxapram and the neuromuscular junction, POLLARD, B. J., *et al.* 664–668
Neuromuscular transmission, Double burst stimulation (DBS): a new pattern of nerve stimulation to identify residual neuromuscular block, ENGBÆK, J., *et al.* 274–278
——, Doxapram and the neuromuscular junction, POLLARD, B. J., *et al.* 664–668
Neurostimulation, The blood lancet in regional anaesthesia, DE ANDRES, J. A., (*C*) 348
New anaesthetic machine, A new microprocessor-controlled anaesthetic machine, SYKES, M. K., *et al.* 445–455
New drugs, The safety of new drugs, HULL, C. J., (*E*) 587–589
Nicardipine, Effect of nicardipine infusion on the release

of glutathione S-transferase following halothane anaesthesia, RAY, D. C., *et al.* 553–559
Nitrous oxide, Comparison of 1.5% enflurane with 1.25% isoflurane in oxygen for Caesarean section: avoidance of awareness without nitrous oxide, TUNSTALL, M. E., *et al.* 138–143
——, Early cortical auditory evoked response in anaesthesia: comparison of the effects of nitrous oxide and isoflurane, NEWTON, D. E. F., *et al.* 61–65
——, Effect of nitrous oxide during basal propofol anaesthesia on myocardium with normal and critically restricted blood supply, DIEDERICKS, J., *et al.*, (*ARS*) 224P
——, Short term effect of nitrous oxide on methionine and S-adenosyl methionine concentrations, ROYSTON, B. D., *et al.* 419–424
Non-steroidal anti-inflammatory drugs, Venous sequelae following i.v. administration of diclofenac, CAMPBELL, W. I., *et al.* 545–547
^{3}H-Noradrenaline, Effect of atracurium and laudanosine on the release of ^{3}H-noradrenaline, KINJO, M., *et al.* 683–690

Obstetric anaesthesia, Controlled trial of extradural bupivacaine with fentanyl, morphine or placebo for pain relief in labour, LIRZIN, J. D., *et al.* 641–644
——, Dose–response curves for suxamethonium in neonates, infants and children, MEAKIN, G., *et al.* 655–658
——, Influence of preoperative gastric aspiration on the volume and pH of gastric contents in obstetric patients undergoing Caesarean section, BROCK-UTNE, J. G., *et al.* 397–401
——, Limitations of adrenaline test doses in obstetric patients undergoing extradural anaesthesia, SCOTT, D. B., (*C*) 578
——, Limitations of adrenaline test doses in obstetric patients undergoing extradural anaesthesia, SCOTT, D. B., (*C*) 579
——, Limitations of adrenaline test doses in obstetric patients undergoing extradural anaesthesia, SOSIS, A., (*C*) 578
——, Limitations of adrenaline test doses in obstetric patients undergoing extradural anaesthesia, THORBURN, J., (*C*) 578–579
——, Neurobehavioural effects of propofol on the neonate following elective Caesarean section, CELLENO, D., *et al.* 649–654
Obstetric Anesthesia: The Complicated Patient, 2nd Edn, JAMES, F. M. III, *et al.*, (editors), (*R*) 582
Obturator nerve, Evaluation of "3 in 1" lumbar plexus block in patients having muscle biopsy, MADEJ, T. H., *et al.* 515–517
Occlusion pressure, Effect of nalbuphine hydrochloride on the ventilatory and occlusion pressure responses to carbon dioxide in volunteers, PUGH, G. C., *et al.* 601–609
Oesophageal balloon pressure, Measurement of transdiaphragmatic pressure, DERRINGTON, M. C., (*C*) 238
——, Measurement of transdiaphragmatic pressure, HIGGS, B., (*C*) 237–238
Opioid anaesthetics, Controlled trial of extradural bupivacaine with fentanyl, morphine or placebo for pain relief in labour, LIRZIN, J. D., *et al.* 641–644
——, Naloxone antagonizes the spinal analgesic effects of midazolam, SERRAO, J. M., *et al.*, (*ARS*) 233–234P
——, Pharmacokinetics of morphine following administration by the buccal route, MANARA, A. R., *et al.* 498–502
Oral administration, Effect of oral doxapram on morphine-induced changes in the ventilatory response to carbon dioxide, RANDALL, N. P. C., *et al.* 159–163
——, Effect of oral midazolam and diazepam on some pulmonary function tests, FASSOULAKI, A., *et al.*, (*ARS*) 232P
Org 9426, Pharmacokinetics and disposition of Org 9616 and Org 9426 in the cat, KHUENL-BRADY, K. S., *et al.*, (*ARS*) 225–226P
Org 9616, Pharmacokinetics and disposition of Org 9616 and Org 9426 in the cat, KHUENL-BRADY, K. S., *et al.*, (*ARS*) 225–226P
Organophosphate poisoning, Prolonged suxamethonium-induced neuromuscular block associated with organophosphate poisoning, WEEKS, D. B., *et al.*, (*C*) 237
Orogastric tube, Influence of preoperative gastric aspiration on the volume and pH of gastric contents in obstetric patients undergoing Caesarean section, BROCK-UTNE, J. G., *et al.* 397–401
Orthopaedic surgery, Low-dose intrathecal diamorphine analgesia following major orthopaedic surgery, REAY, B. A., *et al.* 248–252
Ostwald solubility coefficient, Solubility of Freon-22 in blood and lung tissue, FRANKS, P. J., *et al.* 425–428
Oxygen consumption, Oxygen consumption and carbon dioxide elimination in infants and children during anaesthesia and surgery, LINDAHL, S. G. E. 70–76
Oxygen monitoring, Oxygen desaturation following sedation for regional analgesia, SMITH, D. C., *et al.* 206–209
Oxygen saturation, Changes in oxygen saturation during inhalation induction of anaesthesia in children, SAMPAIO, M. M., *et al.* 199–201
——, Haemodynamic and oxgen saturation changes during upper gastrointestinal endoscopy: evaluation of propofol and midazolam sedation, PATTERSON, K. W., *et al.*, (*ARS*) 222–223P

Pa_{CO_2}, Estimation of Pa_{CO_2} from end-tidal P_{CO_2} and Hb saturation in cyanotic children, FLETCHER, R., (*ARS*) 231P
Paediatric anaesthesia, Anaesthesia of the skin, COLEY, S., (*E*) 4–5
——, Dose–response curves for suxamethonium in neonates, infants and children, MEAKIN, G., *et al.* 655–658
——, Lung function in the supine and lateral decubitus positions in anaesthetized infants and children, LARSSON, A., *et al.* 378–384
Pancuronium, Double burst stimulation (DBS): a new pattern of nerve stimulation to identify residual neuromuscular block, ENGBÆK, J., *et al.* 274–278
——, Effects of pipecuronium and pancuronium on the isolated rabbit heart, DEAM, R. K., *et al.* 287–289
——, Influence of suxamethonium on the action of subsequently administered vecuronium or pancuronium, ONO, K., *et al.* 324–326
——, Pancuronium allergy: a case report, PATRIARCA, G., *et al.* 210–212
Paracetamol, Effects of general anaesthesia with halothane on antroduodenal motility, pH and gastric emptying rate in man, SCHURIZEK, B. A., *et al.* 129–137
——, Pretreatment with paracetamol inhibits metabolism of enflurane in rats, HANNA, A. N., *et al.* 429–433
Paranasal sinusitis, Nasotracheal intubation, paranasal sinusitis and head injuries, FASSOULAKI, A., (*C*) 236
——, Nasotracheal intubation, paranasal sinusitis and head injuries, HANSEN, M., *et al.*, (*C*) 237
Paravertebral anaesthesia, Comparison of continuous paravertebral and extradural infusions of bupivacaine for pain relief after thoracotomy, MATTHEWS, P. J., *et al.* 204–205
Parkinsonism, Parkinsonism and the anaesthetist, HO, A. M.-H., (*C*) 580
——, Parkinsonism and the anaesthetist, SEVERN, A. M., (*C*) 580–581
Patient characteristics, Extradural pressure following the

injection of two volumes of bupivacaine, PAUL, D. L., *et al.* 368–372
Patient controlled analgesia, Electroacupuncture and postoperative pain, CHRISTENSEN, P. A., *et al.* 258–262
P_{CO_2}, Estimation of Pa_{CO_2} from end-tidal P_{CO_2} and Hb saturation in cyanotic children, FLETCHER, R., (*ARS*) 231P
Peak expiratory flow, Effect of oral midazolam and diazepam on some pulmonary function tests, FASSOULAKI, A., *et al.*, (*ARS*) 232P
——, Serial peak expiratory flow rates in mothers during Caesarean section under extradural anaesthesia, GAMIL, M. 415–418
Pentobarbitone, Effect of anaesthetic agents on bile flow and biliary excretion of ^{131}I-cholylglycyltyrosine in the rat, MILLS, C. O., *et al.* 311–315
Percutaneous anaesthesia, Anaesthesia of the skin, COLEY, S., (*E*) 4–5
——, *In vivo* assessment of percutaneous local anaesthetic preparations, MCCAFFERTY, D. F., *et al.* 17–21
Peripheral nerve stimulator, Effect of suxamethonium given during recovery from atracurium, SCOTT, R. P. F., *et al.*, (*C*) 349
Permeability, Blood–brain barrier to pertechnetate following drug-induced hypotension, COOK, P. R., *et al.* 402–408
Perspectives in Critical Care Medicine, CERRA, F. B., (editor), (*R*) 583–584
Pertechnetate, Blood–brain barrier to pertechnetate following drug-induced hypotension, COOK, P. R., *et al.* 402–408
Pethidine, Antroduodenal motility, pH and gastric emptying during balanced anaesthesia: comparison of pethidine and fentanyl, SCHURIZEK, B. A., *et al.* 674–682
Phaeochromocytoma, Natural killer cell activity in a patient undergoing resection of phaeochromocytoma, TØNNESEN, E., *et al.* 327–330
——, Use of magnesium sulphate in the anaesthetic management of phaeochromocytoma: a review of 17 anaesthetics, JAMES, M. F. M. 616–623
Pharmacokinetics, *In vitro* investigation of the priming principle for rapid neuromuscular block, STORELLA, R. J., *et al.* 478–482
——, Pharmacokinetics and disposition of Org 9616 and Org 9426 in the cat, KHUENL-BRADY, K. S., *et al.*, (*ARS*) 225–226P
——, Pharmacokinetics of alfentanil during and after a fixed rate infusion, VAN BEEM, H., *et al.* 610–615
——, Pharmacokinetics of atracurium and laudanosine in patients with hepatic cirrhosis, PARKER, C. J. R., *et al.* 177–183
——, Pharmacokinetics of morphine following administration by the buccal route, MANARA, A. R., *et al.* 498–502
——, Studies on morphine disposition: influence of renal failure on the kinetics of morphine and its metabolites, SEAR, J. W., *et al.* 28–32
Phrenic nerve–diaphragm preparation, *In vitro* investigation of the priming principle for rapid neuromuscular block, STORELLA, R. J., *et al.* 478–482
Pig, Teaching fibreoptic intubation, FORBES, R., *et al.*, (*C*) 113–114
Pig model, Effect of propofol on the malignant hyperthermia susceptible pig model, KRIVOSIC-HORBER, R., *et al.* 691–693
Pipecuronium, Effects of pipecuronium and pancuronium on the isolated rabbit heart, DEAM, R. K., *et al.* 287–289
Plain bupivacaine, Plain bupivacaine: 0.5% or 0.25% for spinal analgesia? NIELSEN, T. H., *et al.* 164–167
Plasma adrenaline, Plasma concentrations of catecholamines following intraocular irrigation with adrenaline, FELL, D., *et al.* 573–575
Plasma catecholamines, Natural killer cell activity in a patient undergoing resection of phaeochromocytoma, TØNNESEN, E., *et al.* 327–330
Plasma concentration, Studies on morphine disposition: influence of general anaesthesia on plasma concentrations of morphine and its metabolites, SEAR, J. W., *et al.* 22–27
Pleural pressure, Measurement of transdiaphragmatic pressure, DERRINGTON, M. C., (*C*) 238
——, Measurement of transdiaphragmatic pressure, HIGGS, B., (*C*) 237–238
Pocket Manual of Anesthesia, 1st Edn, LENZ, G., *et al.*, (editors), (*R*) 701–702
Ponies, Effect of dobutamine infusion on the adrenocortical response to halothane anaesthesia in ponies, TAYLOR, P. M., (*ARS*) 219P
——, Effects of halothane, isoflurane and enflurane anaesthesia on the total ventilatory impedance of ponies, YOUNG, S., (*ARS*) 230–231P
Porcine malignant hyperpyrexia syndrome, Effect of diltiazem on porcine malignant hyperpyrexia induced by suxamethonium and halothane, FOSTER, P. S., *et al.* 560–565
Porphyria, Use of propofol in a patient with porphyria, MCLOUGHLIN, C., (*C*) 114
Positioning the Surgical Patient, ANDERTON, J. M., *et al.*, (*R*) 238
Positive end-expiratory pressure, Comparison of the effects of high frequency oscillation and controlled mechanical ventilation on hyaline membrane formation in a rabbit model of the neonatal respiratory distress syndrome, NIBLETT, D. J., *et al.* 628–636
Postoperative pain, Continuous thoracic extradural 0.5% bupivacaine with or without morphine: effect on quality of blockade, lung function and the surgical stress response, SCOTT, N. B., *et al.* 253–257
——, Electroacupuncture and postoperative pain, CHRISTENSEN, P. A., *et al.* 258–262
Posture, Spinal anaesthesia with bupivacaine, MITCHELL, R. W. D., *et al.*, (*C*) 113
——, Spinal anaesthesia with bupivacaine, STIENSTRA, R., *et al.*, (*C*) 112–113
Potassium chloride, Effect of diltiazem and dantrolene on the contractility of isolated malignant hyperpyrexia-susceptible porcine skeletal muscle, FOSTER, P. S., *et al.* 566–572
Pregnancy, X-ray laryngoscopy in patients with a history of difficult laryngoscopy during pregnancy, FAHY, L., *et al.*, (*ARS*) 234P
Premedication, Pharmacokinetics of morphine following administration by the buccal route, MANARA, A. R., *et al.* 498–502
Preoperative gastric aspiration, Influence of preoperative gastric aspiration on the volume and pH of gastric contents in obstetric patients undergoing Caesarean section, BROCK-UTNE, J. G., *et al.* 397–401
Preoxygenation, Preoxygenation, GOLD, M. I., (*E*) 241
Priming principle, *In vitro* investigation of the priming principle for rapid neuromuscular block, STORELLA, R. J., *et al.* 478–482
Principles of Airway Management, 1st Edn, FINUCANE, B. T., *et al.*, (editors), (*R*) 116
Propofol, Auditory evoked potentials during propofol anaesthesia in man, CHASSARD, D., *et al.* 522–526
——, Closed-loop feedback control of propofol anaesthesia by quantitative EEG analysis in humans, SCHWILDEN, H., *et al.* 290–296
——, Computer controlled infusion of propofol, TACKLEY, R. M., *et al.* 46–53
——, Effect of anaesthetic agents on bile flow and biliary excretion of ^{131}I-cholylglycyltyrosine in the rat, MILLS, C. O., *et al.* 311–315

Propofol, Effect of diluting propofol on the incidence of pain on injection and venous sequelae, STOKES, D. N., *et al.* 202–203
——, Effect of nitrous oxide during basal propofol anaesthesia on myocardium with normal and critically restricted blood supply, DIEDERICKS, J., *et al.*, (*ARS*) 224P
——, Effect of prolonged sedation with propofol on serum triglyceride and cholesterol concentrations, GOTTARDIS, M., *et al.* 393–396
——, Effect of propofol on the malignant hyperthermia susceptible pig model, KRIVOSIC-HORBER, R., *et al.* 691–693
——, Effect of thiopentone, etomidate and propofol on carotid body chemoreceptor activity in the rabbit and the cat, PONTE, J., *et al.* 41–45
——, Effects of propofol on pulmonary and systemic arterial pressure–flow relationships in hyperoxic and hypoxic dogs, NAEIJE, R., *et al.* 532–539
——, Haemodynamic and oxgen saturation changes during upper gastrointestinal endoscopy: evaluation of propofol and midazolam sedation, PATTERSON, K. W., *et al.*, (*ARS*) 222–223P
——, Heart block following propofol: a case report, JAMES, M. F. M., *et al.* 213–215
——, Median nerve evoked potentials during propofol anaesthesia, SCHEEPSTRA, G. L., *et al.* 92–94
——, Neurobehavioural effects of propofol on the neonate following elective Caesarean section, CELLENO, D., *et al.* 649–654
——, Propofol for induction and maintenance of anaesthesia: comparison between younger and older patients, SCHEEPSTRA, G. L., *et al.* 54–60
——, Use of propofol in a patient with porphyria, MCLOUGHLIN, C., (*C*) 114
Prostaglandins, Prostaglandins and the lower oesophageal sphincter, JONES, M. J., *et al.*, (*C*) 581
——, Prostaglandins and the lower oesophageal sphincter, MAHONEY, A., (*C*) 581
Pulmonary function, Continuous thoracic extradural 0.5% bupivacaine with or without morphine: effect on quality of blockade, lung function and the surgical stress response, SCOTT, N. B., *et al.* 253–257
——, Effect of oral midazolam and diazepam on some pulmonary function tests, FASSOULAKI, A., *et al.*, (*ARS*) 232P
Pulmonary Function Indices in Critical Care Patients, 1st Edn, BRUNNER, J. X., *et al.*, (*R*) 351
Pulmonary gas mixing, Lung function in the supine and lateral decubitus positions in anaesthetized infants and children, LARSSON, A., *et al.* 378–384
Pulmonary oedema, Neurogenic pulmonary oedema precipitated by induction of anaesthesia, BRAUDE, N., *et al.* 101–103
Pulse oximeters, Comparison of pulse oximeters: effects of vasoconstriction and venous engorgement, WILKINS, C. J., *et al.* 439–444
Pulse oximetry, Maternal oxygenation during normal labour, REED, P. N., *et al.* 316–318
——, Oxygen desaturation following sedation for regional analgesia, SMITH, D. C., *et al.* 206–209
——, Pulse oximeters: essential monitors with limitations, KIDD, J. F., *et al.*, (*E*) 355–357

Quantitative EEG analysis, Closed-loop feedback control of propofol anaesthesia by quantitative EEG analysis in humans, SCHWILDEN, H., *et al.* 290–296

Rabbit, Blood–brain barrier to pertechnetate following drug-induced hypotension, COOK, P. R., *et al.* 402–408
——, Comparison of the effects of high frequency oscillation and controlled mechanical ventilation on hyaline membrane formation in a rabbit model of the neonatal respiratory distress syndrome, NIBLETT, D. J., *et al.* 628–636
——, Effect of halothane, enflurane and isoflurane on carotid body chemoreceptor activity in the rabbit and the cat, PONTE, J., *et al.* 33–40
——, Effect of thiopentone, etomidate and propofol on carotid body chemoreceptor activity in the rabbit and the cat, PONTE, J., *et al.* 41–45
——, Effects of pipecuronium and pancuronium on the isolated rabbit heart, DEAM, R. K., *et al.* 287–289
Radioimmunoassay, Studies on morphine disposition: influence of renal failure on the kinetics of morphine and its metabolites, SEAR, J. W., *et al.* 28–32
Ranitidine, Does pretreatment with cimetidine and ranitidine affect the disposition of bupivacaine? FLYNN, R. J., *et al.* 87–91
——, Influence of preoperative gastric aspiration on the volume and pH of gastric contents in obstetric patients undergoing Caesarean section, BROCK-UTNE, J. G., *et al.* 397–401
Rat, Effect of anaesthetic agents on bile flow and biliary excretion of ^{131}I-cholylglycyltyrosine in the rat, MILLS, C. O., *et al.* 311–315
——, *In vitro* investigation of the priming principle for rapid neuromuscular block, STORELLA, R. J., *et al.* 478–482
——, Pretreatment with paracetamol inhibits metabolism of enflurane in rats, HANNA, A. N., *et al.* 429–433
Rat phrenic nerve–diaphragm preparation, Doxapram and the neuromuscular junction, POLLARD, B. J., *et al.* 664–668
Rebreathing, Effect of high thoracic extradural anaesthesia on ventilatory response to hypercapnia in normal volunteers, KOCHI, T., *et al.* 362–367
Recall, Awareness following different techniques of general anaesthesia for Caesarean section, BARAKA, A., *et al.* 645–648
Recent Advances in Critical Care Medicine, Volume 3., LEDINGHAM, I. MCA., (editor), (*R*) 118–119
Recovery Interest Group, The Recovery Interest Group, ROSEN, M., *et al.*, (*C*) 470
Regional anaesthesia, Oxygen desaturation following sedation for regional analgesia, SMITH, D. C., *et al.* 206–209
——, The blood lancet in regional anaesthesia, DE ANDRES, J. A., (*C*) 348
Regurgitation, Awake fibreoptic intubation of the patient at high risk of aspiration, OVASSAPIAN, A., *et al.* 13–16
Renal failure, Studies on morphine disposition: influence of renal failure on the kinetics of morphine and its metabolites, SEAR, J. W., *et al.* 28–32
Respiratory effects, Cardiovascular and respiratory effects of ketorolac and alfentanil during anaesthesia, BROCKWAY, M. S., *et al.*, (*ARS*) 224–225P
Respiratory inductive plethysomograph, Effect of high thoracic extradural anaesthesia on ventilatory response to hypercapnia in normal volunteers, KOCHI, T., *et al.* 362–367
Rewarming, Effect of halothane, enflurane and isoflurane on body temperature during and after surgery, RAMACHANDRA, V., *et al.* 409–414
Rib cage, Effect of high thoracic extradural anaesthesia on ventilatory response to hypercapnia in normal volunteers, KOCHI, T., *et al.* 362–367
Right-left shunting, Relationship between alveolar deadspace and arterial oxygenation in children with congenital cardiac disease, FLETCHER, R. 168–176

S-adenosyl methionine, Short term effect of nitrous oxide on methionine and S-adenosyl methionine concentrations, ROYSTON, B. D., *et al.* 419–424
Safe practice, The anaesthetist's activities in the operating theatre, GOODMAN, N. W., (*C*) 700

——, The anaesthetist's activities in the operating theatre, McDonald, J. S., *et al.*, (*C*) 700
Safety of drugs, The safety of new drugs, Hull, C. J., (*E*) 587–589
Scholander apparatus, Solubility of Freon-22 in blood and lung tissue, Franks, P. J., *et al.* 425–428
Sciatic nerve block, Alkalinization of bupivacaine for sciatic nerve blockade, Coventry, D. M., *et al.*, (*ARS*) 227P
Screening, Effect of propofol on the malignant hyperthermia susceptible pig model, Krivosic-Horber, R., *et al.* 691–693
Sedation, Haemodynamic and oxgen saturation changes during upper gastrointestinal endoscopy: evaluation of propofol and midazolam sedation, Patterson, K. W., *et al.*, (*ARS*) 222–223P
Serum lipids, Effect of prolonged sedation with propofol on serum triglyceride and cholesterol concentrations, Gottardis, M., *et al.* 393–396
Short Synacthen Test (SST), Adrenal cortical reserve in patients undergoing muscle biopsy for malignant hyperthermia screening, Fairbrass, M. J., *et al.* 66–69
Sodium citrate, Influence of preoperative gastric aspiration on the volume and pH of gastric contents in obstetric patients undergoing Caesarean section, Brock-Utne, J. G., *et al.* 397–401
Sodium nitroprusside, Effect of ketanserin on sodium nitroprusside requirements, arterial pressure control and heart rate following coronary artery bypass surgery, Hodsman, N. B. A., *et al.* 527–531
Solubility, Solubility of Freon-22 in blood and lung tissue, Franks, P. J., *et al.* 425–428
Somatosensory evoked potentials (SEP), Effects of halothane on somatosensory evoked potentials recorded in the extradural space, Loughnan, B. A., *et al.* 297–300
——, Median nerve evoked potentials during propofol anaesthesia, Scheepstra, G. L., *et al.* 92–94
Spinal anaesthesia, Complications of spinal anaesthesia following extradural block for Caesarean section, Stone, P. A., *et al.* 335–337
——, GABA involvement in spinal analgesia with midazolam, Edwards, M., *et al.*, (*ARS*) 233P
——, Low-dose intrathecal diamorphine analgesia following major orthopaedic surgery, Reay, B. A., *et al.* 248–252
——, Maternal and neonatal bupivacaine concentrations after spinal and extradural anaesthesia for Caesarean section, Jani, K., *et al.*, (*ARS*) 226–227P
——, Naloxone antagonizes the spinal analgesic effects of midazolam, Serrao, J. M., *et al.*, (*ARS*) 233–234P
——, Oxygen desaturation following sedation for regional analgesia, Smith, D. C., *et al.* 206–209
——, Plain bupivacaine: 0.5% or 0.25% for spinal analgesia? Nielsen, T. H., *et al.* 164–167
——, Predicting the spread of spinal anaesthesia, Wildsmith, J. A. W., (*E*) 353–354
——, Spinal anaesthesia and surgical blood loss, Donald, J. R., (*C*) 114
——, Spinal anaesthesia and surgical blood loss, Smith, G., (*C*) 115
——, Spinal anaesthesia and surgical blood loss, Worsley, M. H., *et al.*, (*C*) 114
——, Spinal anaesthesia with bupivacaine, Mitchell, R. W. D., *et al.*, (*C*) 113
——, Spinal anaesthesia with bupivacaine, Stienstra, R., *et al.*, (*C*) 112–113
——, Spread of spinal anaesthesia with plain 0.5% bupivacaine: influence of the vertebral interspace used for injection, Tuominen, M., *et al.* 358–361
Spinal interspace, Spread of spinal anaesthesia with plain 0.5% bupivacaine: influence of the vertebral interspace used for injection, Tuominen, M., *et al.* 358–361
Spontaneous breathing, Lung function in the supine and lateral decubitus positions in anaesthetized infants and children, Larsson, A., *et al.* 378–384
——, Oxygen consumption and carbon dioxide elimination in infants and children during anaesthesia and surgery, Lindahl, S. G. E. 70–76
Sprague–Dawley rats, Pretreatment with paracetamol inhibits metabolism of enflurane in rats, Hanna, A. N., *et al.* 429–433
Spread, Predicting the spread of spinal anaesthesia, Wildsmith, J. A. W., (*E*) 353–354
Stress response, Continuous thoracic extradural 0.5% bupivacaine with or without morphine: effect on quality of blockade, lung function and the surgical stress response, Scott, N. B., *et al.* 253–257
Supine position, Lung function in the supine and lateral decubitus positions in anaesthetized infants and children, Larsson, A., *et al.* 378–384
Surgery for Anaesthetists, Zorab, J. S. M., (editor), (*R*) 471
Suxamethonium, Alfentanil obtunds the cardiovascular and sympathoadrenal responses to suxamethonium-facilitated laryngoscopy and intubation, Scheinin, B., *et al.* 385–392
——, Comparison of mechanomyography and integrated electromyography for monitoring suxamethonium block, Bell, P. F., *et al.*, (*ARS*) 225P
——, Comparison of mivacurium and suxamethonium administered by bolus and infusion, Brandom, B. W., *et al.* 488–493
——, Dose–response curves for suxamethonium in neonates, infants and children, Meakin, G., *et al.* 655–658
——, Effect of diltiazem on porcine malignant hyperpyrexia induced by suxamethonium and halothane, Foster, P. S., *et al.* 560–565
——, Effect of suxamethonium given during recovery from atracurium, Black, A. M. S., (*C*) 348–349
——, Effect of suxamethonium given during recovery from atracurium, Scott, R. P. F., *et al.*, (*C*) 349
——, Effects of fentanyl and alfentanil on the change in intraocular pressure produced by suxamethonium and tracheal intubation, Sweeney, J., *et al.*, (*ARS*) 222P
——, Fatal haemopathological consequences of general anaesthesia, Wright, P. J., *et al.* 104–107
——, Influence of suxamethonium on the action of subsequently administered vecuronium or pancuronium, Ono, K., *et al.* 324–326
——, Prolonged suxamethonium-induced neuromuscular block associated with organophosphate poisoning, Weeks, D. B., *et al.*, (*C*) 237
——, Suxamethonium and malignant hyperthermia, Fletcher, J. E., *et al.*, (*C*) 468
——, Suxamethonium and malignant hyperthermia, Nelson, T. E., (*C*) 468–469
Synaptic facilitation, General anaesthetic modification of synaptic facilitation and long-term potentiation in hippocampus, MacIver, M. B., *et al.* 301–310

Test doses, Limitations of adrenaline test doses in obstetric patients undergoing extradural anaesthesia, Scott, D. B., (*C*) 578
——, Limitations of adrenaline test doses in obstetric patients undergoing extradural anaesthesia, Scott, D. B., (*C*) 579
——, Limitations of adrenaline test doses in obstetric patients undergoing extradural anaesthesia, Sosis, A., (*C*) 578
——, Limitations of adrenaline test doses in obstetric patients undergoing extradural anaesthesia, Thorburn, J., (*C*) 578–579
——, Safety and efficacy of a low volume extradural test dose of bupivacaine in labour, Prince, G. D., *et al.* 503–508
Thiopentone, A new therapeutic approach to accidental

intra-arterial injection of thiopentone, VANGERVEN, M., *et al.* 98–100
Thiopentone, Awareness following different techniques of general anaesthesia for Caesarean section, BARAKA, A., *et al.* 645–648
——, Effect of thiopentone, etomidate and propofol on carotid body chemoreceptor activity in the rabbit and the cat, PONTE, J., *et al.* 41–45
——, Fatal haemopathological consequences of general anaesthesia, WRIGHT, P. J., *et al.* 104–107
——, Influence of alcohol consumption on the induction dose of thiopentone, DUNDEE, J. W., *et al.*, (*ARS*) 229–230P
Thoractomy, Comparison of continuous paravertebral and extradural infusions of bupivacaine for pain relief after thoracotomy, MATTHEWS, P. J., *et al.* 204–205
Tibialis anterior muscle, Neuromuscular block in diaphragm and hand, DERRINGTON, M. C., (*C*) 236
——, Neuromuscular block in diaphragm and hand, WAUD, B. E., (*C*) 236
Tidal volume, Oxygen consumption and carbon dioxide elimination in infants and children during anaesthesia and surgery, LINDAHL, S. G. E. 70–76
Topical anaesthesia, Anaesthesia of the skin, COLEY, S., (*E*) 4–5
——, *In vivo* assessment of percutaneous local anaesthetic preparations, MCCAFFERTY, D. F., *et al.* 17–21
Total anaesthesia, Propofol for induction and maintenance of anaesthesia: comparison between younger and older patients, SCHEEPSTRA, G. L., *et al.* 54–60
Total hip replacement, Air embolism during total hip replacement: comparison of two surgical techniques, EVANS, R. D., *et al.* 243–247
Total ventilatory compliance, Comparison of total ventilatory compliance in sedated and anaesthetized infants and young children, STACK, C. G., *et al.*, (*ARS*) 232P
Toxicity, Neurobehavioural effects of propofol on the neonate following elective Caesarean section, CELLENO, D., *et al.* 649–654
Tracheal intubation, Bilateral pneumothorax following tracheal intubation, BISWAS, C., *et al.* 338–339
——, Effects of fentanyl and alfentanil on the change in intraocular pressure produced by suxamethonium and tracheal intubation, SWEENEY, J., *et al.*, (*ARS*) 222P
——, Predicting difficult intubation, BELLHOUSE, C. P., *et al.*, (*C*) 469
——, Predicting difficult intubation, WILSON, M. E., *et al.*, (*C*) 469
——, Transilluminated tracheal intubation, AINSWORTH, Q. P., *et al.* 494–497
Train-of-four, Antagonism of moderate degrees of vecuronium-induced neuromuscular block by small doses of neostigmine, JOHNSON, R. A., *et al.* 483–487
——, Comparison of the Elwell Neuromuscular Indicator and the Datex Relaxograph, CANNING, J., *et al.*, (*ARS*) 226P
——, Double burst stimulation (DBS): a new pattern of nerve stimulation to identify residual neuromuscular block, ENGBÆK, J., *et al.* 274–278
——, Neuromuscular and cardiovascular effects of doxacurium in children anaesthetized with halothane, GOUDSOUZIAN, N. G., *et al.* 263–268
——, Train-of-four fade during onset and recovery of neuromuscular block: a study in non-anaesthetized subjects, TURNER, G. A., *et al.* 279–286
Transdiaphragmatic pressure, Measurement of transdiaphragmatic pressure, DERRINGTON, M. C., (*C*) 238
——, Measurement of transdiaphragmatic pressure, HIGGS, B., (*C*) 237–238
Transillumination, Transilluminated tracheal intubation, AINSWORTH, Q. P., *et al.* 494–497
Triglyceride, Effect of prolonged sedation with propofol on serum triglyceride and cholesterol concentrations, GOTTARDIS, M., *et al.* 393–396
Truncus arteriosus, Anaesthetic management for Caesarean section in a patient with uncorrected truncus arteriosus, WILTON, N. C. T., *et al.* 434–438
Tubocurarine, Use of atracurium or vecuronium to prolong the action of tubocurarine, MIDDLETON, C. M., *et al.* 659–663

Ulnar nerve stimulation, Effect of surface electrode positioning on the compound action potential evoked by ulnar nerve stimulation in anaesthetized infants and children, KALLI, I. 188–193
Ultrasound, Percutaneous anterior approach to the coeliac plexus using ultrasound, MONTERO MATAMALA, A., *et al.* 637–640
Understanding Anaesthesia, 2nd Edn, CARRIE, L. E. S., *et al.*, (*R*) 472
Upper gastrointestinal endoscopy, Haemodynamic and oxgen saturation changes during upper gastrointestinal endoscopy: evaluation of propofol and midazolam sedation, PATTERSON, K. W., *et al.*, (*ARS*) 222–223P
Urinary retention, Low-dose intrathecal diamorphine analgesia following major orthopaedic surgery, REAY, B. A., *et al.* 248–252
Urokinase, A new therapeutic approach to accidental intra-arterial injection of thiopentone, VANGERVEN, M., *et al.* 98–100
Urological surgery, Factors affecting headache following anaesthesia for urological daycase surgery, FAITHFULL, N. S., (*ARS*) 220–221P

Vancomycin, Perioperative complications following the use of vancomycin in children: a report of two cases, BEST, C. J., *et al.* 576–577
Vascular pressure–flow relationships, Effects of propofol on pulmonary and systemic arterial pressure–flow relationships in hyperoxic and hypoxic dogs, NAEIJE, R., *et al.* 532–539
Vasoconstriction, Comparison of pulse oximeters: effects of vasoconstriction and venous engorgement, WILKINS, C. J., *et al.* 439–444
Vecuronium, Accelerated recovery from combined atracurium–vecuronium neuromuscular block, STIRT, J. A. 697–699
——, Antagonism of moderate degrees of vecuronium-induced neuromuscular block by small doses of neostigmine, JOHNSON, R. A., *et al.* 483–487
——, Antagonism of vecuronium with neostigmine in children: influence of the associated halogenated agent, MEISTELMAN, C., *et al.*, (*ARS*) 228–229P
——, Atracurium—a post-marketing surveillance study: U.K. study and discussion, LAWSON, D. H., *et al.* 596–600
——, Effects of pipecuronium and pancuronium on the isolated rabbit heart, DEAM, R. K., *et al.* 287–289
——, Haemodynamic effects of vecuronium, WIERDA, J. M. K. H., *et al.* 194–198
——, Influence of suxamethonium on the action of subsequently administered vecuronium or pancuronium, ONO, K., *et al.* 324–326
——, Is vecuronium a long-acting neuromuscular blocking agent in neonates and infants? MERETOJA, O. A. 184–187
——, Recovery of neuromuscular function after infusion or intermittent bolus doses of atracurium or vecuronium, GORDON, K. L., *et al.* 269–273
——, Use of atracurium or vecuronium to prolong the action of tubocurarine, MIDDLETON, C. M., *et al.* 659–663
Venous occlusion, Comparison of pulse oximeters: effects of vasoconstriction and venous engorgement, WILKINS, C. J., *et al.* 439–444

Venous sequelae, Effect of diluting propofol on the incidence of pain on injection and venous sequelae, STOKES, D. N., *et al.* 202–203
——, Venous sequelae following i.v. administration of diclofenac, CAMPBELL, W. I., *et al.* 545–547
Ventilation, Comparison of total ventilatory compliance in sedated and anaesthetized infants and young children, STACK, C. G., *et al.*, (*ARS*) 232P
——, Effect of nalbuphine hydrochloride on the ventilatory and occlusion pressure responses to carbon dioxide in volunteers, PUGH, G. C., *et al.* 601–609
——, Effect of oral doxapram on morphine-induced changes in the ventilatory response to carbon dioxide, RANDALL, N. P. C., *et al.* 159–163
——, Effects of halothane, isoflurane and enflurane anaesthesia on the total ventilatory impedance of ponies, YOUNG, S., (*ARS*) 230–231P
——, Preliminary evaluation of the Enclosed Magill Breathing System, BRUCE, W. C., *et al.* 144–149
Vertebral interspace, Spread of spinal anaesthesia with plain 0.5% bupivacaine: influence of the vertebral interspace used for injection, TUOMINEN, M., *et al.* 358–361
Vital capacity, Effect of oral midazolam and diazepam on some pulmonary function tests, FASSOULAKI, A., *et al.*, (*ARS*) 232P
Vitamin B_{12}, Short term effect of nitrous oxide on methionine and S-adenosyl methionine concentrations, ROYSTON, B. D., *et al.* 419–424
Volatile anaesthetics, Changes in oxygen saturation during inhalation induction of anaesthesia in children, SAMPAIO, M. M., *et al.* 199–201
——, Comparison of 1.5% enflurane with 1.25% isoflurane in oxygen for Caesarean section: avoidance of awareness without nitrous oxide, TUNSTALL, M. E., *et al.* 138–143
——, Early cortical auditory evoked response in anaesthesia: comparison of the effects of nitrous oxide and isoflurane, NEWTON, D. E. F., *et al.* 61–65
——, Pretreatment with paracetamol inhibits metabolism of enflurane in rats, HANNA, A. N., *et al.* 429–433
Vomiting, Low-dose intrathecal diamorphine analgesia following major orthopaedic surgery, REAY, B. A., *et al.* 248–252

Weight, Pharmacokinetics of alfentanil during and after a fixed rate infusion, VAN BEEM, H., *et al.* 610–615
Whole body protein, Whole body protein turnover during anaesthesia and surgery, CARLI, F., *et al.*, (*ARS*) 220P
Winnie's technique, Evaluation of "3 in 1" lumbar plexus block in patients having muscle biopsy, MADEJ, T. H., *et al.* 515–517

X-ray laryngoscopy, X-ray laryngoscopy in patients with a history of difficult laryngoscopy during pregnancy, FAHY, L., *et al.*, (*ARS*) 234P

Yearbook of Critical Care Medicine, 1988, 6th Edn, ROGERS, M. C., (editor), (*R*) 582

CONTENTS

JANUARY

EDITORIALS: I. Airways revisited 1
R. S. Vaughan

II. Anaesthesia of the skin 4
S. Coley

ORIGINAL ARTICLES

Defining a standard intubating position using "Angle Finder" 6
W. A. Horton, L. Fahy and P. Charters

Awake fibreoptic intubation in the patient at high risk of aspiration 13
A. Ovassapian, T. C. Krejcie, S. J. Yelich and M. H. M. Dykes

In vivo assessment of percutaneous local anaesthetic preparations 17
D. F. McCafferty, A. D. Woolfson and V. Boston

Studies on morphine disposition: influence of general anaesthesia on plasma concentrations of morphine and its metabolites 22
J. W. Sear, C. W. Hand, R. A. Moore and H. J. McQuay

Studies on morphine disposition: influence of renal failure on the kinetics of morphine and its metabolites 28
J. W. Sear, C. W. Hand, R. A. Moore and H. J. McQuay

Effect of halothane, enflurane and isoflurane on carotid body chemoreceptor activity in the rabbit and the cat 33
J. Ponte and C. L. Sadler

Effect of thiopentone, etomidate and propofol on carotid body chemoreceptor activity in the rabbit and the cat 41
J. Ponte and C. L. Sadler

Computer controlled infusion of propofol 46
R. M. Tackley, G. T. R. Lewis, C. Prys-Roberts, R. W. Boaden, J. Dixon and J. T. Harvey

Propofol for induction and maintenance of anaesthesia: comparison between younger and older patients 54
G. L. Scheepstra, L. H. D. J. Booij, C. L. G. Rutten and L. G. J. Coenen

Early cortical auditory evoked response in anaesthesia: comparison of the effect of nitrous oxide and isoflurane 61
D. E. F. Newton, C. Thornton, P. Creagh-Barry and C. J. Doré

Adrenal cortical reserve in patients undergoing muscle biopsy for malignant hyperthermia screening 66
M. J. Fairbrass, P. Coe and F. R. Ellis

Oxygen consumption and carbon dioxide elimination in infants and children during anaesthesia and surgery 70
S. G. E. Lindahl

Glycopyrronium requirements for antagonism of the muscarinic side effects of edrophonium 77
P. Dodd, S. J. Day, D. R. Goldhill, D. M. MacLeod, P. S. Withington and P. M. Yate

Extradural bupivacaine and methadone for extracorporeal shock-wave lithotripsy 82
B. Drenger, Y. Shir, D. Pode, A. Shapiro, F. Magora and J. T. Davidson

Does pretreatment with cimetidine and ranitidine affect the disposition of bupivacaine? 87
R. J. Flynn, J. Moore, P. S. Collier and E. McClean

RAPID COMMUNICATION

Median nerve evoked potentials during propofol anaesthesia 92
G. L. Scheepstra, J. J. de Lange, L. H. D. J. Booij and H. H. Ros

CASE REPORTS

Use of continuous prolonged administration of atracurium in the ITU to a patient with myasthenia gravis 95
B. J. Pollard, N. J. N. Harper and B. R. H. Doran

A new therapeutic approach to accidental intra-arterial injection of thiopentone 98
M. Vangerven, G. Delrue, E. Brugman and P. Cosaert

Neurogenic pulmonary oedema precipitated by induction of anaesthesia 101
N. Braude and T. Ludgrove

Fatal haemopathological consequences of general anaesthesia 104
P. J. Wright, J. R. Shortland, J. D. Stevens, M. A. Parsons and J. Watkins

Acute gastric dilatation in an incarcerated hiatus hernia 108
C. S. Hopkins and S. Leith

CORRESPONDENCE

Hypotensive agents: an animal model 112
Spinal anaesthesia with bupivacaine 112
Teaching fibreoptic intubation 113

Use of propofol in a patient with porphyria 114
Spinal anaesthesia and surgical blood loss 114

BOOK REVIEWS

Annual Review of Pulmonary and Critical Care Medicine 88/89 116
Intensive Care—Pocket Reference 116
Principles of Airway Management 116
Introduction to Anesthesia: The Principles of Safe Practice 116
Diamorphine: Its Chemistry, Pharmacology and Clinical Use 117
Care of the Critically Ill 117
Medicine for Disasters 117
Anaesthesia Review 5 118
Recent Advances in Critical Care Medicine 118

FEBRUARY

EDITORIAL: Cisapride and anaesthesia 121
D. J. Rowbotham

ORIGINAL ARTICLES

Effects on the lower oesophageal sphincter of cisapride given before the combined administration of atropine and neostigmine 124
M. J. Jones, R. W. D. Mitchell and N. Hindocha

Effects of general anaesthesia with halothane on antroduodenal motility, pH and gastric emptying rate in man 129
B. A. Schurizek, L. H. O. Willacy, K. Kraglund, F. Andreasen and B. Juhl

Comparison of 1.5% enflurane with 1.25% isoflurane in oxygen for Caesarean section: avoidance of awareness without nitrous oxide 138
M. E. Tunstall and A. Sheikh

Preliminary evaluation of the Enclosed Magill Breathing System 144
W. E. Bruce and N. C. Soni

Comparison of the Bain and the ADE system during controlled ventilation in adults 150
N. K. Shah, C. J. Loughlin and R. F. Bedford

Comparison of the Magill and Lack anaesthetic breathing systems in anaesthetized patients 153
S. W. Millar, P. K. Barnes, N. Soni and R. Tennant

Effect of oral doxapram on morphine-induced changes in the ventilatory response to carbon dioxide 159
N. P. C. Randall, B. J. Pleuvry, E. J. Fazackerley, C. Y. Modla, L. F. Prescott and T. E. J. Healy

Plain bupivacaine: 0.5% or 0.25% for spinal analgesia? 164
T. H. Nielsen, E. Kristoffersen, K. H. Olsen, H. V. Larsen, H. C. Husegaard and M. Wernberg

Relationship between alveolar deadspace and arterial oxygenation in children with congenital cardiac disease 168
R. Fletcher

Pharmacokinetics of atracurium and laudanosine in patients with hepatic cirrhosis 177
C. J. R. Parker and J. M. Hunter

Is vecuronium a long-acting neuromuscular blocking agent in neonates and infants? 184
O. A. Meretoja

Effect of surface electrode positioning on the compound action potential evoked by ulnar nerve stimulation in anaesthetized infants and children. 188
I. Kalli

Haemodynamic effects of vecuronium 194
J. M. K. H. Wierda, E. Maestrone, A. F. Bencini, A. Boyer, O. M. Rashkovsky, H. Lip, R. Karliczek, J. M. Ket and S. Agoston

Changes in oxygen saturation during inhalation induction of anaesthesia in children 199
M. M. Sampaio, P. M. Crean, S. R. Keilty and G. W. Black

RAPID COMMUNICATIONS

Effect of diluting propofol on the incidence of pain on injection and venous sequelae 202
D. N. Stokes, N. Robson and P. Hutton

Comparison of continuous paravertebral and extradural infusions of bupivacaine for pain relief after thoracotomy 204
P. J. Matthews and V. Govenden

CASE REPORTS

Oxygen desaturation following sedation for regional analgesia 206
D. C. Smith and J. F. Crul

Pancuronium allergy: a case report 210
G. Patriarca, E. Nucera, D. Schiavino, A. Romano, V. Di Rienzo, S. Pellegrino and G. Fais

Heart block following propofol: a case report 213
M. F. M. James, C. J. Reyneke and K. Whiffler

Profound intraoperative atelectasis 216
S. I. Samuels and J. B. Brodsky

ABSTRACTS

Proceedings of the Anaesthetic Research Society, London Meeting, November 11, 1988 ..... 219P

CORRESPONDENCE

Neuromuscular block in diaphragm and hand 236
Nasotracheal intubation, paranasal sinusitis and head injuries 236

Prolonged suxamethonium-induced neuromuscular block associated with organophosphate poisoning 237
Measurement of transdiaphragmatic pressure 237

BOOK REVIEWS

Intravenous Anaesthesia 239
Positioning the Surgical Patient 239

MARCH

EDITORIAL: Preoxygenation 241
M. I. Gold

ORIGINAL ARTICLES

Air embolism during total hip replacement: comparison of two surgical techniques 243
R. D. Evans, M. G. A. Palazzo and J. W. L. Ackers

Low-dose intrathecal diamorphine analgesia following major orthopaedic surgery 248
B. A. Reay, A. J. Semple, W. A. Macrae, N. MacKenzie and I. S. Grant

Continuous thoracic extradural 0.5% bupivacaine with or without morphine: effect on quality of blockade, lung function and the surgical stress response 253
N. B. Scott, T. Mogensen, D. Bigler, C. Lund and H. Kehlet

Electroacupuncture and postoperative pain 258
P. A. Christensen, M. Noreng, P. E. Andersen and J. W. Nielsen

Neuromuscular and cardiovascular effects of doxacurium in children anaesthetized with halothane . 263
N. G. Goudsouzian, J. K. Alifimoff, L. M. P. Liu, V. Foster, B. McNulty and J. J. Savarese

Recovery of neuromuscular function after infusion or intermittent bolus doses of atracurium or vecuronium 269
K. L. Gordon and C. S. Reilly

Double burst stimulation (DBS): a new pattern of nerve stimulation to identify residual neuromuscular block 274
J. Engbæk, D. Østergaard and J. Viby-Mogensen

Train-of-four fade during onset and recovery of neuromuscular block: a study in non-anaesthetized subjects 279
G. A. Turner, J. D. Williams and D. J. Baker

Effects of pipecuronium and pancuronium on the isolated rabbit heart 287
R. K. Deam and N. Soni

Closed-loop feedback control of propofol anaesthesia by quantitative EEG analysis in humans 290
H. Schwilden, H. Stoeckel and J. Schüttler

Effects of halothane on somatosensory evoked potentials recorded in the extradural space 297
B. A. Loughnan, M. J. King, E. M. Grundy, D. L. Young and G. M. Hall

General anaesthetic modification of synaptic facilitation and long-term potentiation in hippocampus . 301
M. B. MacIver, D. L. Tauck and J. J. Kendig

Effect of anaesthetic agents on bile flow and biliary excretion of ^{131}I-cholylglycyltyrosine in the rat... 311
C. O. Mills, J. F. Freeman, P. J. Salt and E. Elias

RAPID COMMUNICATIONS

Maternal oxygenation during normal labour 316
P. N. Reed, A. D. Colquhoun and C. D. Hanning

Interaction of ketamine with atracurium 319
P. Toft and S. Helbo-Hansen

Cerebral blood flow during anaesthesia: influence of pretreatment with metoprolol or captopril 321
K. Jensen, L. Bunemann, S. Riisager and L. J. Thomsen

Influence of suxamethonium on the action of subsequently administered vecuronium or pancuronium 324
K. Ono, N. Manabe, Y. Ohta, K. Morita and F. Kosaka

CASE REPORTS

Natural killer cell activity in a patient undergoing resection of phaeochromocytoma 327
E. Tønnesen, F. Knudsen, H. K. Nielsen and N. J. Christensen

Anaesthetic management of a patient with Fascioscapulohumeral muscular dystrophy 331
D. L. Dresner and H. H. Ali

Complications of spinal anaesthesia following extradural block for Caesarean section 335
P. A. Stone, J. Thorburn and K. S. R. Lamb

Bilateral pneumothorax following tracheal intubation 338
C. Biswas, N. Jana and S. Maitra

APPARATUS

Evaluation of the Ambu CPAP system 340
P. J. H. Venn

CORRESPONDENCE

The blood lancet in regional anaesthesia 348
Effect of suxamethonium given during recovery from atracurium 348

BOOK REVIEWS

Automation in Anesthesia—A Relief? 350
A Manual of Anaesthesia for Emergency Surgery 350
A Bibliography of References to Anaesthesia in the Australasian Medical Journals 1846–1952 350
Pulmonary Function Indices in Critical Care Patients 351

APRIL

EDITORIALS: I. Predicting the spread of spinal anaesthesia 353
J. A. W. Wildsmith

II. Pulse oximeters: essential monitors with limitations 355
J. F. Kidd and M. D. Vickers

ORIGINAL ARTICLES

Spread of spinal anaesthesia with plain 0.5% bupivacaine: influence of the vertebral interspace used for injection 358
M. Tuominen, T. Taivainen and P. H. Rosenberg

Effect of high thoracic extradural anaesthesia on ventilatory response to hypercapnia in normal volunteers 362
T. Kochi, S. Sako, T. Nishino and T. Mizuguchi

Extradural pressure following the injection of two volumes of bupivacaine 368
D. L. Paul and J. A. W. Wildsmith

Doxacurium chloride: a preliminary clinical trial ... 373
R. P. F. Scott and J. Norman

Lung function in the supine and lateral decubitus positions in anaesthetized infants and children ... 378
A. Larsson, C. Jonmarker, S. G. E. Lindahl and O. Werner

Alfentanil obtunds the cardiovascular and sympathoadrenal responses to suxamethonium-facilitated laryngoscopy and intubation 385
B. Scheinin, M. Scheinin, J. Vuorinen and L. Lindgren

Effect of prolonged sedation with propofol on serum triglyceride and cholesterol concentrations 393
M. Gottardis, K. S. Khünl-Brady, W. Koller, G. Sigl and J. M. Hackl

Influence of preoperative gastric aspiration on the volume and pH of gastric contents in obstetric patients undergoing Caesarean section 397
J. G. Brock-Utne, C. Rout, J. Moodley and N. Mayat

Blood–brain barrier to pertechnetate following drug-induced hypotension 402
P. R. Cook, D. Myers, M. Barker and J. G. Jones

Effect of halothane, enflurane and isoflurane on body temperature during and after surgery 409
V. Ramachandra, C. Moore, N. Kaur and F. Carli

Serial peak expiratory flow rates in mothers during Caesarean section under extradural anaesthesia... 415
M. Gamil

Short term effect of nitrous oxide on methionine and S-adenosyl methionine concentrations 419
B. D. Royston, T. Bottiglieri and J. F. Nunn

Solubility of freon-22 in blood and lung tissue 425
P. J. Franks, R. H. Hooper and P. R. M. Jones

Pretreatment with paracetamol inhibits metabolism of enflurane in rats 429
A. N. Hanna, J. S. McDonald, C. H. Miller jr and D. Couri

CASE REPORT

Anaesthetic management for Caesarean section in a patient with uncorrected truncus arteriosus 434
N. C. T. Wilton, K. B. Traber and L. S. Deschner

APPARATUS

Comparison of pulse oximeters: effects of vasoconstriction and venous engorgement 439
C. J. Wilkins, M. Moores and C. D. Hanning

A new microprocessor-controlled anaesthetic machine 445
M. K. Sykes, B. R. Sugg, C. E. W. Hahn, R. K. Jackson and E. Palayiwa

Resistance to airflow in anaesthetic breathing systems 456
D. G. Martin, K. L. Kong and G. T. R. Lewis

Controlled ventilation with a Mapleson A (Magill) breathing system: reassessment using a lung model 462
C. K. G. Tyler, P. K. Barnes and M. P. Rafferty

CORRESPONDENCE

Adverse reactions to atracurium 467
Suxamethonium and malignant hyperthermia 468
Predicting difficult intubation 469
Aid to intubation 469
The Recovery Interest Group 470

BOOK REVIEWS

An Introduction to Anaesthesiology 471
Surgery for Anaesthetists 471
Anaesthesia and Co-Existing Disease 471
Understanding Anaesthesia 472
Neonatal Anaesthesia 472
Anaesthesia for Thoracic Procedures 472
Anatomy for Anaesthetists 473

MAY

EDITORIAL: High frequency ventilation 475
M. K. Sykes

ORIGINAL ARTICLES

In vitro investigation of the priming principle for rapid neuromuscular block 478
R. J. Storella, J. Jaffe, E. Mehr and H. Rosenberg

Antagonism of moderate degrees of vecuronium-induced neuromuscular block by small doses of neostigmine 483
R. A. Johnson and N. J. N. Harper

Comparison of mivacurium and suxamethonium administered by bolus and infusion 488
B. W. Brandom, S. K. Woelfel, D. Ryan Cook, S. Weber, D. M. Powers and J. N. Weakly

Transilluminated tracheal intubation 494
Q. P. Ainsworth and T. H. Howells

Pharmacokinetics of morphine following administration by the buccal route 498
A. R. Manara, M. P. Shelly, K. C. Quinn and G. R. Park

Safety and efficacy of a low volume extradural test dose of bupivacaine in labour 503
G. D. Prince, G. R. Shetty and M. Miles

Effect of time and adrenaline on the feto–maternal distribution of bupivacaine 509
F. Reynolds, R. Laishley, B. Morgan and A. Lee

Evaluation of "3 in 1" lumbar plexus block in patients having muscle biopsy 515
T. H. Madej, F. R. Ellis and P. J. Halsall

Incidence of arrhythmias in dental anaesthesia: a cross-over comparison of halothane and isoflurane 518
G. L. Hutchison, C. A. Davies, G. Main and I. G. Gray

Auditory evoked potentials during propofol anaesthesia in man 522
D. Chassard, A. Joubaud, A. Colson, M. Guiraud, C. Dubreuil and V. Banssillon

Effect of ketanserin on sodium nitroprusside requirements, arterial pressure control and heart rate following coronary artery bypass surgery 527
N. B. A. Hodsman, J. R. Colvin and G. N. C. Kenny

Effects of propofol on pulmonary and systemic arterial pressure–flow relationships in hyperoxic and hypoxic drugs 532
R. Naeije, P. Lejeune, M. Leeman, C. Melot and T. Deloof

Is there a relationship between masseteric muscle spasm and malignant hyperpyrexia? 540
A. S. Christian, F. R. Ellis and P. J. Halsall

Venous sequelae following i.v. administration of diclofenac 545
W. I. Campbell and C. H. Watters

Electroencephalographic effects of laudanosine in an animal model of epilepsy 548
A. Tateishi, M. H. Zornow, M. S. Scheller, P. C. Canfell

Effect of nicardipine infusion on the release of glutathione S-transferase following halothane anaesthesia 553
D. C. Ray, G. J. Beckett, J. D. Hayes and G. B. Drummond

Effect of diltiazem on porcine malignant hyperpyrexia induced by suxamethonium and halothane 560
P. S. Foster, K. C. Hopkinson and M. A. Denborough

Effect of diltiazem and dantrolene on the contractility of isolated malignant hyperpyrexia-susceptible porcine skeletal muscle 566
P. S. Foster and M. A. Denborough

RAPID COMMUNICATION

Plasma concentrations of catecholamines following intraocular irrigation with adrenaline 573
D. Fell, A. P. Watson and N. Hindocha

CASE REPORT

Perioperative complications following the use of vancomycin in children: a report of two cases 576
C. J. Best, M. Ewart and E. Sumner

CORRESPONDENCE

Limitations of adrenaline test doses in obstetric patients undergoing extradural anaesthesia 578
Extradural bupivacaine and methadone for extracorporeal shock-wave lithotripsy 579
Parkinsonism and the anaesthetist 580
Prostaglandins and the lower oesophageal sphincter 581

BOOK REVIEWS

Obstetric Anesthesia: The Complicated Patient 582
Yearbook of Critical Care Medicine, 1988 582
A History of Longworth Scientific Instrument Co. Ltd 583
Anyone Can Intubate 583
Perspectives in Critical Care Medicine 583
Current Practice in Anesthesiology 584

JUNE

EDITORIAL: The safety of new drugs 587
C. J. Hull

ORIGINAL ARTICLES

Atracurium—a post-marketing surveillance study: Methods and U.S. experience 590
H. Jick, E. B. Andrews, H. H. Tilson, M. Pfanschmidt, C. Branche, A. M. Walker and D. H. Lawson

Atracurium—a post-marketing surveillance study: U.K. study and discussion 596
D. H. Lawson, G. M. Paice, R. J. Glavin, E. B. Andrews, C. Branche, H. Tilson and H. Jick

Effect of nalbuphine hydrochloride on the ventilatory and occlusion pressure responses to carbon dioxide in volunteers 601
G. C. Pugh, D. T. Brown and G. B. Drummond

Pharmacokinetics of alfentanil during and after a fixed rate infusion 610
H. van Beem, A. Van Peer, R. Gasparini, R. Woestenborghs, J. Heykants, H. Noorduin, J. van Egmond and J. Crul

Use of magnesium sulphate in the anaesthetic

management of phaeochromocytoma: a review of 17 anaesthetics 616
M. F. M. James

Retrospective study of early postoperative convulsions after intracranial surgery with isoflurane or enflurane anaesthesia 624
A. R. Christys, E. Moss and D. Powell

Comparison of the effects of high frequency oscillation and controlled mechanical ventilation on hyaline membrane formation in a rabbit model of the neonatal respiratory distress syndrome 628
D. J. Niblett, B. K. Sandhar, M. S. Dunnill and M. K. Sykes

Percutaneous anterior approach to the coeliac plexus using ultrasound 637
A. Montero Matamala, F. Vidal Lopez, J. L. Aguilar Sanchez and L. Donoso Bach

Controlled trial of extradural bupivacaine with fentanyl, morphine or placebo for pain relief in labour 641
J. D. Lirzin, P. Jacquinot, P. Dailland, J. C. Jorrot, J. Jasson, M. L. Talafre and C. Conseiller

Awareness following different techniques of general anaesthesia for Caesarean section 645
A. Baraka, F. Louis, R. Noueihid, M. Diab, A. Dabbous and A. Sibai

Neurobehavioural effects of propofol on the neonate following elective Caesarean section..... 649
D. Celleno, G. Capogna, M. Tomassetti, P. Costantino, G. Di Feo and R. Nisini

Dose–response curves for suxamethonium in neonates, infants and children..... 655
G. Meakin, E. P. McKiernan, P. Morris and R. D. Baker

Use of atracurium or vecuronium to prolong the action of tubocurarine 659
C. M. Middleton, B. J. Pollard, T. E. J. Healy and B. Kay

Doxapram and the neuromuscular junction 664
B. J. Pollard, N. P. C. Randall and B. J. Pleuvry

Inhalation anaesthetics decrease calcium content of cardiac sarcoplasmic reticulum..... 669
M. Katsuoka and S. T. Ohnishi

Antroduodenal mobility, pH and gastric emptying during balanced anaesthesia: comparison of pethidine and fentanyl 674
B. A. Schurizek, L. H. O. Willacy, K. Kraglund, F. Andreasen and B. Juhl

Effect of atracurium and laudanosine on the release of ^{3}H-noradrenaline 683
M. Kinjo, H. Nagashima and E. S. Vizi

Effect of propofol on the malignant hyperthermia susceptible pig model 691
R. Krivosic-Horber, H. Reyfort, M. C. Becq and P. Adnet

RAPID COMMUNICATIONS

Effect of general anaesthesia on the magnetic resonance imaging signal from the brain 694
A. Whitfield and R. H. B. Douglas

Accelerated recovery from combined atracurium–vecuronium neuromuscular block..... 697
J. A. Stirt

CORRESPONDENCE

The anaesthetist's activities in the operating theatre 700

BOOK REVIEWS

Imaging and Labelling Techniques in the Critically Ill 701
Pocket Manual of Anesthesia 701
Acupuncture Treatment and Anaesthesia 702
Clinical Anatomy for Anesthesiologists 702
Index to Volume 62..... 703